

Before the
Federal Communications Commission
Washington, D.C. 20554

In the Matter of

Amendment of the Commission’s Rules
Regarding Implementation of the Final Acts of the
World Radiocommunication Conference
(Sharm el-Sheikh, 2019) (WRC-19), Other
Allocation Issues, and Related Rule Updates

ET Docket No. 23-121

Amendment of the Commission’s Rules
Regarding Implementation of the Final Acts of the
World Radiocommunication Conference
(Geneva, 2015) (WRC-15), Other Allocation
Issues, and Related Rule Updates

ET Docket No. 23-120

Petition to Amend Parts 2 and 97 of the
Commission’s Rules Regarding Implementation
of the Final Acts of the World
Radiocommunication Conference (Geneva, 2015)
To Allocate the Band 5351.5-5366.5 kHz to the
Amateur Radio Service

RM-11785

This is what we care about... I think.

ORDER AND NOTICE OF PROPOSED RULEMAKING

Adopted: April 18, 2023

Released: April 21, 2023

Comment Date: [60 days after date of publication in the Federal Register]

Reply Comment Date: [90 days after date of publication in the Federal Register]

I'm currently struggling to
figure out if/when that
happened

By the Commission:

TABLE OF CONTENTS

Table with 2 columns: Heading and Paragraph #. Includes sections like I. INTRODUCTION, II. EXECUTIVE SUMMARY, III. BACKGROUND, IV. ORDER (WRC-19 ADMIN ORDER), V. NOTICE OF PROPOSED RULEMAKING (WRC-15 NOTICE).

Bands27

6. Revision of the 18.142-19.3 GHz, 28.5-29.1 GHz, and 29.25-29.5 GHz Bands31

7. Deletion of the Radionavigation-Satellite Service from the 149.9-150.05 MHz and 399.9-400.05 MHz Bands36

B. Terrestrial Issues37

1. Amateur Service in the 5351.5-5366.5 kHz Band.....37

2. Amateur Service in the 420-450 MHz Band54

3. Maritime On-board Communication Stations (457/467 MHz)55

4. Deletion of the Broadcasting Service from the 700 MHz Band.....63

5. Deletion of Footnote NG15564

C. Other Matters65

VI. PROCEDURAL MATTERS.....70

A. Order70

B. NPRM73

VII.ORDERING CLAUSES.....80

APPENDIX A – Final Rules

APPENDIX B – Proposed Rules

APPENDIX C – Initial Regulatory Flexibility Analysis

I. INTRODUCTION

1. By this action, we take the necessary steps to implement certain decisions of the World Radiocommunication Conferences held in 2015 (WRC-15) and 2019 (WRC-19). **This action consists of two components:** 1) **an Order** that amends part 2 of the Commission’s rules to make **non-substantive**, editorial revisions to the Commission’s Table of Frequency Allocations (Allocation Table), primarily to reflect decisions from the Final Acts World Radiocommunication Conference 2019 (*WRC-19 Final Acts*); and 2) **a Notice of Proposed Rulemaking** that proposes to amend the Allocation Table and related service rules to implement certain radiofrequency allocation decisions from the Final Acts World Radiocommunication Conference 2015 (*WRC-15 Final Acts*).¹

So two things:

2. In the Order (WRC-19 Admin Order), we revise the Allocation Table by updating the International Table of Frequency Allocations (International Table) portion to reflect the International Telecommunication Union’s (ITU’s) Table of Frequency Allocations in its Radio Regulations (Edition of 2020) (Radio Regulations) and by making updates and corrections in the United States Table of Frequency Allocations (U.S. Table) portion.² These ministerial actions do not modify or otherwise change the Commission’s rules with respect to any party’s underlying rights or responsibilities.

An Order (a done deal) of minor stuff

3. **In the Notice of Proposed Rulemaking** (WRC-15 Notice), we propose to **amend** parts 2, 25, 74, 78, 90, 97, and 101 of the Commission’s rules to implement certain of the remaining allocation decisions from the *WRC-15 Final Acts* concerning portions of the radio spectrum between 5330.5 kHz and 29.5 GHz, make other allocation changes, and make related updates to our service rules in this

An NPRM to propose some changes (including the 60 meter band)

So this is a lot of stuff. We are a small part of it.

¹ See International Telecommunication Union (ITU), Final Acts WRC-15 (2016) (*WRC-15 Final Acts*), <http://handle.itu.int/11.1002/pub/80d4e1c0-en>; ITU Final Acts WRC-19 (2020) (*WRC-19 Final Acts*), <http://handle.itu.int/11.1002/pub/813b5921-en>; and 47 CFR § 2.106.

² 47 CFR § 2.106. See ITU Radio Regulations, <http://handle.itu.int/11.1002/pub/814b0c44-en>. All citations to the ITU Radio Regulations in this document refer to the Edition of 2020 unless otherwise stated. *Id.*, Vol. 1, at III. The United States Table of Frequency Allocations (U.S. Table) is subdivided into the Federal Table of Frequency Allocations (Federal Table, column 4 of § 2.106) and the non-Federal Table of Frequency Allocations (non-Federal Table, column 5 of § 2.106). The Federal Table is administered by the National Telecommunications and Information Administration (NTIA) and the non-Federal Table is administered by the Commission. 47 CFR § 2.105(a). The International Table and Federal Table are included in the Allocation Table for informational purposes only. 47 CFR §§ 2.104(a), 2.105(d)(3).

frequency range. The WRC-15 Notice follows the *WRC-15 Admin Order*,³ which made non-substantive, editorial revisions to the Allocation Table and to other related rules.⁴ Many of these proposals are based on the National Telecommunications and Information Administration's (NTIA's) recommendations for national implementation of the *WRC-15 Final Acts*.⁵ Collectively, our proposals are designed to harmonize our spectrum allocations with and conform our rules to the *WRC-15 Final Acts* to the extent that doing so would better meet domestic requirements.

II. EXECUTIVE SUMMARY

4. In the WRC-19 Order, we take non-substantive, editorial actions to update the Commission's Allocation Table, including removing expired text and correcting errors. In the WRC-15 Notice, we propose to implement certain of the allocation decisions from the *WRC-15 Final Acts*, make other allocation changes, and make related updates to our service rules, including those for the amateur radio, cable television relay, fixed microwave, private land mobile, and satellite services, and for aural broadcast auxiliary and television broadcast auxiliary stations. Specifically, we seek comment on:

We seek comment on....

Satellite Issues

- Providing satellite-based search and rescue systems with protection from out-of-band emissions in the 406-406.1 MHz band by adding footnote US265 and revising section 90.265 to prohibit new fixed and mobile service assignments in the adjacent 100 kilohertz.
- Allocating the 410-420 MHz band to the space research service (space-to-space) on a secondary basis for non-Federal use, limited to communication links with an orbiting, manned space vehicle.
- Providing for Global Flight Tracking by allocating the 1087.7-1092.3 MHz sub-band to the aeronautical mobile-satellite (route) service (Earth-to-space) on a primary basis for Federal and non-Federal use, limited to space station reception of existing automatic dependent surveillance-broadcast (ADS-B) emissions from aircraft.
- Whether to allocate the 7190-7235 MHz band to the space research service (Earth-to-space) and the 7190-7250 MHz band to the Earth exploration-satellite service (Earth-to-space) on a secondary basis for non-Federal use.
- Whether to allocate the 9.2-9.3 GHz and 9.9-10.4 GHz bands to the Earth exploration-satellite service (active) on a primary basis for Federal use and on a secondary basis for non-Federal use and add several footnotes that will limit the impact of this new allocation on certain existing allocations.
- Revising footnote NG62 to permit grandfathered fixed stations in the 28.5-29.1 GHz and 29.25-29.5 GHz bands to operate on a secondary basis; update footnote US139 and the related service rules because incumbent fixed stations in the 18.3-19.3 GHz band no longer have primary status; and seek comment on whether the secondary non-Federal fixed-satellite service (space-to-Earth) allocation in the 18.142-18.3 GHz band should be raised to co-primary status with the fixed service.
- Deleting the primary radionavigation-satellite service allocation from the 149.9-150.05 MHz and 399.9-400.05 MHz bands.

Oh... a lot of stuff

³ *Amendment of Parts 1, 2, 15, 27, and 95 of the Commission's Rules to Make Non-Substantive Editorial Revisions to the Table of Frequency Allocations and to Various Other Rules*, Order, 34 FCC Rcd 12830 (2020) (*WRC-15 Admin Order*).

⁴ All references to Title 47 of the Code of Federal Regulations (CFR) refer to the annual edition, which was revised as of October 1, 2021. 47 CFR § 2.106.

⁵ *Infra* note 15. The Federal Communications Commission (FCC), an independent agency, administers non-Federal radio spectrum, and NTIA, an agency of the U.S. Department of Commerce, administers Federal radio spectrum. NTIA sets forth regulations for Federal use of the radio spectrum within its Manual of Regulations and Procedures for Federal Radio Frequency Management (*NTIA Manual*). 47 CFR §§ 2.1(c), 2.105(a).

Terrestrial Issues

- Allocating the 5351.5-5366.5 kHz (60 meter) band to the amateur service on a secondary basis, on whether four existing channels should continue to be made available for amateur use, and on appropriate limits for 60 meter band operations.
- Updating the coordination and contact information for amateur stations operating in previously defined areas of the 420-450 MHz (70 centimeter) band.
- Revising footnote US288 to authorize on-board communication stations to use three new 12.5 kilohertz channels/channel pairs nationwide, and five internationally-harmonized 6.25 kilohertz channels and channel pairs at coastal and certain inland ports; and revising footnote US287 to allocate several frequency bands between 457 MHz and 468 MHz totaling 231.25 kilohertz to the maritime mobile service, limited to on-board communication stations.
- Deleting the broadcasting service allocation from the 700 MHz band.
- Adding a new footnote US78 to the 960-1164 MHz band to recognize Federal use by military Identification Friend or Foe (IFF) systems on center frequencies 1030/1090 MHz.

This is our part

III. BACKGROUND

5. The ITU⁶ convenes a World Radiocommunication Conference (WRC) typically every three to four years to address international spectrum use. Specifically, the ITU allocates frequency bands to various radio services generally on either a worldwide or Regional basis and enters these radio services in its Table of Frequency Allocations (which is reflected in section 2.106 of our rules as the International Table) as part of the Radio Regulations.⁷

How we got here

6. The Commission conducted its primary preparations for WRC-15 via its 2015 World Radiocommunication Conference Advisory Committee (WAC), which held eight public meetings between August 9, 2012, and May 20, 2015, to evaluate and approve recommendations and preliminary views that were later submitted for Commission consideration.⁸ The ITU held a conference preparatory meeting (CPM) from March 23 through April 2, 2015, to prepare and approve a report on the technical, operational, and regulatory/procedural matters relevant to the WRC-15 agenda.⁹ In addition, the United

I think we did some shows on this, way back then

⁶ When we refer to the ITU in this document, we are generally referring to ITU Radiocommunication Sector (ITU-R). The work of ITU-R is organized and coordinated by the Director of the Radiocommunication Bureau (referred to as the “Bureau” in the ITU Radio Regulations, including the International Table). Under its constitution, the ITU is charged with allocating bands of the radiofrequency (RF) spectrum, allotting radio frequencies, and registering RF assignments in order to avoid harmful interference between radio stations of different countries. The ITU constitution also provides that world radiocommunication conferences “shall normally be convened every three to four years” to consider specific radiocommunication matters. *See* Constitution and Convention of the International Telecommunication Union adopted by the 2018 Plenipotentiary Conference (published in Basic Texts, 2019), <http://handle.itu.int/11.1004/020.1000/5>, at 5, 21, 90. *See also* the ITU Radiocommunication Sector’s homepage, <http://www.itu.int/en/ITU-R> (last visited Feb. 28, 2022).

⁷ The ITU may also include allocation use conditions, which are specified in international footnotes to the Allocation Table.

⁸ The WAC was chartered under the Federal Advisory Committee Act (FACA) to provide the Commission with advice, technical support, and recommended proposals for WRC-15. The Commission published the committee’s recommendations for public comment. After consideration by the U.S. Government, many of the recommendations became a part of the U.S. views and draft proposals. For the Commission’s WRC-15 homepage, *see* <https://www.fcc.gov/wrc-15> (last visited Feb. 28, 2022).

⁹ *See* ITU Radiocommunication Sector “CPM Report on technical, operational and regulatory/procedural matters to be considered by the World Radiocommunication Conference 2015” (*CPM Report to WRC-15*), <https://www.itu.int/pub/R-ACT-CPM-2015>.

States worked with other nations to craft common proposals for Region 2 (North and South America).¹⁰ By August 27, 2015, the United States had provided its contributions to the Inter-American Telecommunication Commission (CITEL), which then provided the Region 2 proposals to WRC-15.¹¹

7. The ITU convened WRC-15 from November 2 to November 27, 2015, in Geneva, Switzerland, with 162 Member States, including the United States, participating.¹² WRC-15 addressed more than 40 topics related to frequency allocation and frequency sharing for the efficient use of spectrum and orbital resources, and adopted allocation changes that affect both Federal and non-Federal entities.¹³ The ITU published the decisions made at WRC-15 as the *WRC-15 Final Acts* and subsequently revised the Radio Regulations to incorporate these decisions.¹⁴ On September 10, 2018, NTIA submitted its recommendations for national implementation of the *WRC-15 Final Acts* to the Commission.¹⁵

8. On December 23, 2019, the Chief, Office of Engineering and Technology and the Managing Director released the *WRC-15 Admin Order*, which reflected the WRC-15 changes to the International Table and made other non-substantive, editorial changes to the Commission's rules, including revisions to the Federal Table that did not require notice and comment.¹⁶

9. The Commission has already considered certain of the WRC-15 allocation decisions in six different proceedings.¹⁷ Specifically, the Commission has revised its rules to provide for mobile

¹⁰ See "U.S. WRC-15 Contributions to CITEL PCC.II" (updated on 8/7/2015), <https://www.fcc.gov/general/us-contributions-sent-citel-pccii>.

¹¹ See CITEL's WRC-15 Inter-American Proposals (IAPs) at <https://www.fcc.gov/general/citel-inter-american-proposals-iap>.

¹² See ITU Press Release captioned "World Radiocommunication Conference allocates spectrum for future innovation," Nov. 27, 2015, http://www.itu.int/net/pressoffice/press_releases/2015/56.aspx#.WjL1sfCnHcs. For the ITU's WRC-15 homepage, see <https://www.itu.int/en/ITU-R/conferences/wrc/2015/Pages/default.aspx> (last visited Feb. 28, 2022).

¹³ "Results and implications of World Radiocommunication Conference, 2015," https://www.itu.int/en/ITU-R/seminars/rrs/2017-Africa/Documents/Plenary/03_%20WRC-15%20Outcomes.pdf (last visited Feb. 28, 2022).

¹⁴ ITU Radio Regulations (Edition of 2016), Vol. 1, Article 5 (titled "Frequency allocations"), at 37, section IV (titled "Table of Frequency Allocations") at 43, <https://www.itu.int/pub/R-REG-RR-2016>.

¹⁵ Letter from Peter A. Tenhula, Acting Associate Administrator, Office of Spectrum Management, NTIA, to Julius P. Knapp, Chief, FCC Office of Engineering and Technology, dated Sept. 10, 2018 ([NTIA WRC-15 Implementation Recommendations](#)).

¹⁶ *Supra* notes 3 and 5. *WRC-15 Admin Order*, paras. 9-14 (Revisions to the Federal Table).

¹⁷ *Amendment of the Commission's Rules With Regard to the 3650-3700 MHz Government Transfer Band*, ET Docket No. 98-237, First Report and Order and Second Notice of Proposed Rule Making, 15 FCC Rcd 20488 (2000) para. 1 ([FCC 00-363](#)); *Expanding the Economic and Innovation Opportunities of Spectrum Through Incentive Auctions*, GN Docket No. 12-268, Report and Order, 29 FCC Rcd 6567, 6705-07 paras. 317-321 ([2014](#)); Order, 32 FCC Rcd 6916, 6917-19 paras. 4-5 ([2017](#)); *Amendment of the Commission's Rules with Regard to Commercial Operations in the 3550-3650 MHz Band*, GN Docket No. 12-354, Report and Order and Second Further Notice of Proposed Rulemaking, 30 FCC Rcd 3959, 3970-74 paras. 30-43 ([2015](#)); *Facilitating Shared Use in the 3100-3550 MHz Band*, WTB Docket No. 19-348, Second Report and Order, Order on Reconsideration, and Order of Proposed Modification, 36 FCC Rcd 5987-88, 5995-97 paras. 1, 17-19 ([2021](#)); *Amendment of Parts 1, 2, 15, 90 and 95 of the Commission's Rules to Permit Radar Services in the 76-81 GHz Band*, ET Docket No. 15-26, Report and Order, 32 FCC Rcd 8822, 8827-29 paras. 10-12 ([2017](#)); and *Amendment of Parts 2 and 25 of the Commission's Rules to Facilitate the Use of Earth Stations in Motion Communicating with Geostationary Orbit Space Stations in Frequency Bands Allocated to the Fixed Satellite Service*, IB Docket No. 17-95, Report and Order and Further Notice of Proposed Rulemaking, 33 FCC Rcd 9327, 9337-38, 9340, 9349, 9354 paras. 32-33, 44, 66, 89 ([2018](#)).

broadband use in the 614-698 MHz and 3450-3700 MHz bands,¹⁸ vehicular and airport radar applications in the 76-81 GHz range,¹⁹ and earth stations in motion (ESIMs) in the 10.95-11.2, 11.45-12.2, 14-14.47, 19.7-20.2, and 29.5-30 GHz bands.²⁰

IV. ORDER (WRC-19 ADMIN ORDER)

Again, the 'done deal' (and not a big deal)

10. In this Order, we make several **non-substantive, editorial changes** to the Commission's Allocation Table.²¹ None of the rule changes discussed in this order are subject to the notice and comment requirements for rulemaking in the Administrative Procedure Act (APA).²² Section 553(b)(B) of the APA provides exceptions to the notice and comment requirements for rulemakings when, among other things, the agency finds good cause that the notice and comment requirements are "impracticable, unnecessary, or contrary to the public interest" with respect to the rules at issue. Specifically, in this Order, we make conforming changes to and correct minor errors in the Allocation Table, including removing expired text from domestic footnotes. All of these changes are summarized below. These changes have no substantive effect on industry or the general public. Accordingly, we find that it is "unnecessary," within the meaning of section 553(b)(B) of the APA, to provide notice and an opportunity for public comment before adopting these rule revisions.

I hope there's nothing important to us in here

A. Reflecting WRC-19 Revisions in the International Table

11. We update the International Table within section 2.106 of the Commission's rules to reflect Article 5, section IV of the Radio Regulations (Edition of 2020), except as revised herein.²³ The

¹⁸ 47 CFR part 27, subpart N, 600 MHz Band, §§ 27.1300-27.1321, subpart Q, 3.45 GHz Service (3450-3550 MHz), §§ 27.1600-27.1607; 47 CFR part 90, subpart Z, Wireless Broadband Services in the 3650-3700 MHz Band, §§ 90.1301-90.1338; 47 CFR part 96, subpart A, Citizens Broadband Radio Service (3550-3700 MHz), § 96.11. WRC-15 identified the 614-698 MHz, 3.3-3.6 GHz, and 3.6-3.7 GHz bands for International Mobile Telecommunications (IMT), which is generally known as mobile broadband in the United States, through its adoption of footnotes 5.308A, 5.431B, and 5.434, respectively. 47 CFR § 2.106 footnotes 5.308A, 5.431B, and 5.434.

¹⁹ 47 CFR part 95, subpart M, The 76-81 GHz Band Radar Service, §§ 95.3301-95.3385.

²⁰ 47 CFR §§ 25.115, 25.202, 25.209, 25.228. The frequency bands listed that pertain to ESIMs contain a reference to footnote 5.484B, which states that "Resolution 155 (WRC-15) shall apply." This resolution states, *inter alia*, that ESIMs on board unmanned aircraft in Region 2 may communicate with geostationary satellites in the fixed-satellite service (GSO FSS) in the 10.95-11.2, 11.45-12.2, 14-14.47, 19.7-20.2, and 29.5-30 GHz bands for the control and non-payload communications (CNPC) of unmanned aircraft systems (UAS) and that CNPC links relate to the safe operation of UAS. Footnote 5.527A states that the operation of ESIMs is subject to Resolution 156, which pertains to ESIMs communicating with GSO FSS satellites in the 19.7-20.2 and 29.5-30 GHz bands for non-safety-of-life applications. In footnote NG527A and its part 25 rules, the Commission did not limit ESIMs to safety-of-life applications in any frequency band, made additional frequency bands available to ESIMs operating with GSO FSS satellites, and made most of the same frequency bands available to ESIMs operating with non-geostationary FSS satellites. 47 CFR § 2.106 footnotes 5.484B, 5.527A, NG527A.

²¹ The Commission's rules provide the International Table for informational purposes only. 47 CFR § 2.104(a). To ensure that we timely and efficiently reflect WRC decisions affecting the International Table, we typically first issue an order, as appropriate, to reflect such updates and to address administrative changes within the U.S. Allocation Table. Substantive changes to the U.S. Table require additional review and coordination between NTIA and FCC and are therefore addressed through a subsequent notice and comment rulemaking proceeding. We develop proposals in that subsequent proceeding to harmonize our spectrum allocations with and conform our rules to the International Table to the extent that doing so would better meet domestic allocation requirements.

²² See [5 U.S.C. § 553](#) (herein referred to as the "APA"), and in particular, 5 U.S.C. § 553(b)(B) (allowing for implementation without notice and comment or publication in the Federal Register if good cause exists).

²³ Specifically, we reflect WRC-19's allocation actions by revising the International Table (by updating the radio service entries and the references to international footnotes in the Region 1, Region 2, and Region 3 Tables) and the list of International Footnotes (by adding 35 international footnotes, revising 127 existing international footnotes,

(continued....)

International Table is included within the Commission's Allocation Table for informational purposes only.²⁴ Consistent with past practice,²⁵ we incorporate the following corrections and updates to the ITU's Table of Frequency Allocations for display as the International Table in section 2.106 of the Commission's rules: First, we update eight footnotes (5.328B, 5.341A, 5.341B, 5.341C, 5.351A, 5.384A, 5.388, 5.484B) by cross referencing four resolutions (Resolutions 155, 212, 223, 610) that were revised at WRC-19. Next, we: 1) revise two footnotes (5.169A, 5.169B) to make them consistent with the Federal Register's style used in footnote 5.346 and update the cross reference to Resolution 99 in footnote 5.346 to match the version shown in footnotes 5.169A and 5.169B; and 2) correct footnotes 5.547 and 5.550E by adding the missing notation "Rev." and by removing a dash that is inconsistent with 72 other instances of "non-geostationary-satellite systems" in Volume 1 of the Radio Regulations, respectively.²⁶ Finally, we note that WRC-19 revised footnote 5.79 by permitting the use of the NAVDAT [navigational data] system to expand the potential uses of the band. Because this is not a non-substantive editorial change to the International Table that affects the U.S. Table, we maintain the status quo of the U.S. Table by replacing the existing reference to footnote 5.79 in the 415-472 kHz, 479-495 kHz, and 505-510 kHz bands within the U.S. Table with that of placeholder footnote US79A. Footnote US79A contains the pre-WRC-19 text of footnote 5.79, except that we list only the bands where footnote 5.79 currently applies (i.e., we exclude the 472-479 kHz band, which is no longer allocated to the maritime mobile service, and the 510-525 kHz band, to which we have never applied the provisions of footnote 5.79). We further note that revised footnote 5.79 applies to the maritime mobile service in the 415-495 kHz and 505-526.5 kHz bands in all ITU Regions; however, a reference to footnote 5.79 is not shown in the 510-525 kHz band within the Region 2 Table and there is no maritime mobile service entry or reference to footnote 5.79 in the 525-526.5 kHz sub-band within the Region 2 Table of the Radio Regulations.²⁷ Therefore, we add this footnote 5.79 issue to note 1 of the Online Table.²⁸

(Continued from previous page) _____

and removing seven international footnotes). The International Table within section 2.106 of the rules is included for informational purposes only, and thus, the changes that we make are non-substantive, editorial actions. 47 CFR § 2.104(a). Any minor, editorial differences between the ITU Radio Regulations and the International Table in section 2.106 of the Commission's rules that are discussed in this Order will also be listed in the FCC Online Table of Frequency Allocations, <http://www.fcc.gov/oet/spectrum/table/fctable.pdf>. We note that Title 47 of the Code of Federal Regulations (CFR) contains the official version of the Table of Frequency Allocations and the FCC Online Table of Frequency Allocations is provided for convenience only. The official version of Title 47 CFR is available at <https://www.ecfr.gov/current/title-47>.

²⁴ 47 CFR § 2.104(a).

²⁵ See, e.g., *Amendment of Parts 1, 2, 15, 25, 73, and 90 of the Commission's Rules to Make Non-Substantive Editorial Revisions to the Table of Frequency Allocations and to Various Other Rules*, Order, 25 FCC Rcd 9712, 9721, para. 17 (OET and OMD 2010) (stating that "we will not replicate typographical or other errors (in the version of the International Table displayed in section 2.106) that hold the potential to cause reader confusion or convey misleading information.").

²⁶ We are in the process of revising the Allocation Table to comport with Federal Register codification formatting requirements. See *Amendment of the Commission's Rules to Make Non-Substantive Editorial Revisions to Part 2*, ET Docket No. 23-108, Order (2023). To conform to the rules and policies of the Office of the Federal Register, we will no longer use the ITU's notational system, which signifies which world radiocommunication conference adopted or revised an international footnote, in the Commission's list of international footnotes. Nor will we append the notation "(FCC)" to signify that we are revising (simplifying) the text of an international footnote in section 2.106. We will continue to maintain a list of discrepancies in note 1 of the FCC Online Table. We are maintaining previous cross reference updates for six resolutions (Resolutions 75, 222, 225, 413, 517, 716) in six footnotes (5.197A, 5.351A, 5.353A, 5.389A, 5.389C, 5.547) that WRC-19 did not update. We note that while footnote 5.357A contains the correct cross reference to Resolution 222, i.e., "(Rev.WRC-12)," the Radio Regulations still include a note by the Secretariat stating that this resolution was revised by WRC-07 and WRC-12. ITU Radio Regulations, Vol. 1, Article 5, footnote 5.357A, *Note by the Secretariat*, at 104.

²⁷ ITU Radio Regulations, Vol. 1, Article 5, at 48.

B. Reflecting WRC-19 Revisions in the U.S. Table

12. WRC-19 deleted one international footnote (5.396) that is referenced in the U.S. Table and revised a resolution that is referenced in two domestic footnotes (US444B, G132). We reviewed the relevant footnotes (5.396, US444B, G132) and find that implementing these changes in the Commission’s rules will have no substantive effect on non-Federal operations.

13. Footnote 5.396 requires space stations in the broadcasting-satellite service (BSS) in the band 2310-2360 MHz operating in accordance with footnote 5.393 that may affect the services to which this band is allocated in other countries to be coordinated and notified in accordance with Resolution 33 (Rev.WRC-15), and further provides that complementary terrestrial broadcasting stations shall be subject to bilateral coordination with neighboring countries prior to their bringing into use. WRC-19 deleted Resolution 33 because the processing of filings under this Resolution was completed prior to WRC-07, and consequently deleted footnote 5.396 after moving its still-relevant text to footnote 5.393.²⁹ We are updating footnote 5.393 in the International Footnotes to reflect the WRC-19 revisions. See Appendix A. In the United States, BSS operators provide satellite radio service to customers using the 2320-2345 MHz band and footnote 5.393 is not included in the 2310-2360 MHz band of the U.S. Table. We therefore find that removal of footnote 5.396 will have no substantive effect on non-Federal operations. We find that the reference to footnote 5.396 should be removed from the non-Federal Table, consistent with the WRC-19 implementation.

some lawyers are looking hard at all this`

14. Footnote US444B contains a cross reference to Resolution 418 (Rev.WRC-12).³⁰ WRC-19 revised Resolution 418 by updating the guidance on the aeronautical mobile service use of the 5091-5150 MHz band by citing to Resolution 748 (Rev.WRC-19), by deleting the invitation that the ITU continue to study the conditions and arrangements for flight testing in this band, and by simplifying its text. Therefore, we find that changing the reference to WRC-19’s revision of Resolution 418 will not have any substantive effect on non-Federal operations.

(Continued from previous page) _____

²⁸ Commission staff will revise note 1 of the FCC Online Table to read as follows: The International Table (columns 1-3 of § 2.106) reflects Article 5, section IV of the ITU Radio Regulations (Edition of 2020), except for certain style/notational/accounting differences (e.g., suppressed footnotes, footnote numbers that are not used, bolded text, a historical note, and a space between the third and fourth digits are not shown), minor corrections (i.e., the deletion of an unneeded note by the Secretariat and an unneeded dash in footnotes 5.357A and 5.550E, respectively), and the note and revisions listed below:

Band; Table	Remarks
510-525 kHz; Region 2 525-526.5 kHz; Region 2	Footnote 5.79 is missing in the bands 510-525 kHz and 525-526.5 kHz and “MARITIME MOBILE” is not shown in the band 525-526.5 kHz.
International Footnote	Action
5.169A, 5.169B, 5.346	Deleted the first star, replaced the second star with “Note:” and updated Resolution 99 from “(Rev. Busan, 2014)” to “(Rev. Dubai, 2018)” in 5.346.
5.197A, 5.328B, 5.341A, 5.341B, 5.341C, 5.351A, 5.353A, 5.384A, 5.388, 5.389A, 5.389C, 5.484B, 5.547	The cross-references to ITU Resolutions 75, 155, 212, 222, 223, 225, 413, 608, 610, and 716 have been updated to reflect the versions shown in Volume 3 of the ITU Radio Regulations (Edition of 2020).

²⁹ See CPM Report to WRC-15, *supra* note 9, Annex 6/4-1, page 838. WRC-19 edited footnote 5.393 by including the last sentence in deleted footnote 5.396 (“Complementary terrestrial broadcasting stations shall be subject to bilateral coordination with [neighboring] countries prior to their bringing into use.”). See ITU Radio Regulations, Vol. 1, Article 5, footnote 5.393, at 115.

³⁰ In pertinent part, footnote US444B states that, in the 5091-5150 MHz band, use of the primary aeronautical mobile service allocation by aeronautical telemetry transmissions from aircraft stations (AMT) must be in accordance with Resolution 418 (Rev.WRC-12). 47 CFR § 2.106 footnote US444B.

15. We update footnote G132, which applies to the 1215-1240 MHz band, to cross reference revised Resolution 608, replacing “(Rev.WRC-15)” with “(Rev.WRC-19).”³¹ Resolution 608 pertains to the protection of the radionavigation service in certain countries in Regions 1 and 3; because the United States is located in Region 2, the revision of this resolution will not have any substantive effect on non-Federal operations.

C. Other Revisions to the Allocation Table

16. In this section, we make the following additional editorial changes to section 2.106 of the Commission’s rules:

- Correct the Federal and non-Federal Tables by removing the reference to footnote 5.79A from the 435-472 kHz band because the footnote does not apply to that band.
- Revise footnotes US1, US82, US247, US281, US283, US296, US342, and G115 by changing the references to frequency units from “kHz” to “MHz” and revise footnote G32 from “MHz” to “GHz” in order to make the text of the footnotes consistent with the frequency units shown in the Allocation Table.³²
- Add a space between the third and fourth digits of frequency bands that contain five digits in 28 international footnotes.³³
- Simplify the display of facing pages in the Allocation Table.³⁴
- Remove the references to footnote US108 from the 3300-3500 and 3500-3550 MHz bands in the Federal Table and from the 3300-3450 and 3450-3600 MHz bands in the non-Federal Table and revise footnote G2 by deleting “(except as provided for in US108)” because footnote US108 no longer applies to the 3300-3550 MHz band.³⁵ Also move the reference to footnote US431B from the bottom of the cell to the right of RADIOLLOCATION in the 3300-3500 MHz band within the Federal Table because the footnote applies to only the radiolocation service.
- Place footnotes US431B and US433 in ascending numerical order in the 3450-3600 MHz band within the non-Federal Table. On page 39 of the Allocation Table, change the frequency range of the facing pages from “2483.5-3500” to “2483.5-3600” because 3450-3600 MHz is the last frequency band in the non-Federal Table in this set of facing pages.
- Simplify the non-Federal Table by combining the common radiocommunication service entries in the 3600-3650 MHz and 3650-3700 MHz bands to form the 3600-3700 MHz band, move the text

³¹ 47 CFR § 2.106 footnote G132.

³² In each of these footnotes, we also move the decimal point three spaces to the left and delete unneeded zeros. In footnote US342, we also correct a typographical error by changing from “23.07-23.12 GHz” to “23.07-23.12 GHz.”

³³ Specifically, we make this display change by revising footnotes 5.109, 5.110, 5.111, 5.132, 5.133A, 5.134, 5.145, 5.145B, 5.146, 5.147, 5.149, 5.149A, 5.150, 5.151, 5.152, 5.153, 5.154, 5.155, 5.155A, 5.155B, 5.156, 5.156A, 5.157, 5.158, 5.474D, 5.477, 5.478, and 5.479. This display change is based on the format used in the Radio Regulations. ITU Radio Regulations, Vol. 1, Article 5, at 35-186.

³⁴ The heading on the top page of Allocation Table also applies to the bottom page, i.e., every two pages in the Allocation Table are facing pages. We simplify the display of facing pages in the Allocation Table by ending page 19 on the frequency 52 MHz in the Region 1 Table and on the frequency 54 MHz in all other tables (instead of permitting the entries for the 50-54 MHz band in the combined table for Regions 2 and 3 and the non-Federal Table, and the 50-73 MHz band in the Federal Table, to span pages 19 and 20).

³⁵ Footnote US108 was recently revised to remove the text that applied to the 3300-3550 MHz band. *Facilitating Shared Use in the 3100-3550 MHz Band*, WT Docket No. 19-348, Second Report and Order, Order on Reconsideration, and Order of Proposed Modification, 36 FCC Rcd 5987, 6057, 6060 (2021); 47 CFR § 2.106 footnote US108.

of footnote NG185 to footnote NG169, and remove footnote NG185 from the list of non-Federal government (non-Federal) footnotes.

- Simplify the Federal Table by combining the common radiocommunication service entries in the 17.8-18.3 GHz and 18.3-18.6 GHz bands to form the 17.8-18.6 GHz band.
- Correct the placement of footnote NG65 in the 24.75-25.25 GHz and 47.2-48.2 GHz bands by moving the footnote reference from the right of the fixed-satellite service (Earth-to-space) entry to the bottom of the cell because this footnote refers to three allocated services.³⁶
- Correct footnotes 5.430A, 5.458, 5.509D, and 5.547 to reflect their text as shown in the Radio Regulations.³⁷
- Revise footnote US52 to account for now-expired text. Footnote US52 states that use of the frequencies 156.775 MHz and 156.825 MHz by the mobile-satellite service (Earth-to-space) is restricted to the reception of long-range Automatic Identification System (AIS) broadcast messages from ships. It also provided, in the text of the footnote, for port operations and ship navigation communications on these two frequencies (AIS 3 and AIS 4) until August 26, 2019.³⁸ We revise footnote US52 paragraph (b) to remove the reference to August 26, 2019. Previous port operations and ship navigation communications on these two frequencies (AIS 3 and AIS 4) expired on August 26, 2019 and are no longer permitted.³⁹
- Revise footnotes US100,⁴⁰ US312,⁴¹ and NG33⁴² to remove footnote text that pertains to dates that have passed (i.e. expired text).

³⁶ For consistency in the Allocation Table, we employ the following rules for footnote placement in both the International and U.S. Tables: The footnote references that appear below the allocated service or services apply to more than one of the allocated services, or to the whole of the allocation concerned. The footnote references that appear to the right of the name of a service are applicable only to that particular service. 47 CFR § 2.104(h)(5)-(6).

³⁷ ITU Radio Regulations, Vol. 1, Article 5, at 122, 132, 150, and 164. Specifically, we correct footnotes: 1) 5.430A by deleting the last sentence (i.e., “This allocation is effective from 17 November 2010.”); 2) 5.458 by changing from “6425-7025 MHz” to “6425-7075 MHz” in the last sentence; 3) 5.509D by changing from “19000” to “19 000” in the last sentence; and 4) 5.547 by changing from “Resolution 75 (WRC-12)” to “Resolution 75 (Rev.WRC-12).”

³⁸ 47 CFR § 2.106 footnote US52 paragraph (b).

³⁹ Recommendation ITU-R M.1371-5 (02-2014) designates channels 75 and 76, otherwise known as AIS 3 and AIS 4, for Long Range Detection of AIS, Earth-to-space. Recommendation ITU-R M.1371-5 (02-2014), 49, § 4.1.1, 65-67, § 3, Annex 4. This change was made due to excessive channel loading on AIS 1 and AIS 2 that made ship detection by satellite extremely difficult and could result in a potential safety hazard.

⁴⁰ 47 CFR § 2.106 footnote US100. Specifically, we update footnote US100 by removing the expired text in paragraph (b) providing that the 2345-2360 MHz band would be available for non-Federal aeronautical telemetering and associated telecommand operations for flight testing of aircraft and missiles until January 1, 2020.

⁴¹ 47 CFR § 2.106 footnote US312. Specifically, we update footnote US312 by limiting the use of the frequency 173.075 MHz by all stolen vehicle recovery systems to an authorized bandwidth not to exceed 12.5 kilohertz and striking language regarding operations on 20 kilohertz that expired on May 27, 2019.

⁴² 47 CFR § 2.106 footnote NG33. Specifically, we update footnote NG33 by removing the expired text in paragraph (a), i.e., the transition period for full-power and Class A television (TV) station and fixed TV broadcast auxiliary station operations in the 614-698 MHz band has concluded and the band is now used predominately for mobile broadband services. We also correct a typographical error, i.e., white space devices may operate in the 657-663 MHz band in accordance with section 15.707(a)(2), instead of paragraph (a)(4), and we simplify the text of the footnote. 47 CFR § 15.707(a)(2).

V. **NOTICE OF PROPOSED RULEMAKING (WRC-15 NOTICE)**

Here we go

17. In this Notice of Proposed Rulemaking (WRC-15 Notice), we propose to: 1) implement certain WRC-15 allocation decisions not previously addressed; 2) make other allocation changes that are not related to WRC-15 implementation;⁴³ and 3) revise parts 2, 25, 74, 78, 90, 97, and 101 of the rules to reflect the allocation changes that we are proposing in this Notice. We first address satellite allocation issues in seven sections, and then we address terrestrial allocation issues in five sections.

A. **Satellite Issues** **this is probably interesting, but I don't have time**

1. **Protection of Search and Rescue Satellites Receiving in the 406-406.1 MHz Band**

18. We propose to adopt new footnote US265 for the 403-410 MHz band to protect satellite-based search and rescue systems⁴⁴ operating in the 406-406.1 MHz band from out-of-band emissions originating from operations in adjacent bands, as provided in Resolution 205 (Rev.WRC-19).⁴⁵ Proposed US265 would prohibit new frequency assignments⁴⁶ within the 405.9-406.0 MHz and 406.1-406.2 MHz bands under the mobile and fixed services allocations.⁴⁷ For radiosonde applicants that seek to operate in this band, proposed US265 would require that the frequency drift characteristics of radiosondes be taken into account when selecting operating frequencies above 405 MHz to avoid transmitting in the 406-406.1 MHz band and that all practical steps be taken to avoid the operating

Skip on
down to
page 19

⁴³ The proposals that are not related to WRC-15 implementation are: 1) restricting the use of the mobile-satellite service (Earth-to-space) in the frequency bands designated for use by the Automatic Identification System (AIS 1-4) to non-Federal space station reception of AIS messages; 2) deleting the broadcasting service allocation from the 700 MHz band; 3) updating the rules to recognize that the transition period for the reallocation of the 18.3-19.3 GHz band from the fixed service to the fixed-satellite service (space-to-Earth) has concluded; and 4) removing eight inactive call signs from footnote NG62.

⁴⁴ Our rules authorize Emergency Position-Indicating Radio Beacon, Emergency Locator Transmitter, and Personal Locator Beacon transmissions to Federal government satellites that carry Search and Rescue Satellite (SARSAT) receivers. The National Oceanic and Atmospheric Administration (NOAA) operates polar orbiting and geostationary satellites that carry payloads providing distress alert and location information to appropriate public safety rescue authorities for maritime, aviation, and land users in distress. 47 CFR §§ 80.209(a)(7), 80.905(a)(3)(vi), (a)(4)(vi), 80.1077, 80.1129(c), 87.139(h), 87.147(e), 87.173(b), 87.187(m), 87.195(a), 87.199, 95.2963, and 95.2971. NTIA WRC-15 Implementation Recommendations, Attachment 1 – Annex 9.1.1, 83-86.

⁴⁵ In the companion WRC-19 Order, footnote 5.265 is revised to cross reference Resolution 205 (Rev.WRC-19), i.e., WRC-19 added *noting d*), which states “that Report ITU-R SM.1051 provides a methodology to monitor the electromagnetic environment in the adjacent frequency bands 405.9-406 MHz and 406.1-406.2 MHz.” ITU Radio Regulations, Vol. 3, p. 225, Resolution 205 (Rev.WRC-19), *noting d*). Footnote 5.267 states that any emission capable of causing harmful interference to the authorized uses of the 406-406.1 MHz band is prohibited. 47 CFR § 2.106 footnote 5.267.

⁴⁶ Assignment (of a radio frequency or radio frequency channel) is defined as an authorization given by an administration for a radio station to use a radio frequency or radio frequency channel under specified conditions. 47 CFR § 2.1(c). In general, the assignment of frequencies and frequency bands must be in accordance with the Allocation Table. 47 CFR § 2.102(a). The radio frequency devices authorized pursuant to [47 CFR part 15](#) are not based on allocated radio services. 47 CFR § 2.105(e) note 1. The term, short-range radiocommunication devices, is intended to cover radio transmitters that have low capability of causing interference to other radio equipment. In general, such devices are permitted to operate on a non-interference, no protection from interference basis. Simple licensing requirements may be applied, e.g. general licenses or general frequency assignments or even license exemption. See Recommendation ITU-R SM.1538-1, Annex 1, p. 2 at 2 (Definition of short-range radiocommunication devices). Medical Device Radio Communications (MedRadio) devices, similar to part 15 devices, are short-range devices.

⁴⁷ In Resolution 205, WRC-15 (and later WRC-19) resolved to “to request administrations not to make new frequency assignments within the frequency bands 405.9-406.0 MHz and 406.1-406.2 MHz under the mobile and fixed services.” *Id.* at *resolves* 1.

frequency drifting close to 406 MHz.⁴⁸ This proposed footnote seeks to address concerns that aggregate levels of electromagnetic interference, including interference from transmissions in adjacent frequency bands, may present a risk of satellite emergency transmissions being undetected, or delayed in reception, or lead to reduced accuracy of the calculated locations. We seek comment on this proposal.

19. Currently, non-Federal use of the fixed and mobile services in the adjacent 403-406 MHz and 406.1-410 MHz bands is permitted pursuant to footnotes US13, US55, and US64.⁴⁹ Footnote US64 states, *inter alia*, that the 403-406 MHz band is allocated to the mobile except aeronautical mobile service on a secondary basis and that non-Federal use is limited to medical device radiocommunication service (MedRadio) operations.⁵⁰ MedRadio is an ultra-low power radio service that is associated with medical implant devices and medical body-worn devices. MedRadio stations are licensed-by-rule and operate in accordance with part 95, subpart I of the rules, so the Commission does not issue individual station licenses for MedRadio devices.⁵¹ Hence, we tentatively conclude that continued operations of MedRadio devices are consistent with proposed US265. We seek comment on this tentative conclusion.

20. Footnote US13 and section 90.265 of the Commission's rules make 48 channels available for transmitting hydrological and meteorological data (Hydro channels), including channels with center frequencies 406.125 MHz and 406.175 MHz.⁵² We propose to revise footnote US13 and section 90.265 to state that, after the effective date of final rules in this proceeding, no assignments for the frequencies 406.1250 MHz and 406.1750 MHz will be made, and that existing stations may continue to operate indefinitely on these frequencies as they are currently licensed.⁵³ See Appendix B. By no longer issuing licenses for the frequencies 406.1250 MHz and 406.1750 MHz, we would ensure consistency with proposed new footnote US265 and protect satellite-based search and rescue systems operating in the adjacent 406-406.1 MHz band from out-of-band emissions originating on those frequencies. We seek comment on these proposals.

21. Footnote US55 provides that the Commission may authorize public safety use of 40 Federal Interoperability Channels that are designated in section 4.3.16 of the *NTIA Manual*. However, because section 4.3.16 of the *NTIA Manual* does not include frequencies within the 406.1-406.2 MHz sub-band, it is not necessary to amend the language of this footnote.⁵⁴ Finally, we propose to update footnote US117 to properly reflect that non-Federal use of the 406.1-410 MHz band is limited to the

⁴⁸ The 403-406 MHz band is a Federal/non-Federal shared band that is allocated to the meteorological aids service (radiosonde) on a primary basis. The Commission licenses radiosondes under its part 5 experimental radio service; however, there are currently no active licenses for non-Federal radiosonde use of the 403-406 MHz band. 47 CFR part 5.

⁴⁹ 47 CFR § 2.106 footnotes US13, US55, and US64.

⁵⁰ 47 CFR § 2.106, US64(a).

⁵¹ See 47 CFR §§ 95.2505 (MedRadio is defined as an ultra-low power radio service), 95.2567 (radiated power limited to a maximum of 25 microwatts M-EIRP, 95.2503 [MedRadio equivalent isotropically radiated power]). "Licensed-by-rule" means that an authorized user can access the entire available spectrum without an individual station license document and is instead authorized to operate as long as the operations are in accordance with the applicable service rules. See 47 U.S.C. § 307(e). Thus, while all spectrum use is shared among users who meet the eligibility and technical qualifications and no one has exclusive rights to any portion of the spectrum, those users are collectively afforded interference protection *vis-à-vis* other services, based on the allocation status under which they operate.

⁵² 47 CFR §§ 2.106 footnote US13, 90.265(a), (a)(8).

⁵³ As of April 18, 2023, 63 licenses in the Commission's Universal Licensing System authorized operation in the 406.125-406.175 MHz band. This Notice does not modify those licenses.

⁵⁴ See National Telecommunications and Information Administration's Manual of Regulations and Procedures for Federal Radio Frequency Management (*NTIA Manual*), 2021 Edition, section 4.3.16, at pages 4-280 and 4-281.

radio astronomy service and as provided by footnotes US13 and US55, as shown in Appendix B.⁵⁵ We seek comment on these proposals, including any estimates of the costs and benefits of implementation.

2. Space Research Service (space-to-space) in the 410-420 MHz Band

22. We propose to allocate the 410-420 MHz band to the space research service (space-to-space) on a secondary basis for non-Federal use, and to adopt footnote 5.268, which would limit use of this allocation to communication links with an orbiting, manned space vehicle and require compliance with a power flux-density limit at the Earth's surface to protect existing and future licensees.⁵⁶ The 410-420 MHz band is currently allocated to the fixed, mobile, and space research (space-to-space) services on a primary basis for Federal use; the 413-419 MHz segment is allocated to the mobile, except aeronautical mobile, service on a secondary basis, with non-Federal use limited to part 95 MedRadio operations.⁵⁷ The National Aeronautics and Space Administration (NASA) operates systems in support of extra-vehicular activity communications for the manned space program and other space related efforts in this band.⁵⁸ The systems are used for communications between crew members and for relaying telemetry data to the main spacecraft. Non-Federal use is limited to MedRadio operations, hydrological/meteorological data, and public safety.⁵⁹ We expect that the additional non-Federal use would be similar to the current Federal uses and would occur because of increasing space exploration by private companies. We request comment on these proposals, including information on the costs and benefits.⁶⁰

3. Global Flight Tracking for Civil Aviation (1087.7-1092.3 MHz)

23. We propose to allocate the 1087.7-1092.3 MHz band to the aeronautical mobile-satellite (route) service (Earth-to-space) on a primary basis, limited to space station reception of automatic dependent surveillance-broadcast (ADS-B) emissions from aircraft. If adopted, we would implement this proposed allocation by referencing footnote 5.328AA in the 960-1164 MHz band within the U.S. Table.⁶¹ The 960-1164 MHz band is currently allocated to the aeronautical mobile (route) and aeronautical radionavigation services on a primary basis for Federal and non-Federal use.⁶² Aircraft

⁵⁵ This proposed revision of US117 was overlooked when the Commission originally adopted US55.

⁵⁶ Footnote 5.268 limits the power flux-density (PFD) at the surface of the Earth to maximum specified values (–153 to –148 dBW/m² in a 4 kilohertz bandwidth) depending on the angle of arrival and prohibits stations in the space research service from claiming protection from, or constraining the use and development of, stations of the fixed and mobile services. 47 CFR § 2.106 footnote 5.268.

⁵⁷ 47 CFR § 2.106, US64(b); see *supra* note 50.

⁵⁸ NTIA's "[Federal Government Spectrum Use Reports 225 MHz – 7.125 GHz](#)," [410-420 MHz](#), at 13 no. 4c. (last visited Feb. 28, 2022).

⁵⁹ 47 CFR § 2.106 footnotes US13, US55, US64(b).

⁶⁰ NTIA recommends we adopt this proposal. NTIA WRC-15 Implementation Recommendations, Attachment 1 – Annex 1.13, 66.

⁶¹ Footnote 5.328AA states that: 1) stations must operate in accordance with recognized international aeronautical standards; 2) stations in the aeronautical mobile-satellite (route) service operating in the band shall not claim protection from stations operating in the aeronautical radionavigation service; and 3) Resolution 425 (WRC-15) shall apply). 47 CFR § 2.106 footnote 5.328AA. In the companion WRC-19 Order, we update footnote 5.328AA by cross referencing the current version of Resolution 425, i.e., "(Rev.WRC-19)" instead of the superseded version, i.e., "(Rev.WRC-15)." See also NTIA WRC-15 Implementation Recommendations, Attachment 1 – Annex GFT/IFF, 104, and Attachment 2 – US128, 107; and ITU Radio Regulations, Resolution 425 (WRC-15), at 281-282.

⁶² 47 CFR § 2.106. Under footnote 5.327A, use of the aeronautical mobile (route) service allocation is limited to systems that operate in accordance with recognized international aeronautical standards and in accordance with Resolution 417 (Rev.WRC-15). Under footnote 5.328, use of the 960-1215 MHz band by the aeronautical radionavigation service is reserved on a worldwide basis for the operation and development of airborne electronic

(continued....)

currently transmit ADS-B signals to report their position to ground-based receivers in a 4.6-megahertz wide band centered on 1090 MHz under the existing aeronautical mobile (route) service allocation.⁶³ This proposed allocation would extend reception of ADS-B signals beyond terrestrial line-of-sight to facilitate reporting the position of aircraft located anywhere in the world.⁶⁴ We tentatively conclude that providing for satellite reception of ADS-B signals would ensure the efficient management of air traffic in oceanic, polar, and remote airspace.⁶⁵ Further, we tentatively conclude that this proposed allocation would support the Federal Aviation Administration's rules regarding aircraft location information.⁶⁶ We also propose to add new paragraph (a)(13) to section 25.202 of the Commission's rules to permit the licensing of space stations that can receive ADS-B emissions from aircraft.⁶⁷ We seek comment on these proposals.

24. Further, as recommended by NTIA, we propose to add new footnote US78 to the 960-1164 MHz band to recognize Federal use by military Identification Friend or Foe (IFF) systems on center frequencies 1030/1090 MHz. We propose this use would be subject to the condition that harmful interference would not be caused to the aeronautical radionavigation service or the aeronautical mobile (R) service.⁶⁸ Finally, we propose to revise footnote US224 to require that Federal systems utilizing spread spectrum techniques for terrestrial communication, navigation, and identification in the 960-1215 MHz band be authorized on the condition that harmful interference not be caused to the aeronautical mobile (R) and aeronautical radionavigation services in the 960-1164 MHz band, military IFF systems on center frequencies 1030/1090 MHz, aeronautical mobile-satellite (R) service (Earth-to-space) in the 1087.7-1092.3 MHz band, and the aeronautical radionavigation and radionavigation-satellite (space-to-Earth) (space-to-space) services in the 1164-1215 MHz band. We request comment on these proposals, including whether any modifications to the part 87 rules for aviation services would be necessary to implement our proposals.

4. Satellite Uplinks in the 7190-7250 MHz Band

25. As recommended by NTIA, we seek comment on whether to provide additional spectrum on a secondary basis for non-Federal Earth-to-space operations in the Earth exploration-satellite service in the 7190-7250 MHz band and space research service in the 7190-7235 MHz band.⁶⁹ In the U.S. Table, the 7190-7250 MHz band is allocated to the Earth exploration-satellite (Earth-to-space) and fixed

(Continued from previous page) _____

aids to air navigation and any directly associated ground-based facilities. Under footnote US224, Federal systems utilizing spread spectrum techniques for terrestrial communication, navigation, and identification may be authorized to operate in the 960-1215 MHz band on the condition that harmful interference will not be caused to the aeronautical radionavigation service. *Id.* footnotes 5.327A, 5.328, US224.

⁶³ 47 CFR § 2.106.

⁶⁴ *Supra* note 61, Resolution 425 (WRC-15) at *considering g*. On June 6, 2019, we proposed in WT Docket No. 19-140 to establish rules specifically for airborne ADS-B transmissions on 1090 MHz. *Amendment of the Commission's Rules to Promote Aviation Safety*, WT Docket No. 19-140, Notice of Proposed Rulemaking, 34 FCC Rcd 4984, 4991-93, paras. 22-24 (2019) (*Aviation Safety NPRM*).

⁶⁵ See generally, *CITEL Proposals to WRC-15*, agenda item GFT(PP-14), Addendum 25 to Document 7-E, dated August 21, 2015 (Doc. 4000-GFT.doc), p. 5 (Reasons for proposed footnote).

⁶⁶ *Aviation Safety NPRM*, 34 FCC Rcd 4991-92, para. 22.

⁶⁷ See Appx. B.

⁶⁸ Specifically, NTIA recommends a footnote (which we propose as US78) stating that military systems used for Identification Friend or Foe (IFF) operations are authorized to operate on the center frequencies 1030 MHz for interrogators and 1090 MHz for transponders on the condition that harmful interference would not be caused to the aeronautical radionavigation service or the aeronautical mobile (route) service. *Supra* note 61.

⁶⁹ NTIA WRC-15 Implementation Recommendations, Attachment 1 – Annex 1.11, 56-60.

services, both on a primary basis and exclusively for Federal use.⁷⁰ The 7190-7235 MHz portion of the band is also allocated on a primary basis to the space research service (Earth-to-space) exclusively for Federal use.

26. Consistent with NTIA's recommendation, should we make these Federal uplink bands available for non-Federal use on a secondary basis for Earth-to-space operations in the Earth exploration-satellite and space research services, respectively, by adding footnotes US460 and US460A to the 7190-7235 MHz band and footnote US460A to the 7235-7250 MHz band? Footnote US460 would provide a secondary non-Federal allocation in the 7190-7235 MHz band for the space research service (Earth-to-space) and would prohibit emissions from such systems intended for deep space. Footnote US460A would allocate the 7190-7250 MHz band to the Earth exploration-satellite service (Earth-to-space) on a secondary basis for non-Federal use, limited to tracking, telemetry, and command (TT&C) for the operation of spacecraft.⁷¹ In both cases, should we explicitly require that authorizations be subject to a case-by-case electromagnetic compatibility (EMC) analysis and approval?⁷² Qualcomm urges the Commission to seek comment on whether such allocations would "remain in line with the Commission's present spectrum priorities," noting that the Chairwoman has identified the 7-15 GHz spectrum range, and some stakeholders, other administrations, and regional organizations are considering the 7190-7250 MHz band, for the next generation wireless technology.⁷³ We request comment on these recommendations.

5. Earth Exploration-Satellite Service (Active) in the 9.2-9.3 GHz and 9.9-10.4 GHz Bands

27. We seek comment on allocating the 9.2-9.3 GHz and 9.9-10.4 GHz bands to the Earth exploration-satellite service (active) on a primary basis for Federal use and on a secondary basis for non-Federal use, subject to four footnotes: 5.474A, 5.474B, 5.474C, and US474D.⁷⁴ This would implement WRC-15's expansion of the current worldwide Earth exploration-satellite service (active) allocation in the 9.3-9.9 GHz band by allocating 600 megahertz of additional spectrum in the adjacent bands to this service, which would support the growing demand for greater radar image resolution to satisfy global environmental monitoring requirements.⁷⁵ Spaceborne radars operating in this band support

⁷⁰ As requested by NTIA, in the *WRC-15 Admin Order*, we added a primary allocation for the Federal Earth exploration-satellite service (EESS) (Earth-to-space) in the 7190-7250 MHz band and two international footnotes (5.460A, 5.460B) that limit the use of this EESS uplink allocation. Footnote 5.460A limits the EESS uplink allocation to tracking, telemetry, and command for the operation of spacecraft, and, e.g., specifies that space stations operating under this allocation in the 7190-7250 MHz band may not claim protection from stations in the fixed and mobile services. Footnote 5.460B states that EESS geostationary satellites receiving in the 7190-7235 MHz band may not claim protection from existing and future stations of the space research service. We also replaced footnote G133 with the essentially identical international footnote 5.460. *WRC-15 Admin Order, supra* note 3, para. 10. 47 CFR § 2.106 footnotes 5.458 (passive measurements), 5.460A, 5.460B, G134 (up to five earth stations in the meteorological-satellite service (Earth-to-space) may be authorized).

⁷¹ The restrictions in footnotes US460 and US460A are based on footnotes 5.460 and 5.460A.

⁷² Appx. B, footnotes US460 and US460A (proposed text).

⁷³ Letter from Aspasia A. Paroutsas, Vice President, Federal Regulatory Affairs, Qualcomm, to Marlene Dortch, Secretary, FCC, ET Docket Nos. 23-121 and 23-120, RM-11785, at 2 (filed April 12, 2023) (Qualcomm *Ex Parte*).

⁷⁴ Footnote US474D is based on the text in international footnote 5.474D, except that we do not include the radiolocation service in the 9.2-9.3 GHz band because this allocation has secondary status in both the Federal and non-Federal Tables, and we do not include the radionavigation service in the 9.9-10 GHz band because that allocation only applies in the countries listed in footnote 5.478. Appx. B (US474D); 47 CFR § 2.106 footnotes 5.474A, 5.474B, 5.474C, 5.474D; and NTIA WRC-15 Implementation Recommendations, Attachment 1 – Annex 1.12, 61-63.

⁷⁵ WRC-15 added a primary Earth exploration-satellite service (active) allocation in the 9.2-9.3 GHz, 9.9-10.0 GHz, and 10-10.4 GHz bands for all Regions in the ITU Allocation Table, adjacent to the existing Earth exploration-

(continued....)

a large number of scientific and geoinformation applications, such as disaster relief and humanitarian aid, land use, and large area coastal surveillance.⁷⁶ We request comment on these potential allocations.

28. In the U.S. Table, the 9.2-9.3 GHz band is allocated to the maritime radionavigation service on a primary basis and to the radiolocation service on a secondary basis for Federal and non-Federal use.⁷⁷ The 9.9-10.5 GHz band is allocated to the radiolocation service on a primary basis for Federal use and on a secondary basis for non-Federal use.⁷⁸ The 10-10.5 GHz and 10.45-10.5 GHz bands are allocated to the amateur and amateur-satellite services on a secondary basis, respectively.⁷⁹ The 2023 World Radiocommunication Conference will consider whether to identify the 10-10.5 GHz for International Mobile Telecommunications (IMT) in ITU Region 2.

29. The four footnotes we seek comment on adding to the 9.2-9.3 GHz and 9.9-10.4 GHz bands would limit their use to systems in the Earth exploration-satellite service (active) requiring a necessary bandwidth greater than 600 megahertz that cannot be fully accommodated within the 9.3-9.9 GHz band (5.474A); protect the radio astronomy service in the 10.6-10.7 GHz band from unwanted emissions (5.474B); protect the space research service (space-to-Earth) in the 8.4-8.5 GHz band from unwanted emissions (5.474C); and require that the Earth exploration-satellite service (active) not cause harmful interference to, or claim protection from, the maritime radionavigation service in the 9.2-9.3 GHz band and the radiolocation service in the 9.9-10.4 GHz band (US474D).⁸⁰ Qualcomm urges the Commission to seek comment on whether the proposed allocations would “remain in line with the Commission’s present spectrum priorities,” noting that the Chairwoman has identified the 7-15 GHz spectrum range, and some stakeholders, other administrations, and regional organizations are considering the 9.2-9.3 GHz and 9.9-10.4 GHz bands, for the next generation wireless technology.⁸¹

30. We also propose to revise footnote US128 to support the Department of Defense’s development of pulsed emission systems in the 10-10.5 GHz band. Currently, US128 prohibits pulsed emissions in the 10-10.5 GHz band, except for weather radars on board meteorological satellites in the 10-10.025 GHz sub-band.⁸² NTIA states that the Department of Defense requires flexibility for development of pulsed systems in this band to meet future system needs.⁸³ We seek comment on all of

(Continued from previous page) _____
satellite service (active) allocations at 9.3-9.8 GHz (primary) and 9.8-9.9 GHz (secondary). *See WRC-15 Final Acts* at 37 and 39.

⁷⁶ “For such applications, there is a growing demand for increasing radar image resolution. Therefore, it is necessary to increase the bandwidth by another 600 MHz for a total of 1200 MHz contiguous bandwidth.” *CITEL Proposals to WRC-15*, agenda item 1.12, Addendum 12 to Document 7-E, dated August 21, 2015 (Doc-4000-1_12.doc) and *CPM Report to WRC-15*, agenda item 11.2, Chapter 2, p. 21-22, Background.

⁷⁷ These allocations are subject to four footnotes. 47 CFR § 2.106 footnotes 5.472, 5.474, US110, G59.

⁷⁸ The 9.975-10.025 GHz band is also allocated to the meteorological-satellite service on a secondary basis for use by weather radars. 47 CFR § 2.106 footnote 5.479.

⁷⁹ Five footnotes apply to the 10-10.5 GHz band. 47 CFR § 2.106 footnotes 5.479, US108, US128, G32, NG50.

⁸⁰ 47 CFR § 2.106 footnotes 5.474A, 5.474B, 5.474C, and 5.474D and Appx. B (US474D). *See also* Recommendation ITU-R [RS.2065-0](#) (12/2014) and Recommendation ITU-R [RS.2066-0](#) (12/2014).

⁸¹ Qualcomm *Ex Parte* at 2.

⁸² 47 CFR § 2.106 footnote US128 (the amateur, the amateur-satellite, and the non-Federal radiolocation services, which shall not cause harmful interference to the Federal radiolocation service, are the only non-Federal services permitted in the 10-10.5 GHz band, and the non-Federal radiolocation service is limited to survey operations as specified in footnote US108).

⁸³ NTIA WRC-15 Implementation Recommendations, Attachment 2 – US128, at 106; e-mail from Charles Cooper, Associate Administrator, Office of Spectrum Management, NTIA, to Ronald Repasi, Acting Chief, FCC Office of Engineering and Technology, August 8, 2021, attachment at 1.

the proposals in this section. In addition we request comment on whether the 9.2-9.8 GHz and 9.9-10.4 GHz bands should be allocated to the Earth exploration-satellite service (active) on a primary basis for non-Federal use, so the status of those non-Federal allocations would mirror the status of the Federal Earth exploration-satellite service (active) allocations in those bands.

6. Revision of the 18.142-19.3 GHz, 28.5-29.1 GHz, and 29.25-29.5 GHz Bands

31. In this section, we make proposals and seek comment on allocation and service rule changes that would clarify the status of grandfathered fixed stations in the 18.3-19.3 GHz band and permit a heavier use of the fixed-satellite service (FSS) in the 18.142-18.3 GHz, 28.5-29.1 GHz, and 29.25-29.5 GHz bands.

32. First, we propose to amend footnote US139 by stating that, in the 18.3-19.3 GHz band, earth station licensees in the fixed-satellite service (space-to-Earth) may require that licensees of grandfathered stations in the fixed service cease operations, consistent with the provisions in section 101.95 of the Commission's rules.⁸⁴ We make this proposal because, in the 18.3-19.3 GHz band, there is no fixed service allocation and there are no longer any primary grandfathered fixed stations.⁸⁵ Consequently, we also propose to revise sections 74.502(c), 74.602(g), 78.18(a)(4), and 101.147(r) of the rules in order to update the introductory text and the frequencies that are available to applicants of aural broadcast auxiliary stations, television broadcast auxiliary stations, cable television relay service, and fixed microwave services, respectively. These proposals are consistent with the Commission's previous decision concerning the re-channelization of the 17.7-18.3 GHz and 19.3-19.7 GHz bands for fixed microwave services under part 101 of the rules.⁸⁶ While most of the proposed changes remove channels that are no longer allocated to the fixed service, in one instance we propose to add replacement channels, i.e., we proposed replacing the 12 frequency pairs in section 74.502(c)(1)(i) of the rules with the 5 megahertz channels from section 101.147(r)(5) in Appendix B. We also propose to update sections 101.95(a) and 101.147(a) to remove expired text and to remove six sections concerning expired policies governing fixed service relocation from the 18.3-19.3 GHz band, i.e., sections 101.83 through 101.91 and 101.97. See Appendix B for the proposed revisions of sections 74.502(c), 74.602(g), 78.18(a)(4), 101.95(a), and 101.147(a) and (r). We request comment on these proposals.

⁸⁴ On August 26, 2022, Commission staff conducted an advanced license search of the Universal Licensing System (ULS) and found 344 active licenses that authorize operations in the 18.3-19.3 GHz band: 182 microwave public safety pool (radio service code MW), 81 microwave industrial/business pool (MG), 66 common carrier fixed point-to-point microwave (CF), eight TV intercity relay (TI), six local television transmission (CT), and one TV studio transmitter link (TS) licenses.

⁸⁵ Specifically, section 101.85 states that fixed service operations in the 18.3-18.58 GHz and 18.58-19.3 GHz bands that remain co-primary under the provisions of sections 74.502(c), 74.602(g), 78.18(a)(4), and 101.147(r) will continue to be co-primary with the fixed-satellite service (FSS) until dates that have long since passed, i.e., these transition periods have concluded. In addition, section 101.95(a), which concerns the sunset provisions for the 18.3-19.3 GHz band, includes the following: Once the relocation rules sunset, an FSS licensee may require the incumbent to cease operations, provided that the FSS licensee intends to turn on a system within interference range of the incumbent, as determined by TIA Bulletin 10-F or any standard successor. FSS licensee notification to the affected FS [fixed service] licensee must be in writing and must provide the incumbent with no less than six months to vacate the spectrum. After the six-month notice period has expired, the FS licensee must turn its license back into the Commission, unless the parties have entered into an agreement that allows the FS licensee to continue to operate on a mutually agreed upon basis. 47 CFR §§ 101.85(b)(1)-(2), 101.95(a).

⁸⁶ In 2006, the Commission adopted a revised band plan for the paired and unpaired spectrum used by the fixed service from 17.7-18.3 GHz and 19.3-19.7 GHz, consisting of a variety of channel bandwidths, primarily narrower bandwidths, and a block of unpaired spectrum from 17.7-17.74 GHz and also designated a contiguous 600 megahertz block of one-way spectrum from 17.7-18.3 GHz for use by Multichannel Video Programming Distributors (MVPDs). *Rechannelization of the 17.7-19.7 GHz Frequency Band for Fixed Microwave Services under Part 101 of the Commission's Rules*, WT Docket No. 04-143, Report and Order, 21 FCC Rcd 10900 (2006), ([FCC 06-141](#)).

33. Second, we propose to revise footnote NG62 to permit the fixed stations authorized pursuant to the 10 listed call signs to continue to operate indefinitely on a secondary basis. The Commission adopted footnote NG62 when it deleted the primary fixed and mobile service allocations from the 28.5-29.1 GHz and 29.25-29.5 GHz bands. Footnote NG62 states that, in the 28.5-29.1 GHz and 29.25-29.5 GHz bands, stations in the fixed-satellite service shall not cause harmful interference to, or claim protection from, stations in the fixed service operating under 18 listed call signs; however, only 10 of these call signs are currently active.⁸⁷ We note that WRC-19 and the Commission's rules permit earth stations in motion (ESIMs) to operate in these frequency bands.⁸⁸ The proposed secondary status of these fixed stations would recognize that ESIMs, which may operate anywhere without coordination with the fixed stations, may cause intermittent interference to these fixed stations. See Appendix B for the proposed text of revised footnote NG62. We request comment on these proposals.

34. Third, we request comment on whether we should raise the non-Federal secondary fixed-satellite service (space-to-Earth) allocation in the 18.142-18.3 GHz band (158 megahertz) to primary status, i.e., co-equal with the non-Federal primary fixed service allocation in the band. If adopted, this upgrade of allocation status would provide receiving earth stations with interference protection from later-licensed fixed stations that are used for part 74 and part 101 Multichannel Video Programming Distributor (MVPD) and part 78 cable television relay service (CARS) operations that operate in accordance with the proposed rules in this section. We tentatively conclude this should result in significantly heavier earth station use of this band in the future, thereby enhancing spectrum efficiency. As background, we note that there are seven part 78 CARS licenses, which are located in three California counties and Maui Island, Hawaii; and 35 grandfathered fixed service licenses that authorize operations in the 18.142-18.3 GHz band.⁸⁹ In contrast, as of August 26, 2022, there are 222 licenses for earth station reception in the 18.142-18.3 GHz band and there are 414 pending applications for earth stations that would receive in the band.⁹⁰

⁸⁷ On Feb. 28, 2022, Commission staff conducted a Site Based Search of the Universal Licensing System (ULS) and found that ten licenses authorize common carrier fixed point-to-point microwave (radio service code CF) operations in the 28.5-29.1 GHz and 29.25-29.5 GHz bands. Specifically, one license authorizes operational fixed use (station class FXO) in the 28.5-29.5 GHz band in Honolulu, Hawaii (call sign WML443) and nine licenses authorize temporary fixed operations (station class FX5) in the 29.1-29.5 GHz band in a total of 15 states (call signs KIL20, KME49, KQG58, KQH74, KSA96, KSE73, KZS88, WMP367, and WSL69).

⁸⁸ 47 CFR § 25.202(a)(10)(i)-(ii); Appx. A, footnote 5.517A.

⁸⁹ On March 1, 2022, Commission staff conducted a General Menu (GENMEN) license search (by site/frequency) and found the following under the heading "FCC Media Bureau Cable Operations and Licensing System Database" in the 18.142-18.3 GHz band: 1) the 17,982-18,300 MHz band is licensed in Vacaville, Solano County, California (call sign WLY-820); 2) the 18,138-18,294 MHz band is licensed in Blue Ridge and Porterville, Tulare County, California (call signs WGV-505 and WHZ-511); 3) the 18,148-18,304 MHz band is licensed in Puu Nianiau, Maui County, Hawaii (call sign WBM-742); and 4) the 18,154-18,226 MHz band is licensed in Georgetown and Auburn Lake and the 18,250-18,334 MHz band is licensed in Placerville, El Dorado County, California (call signs WLY-796, WLY-797, and WGK-480). On Feb. 28, 2022, Commission staff conducted a Site License Search of the Universal Licensing System (ULS) and found 35 active licenses that authorize grandfathered operations (i.e., operations not in accordance with the current part 101 channel plan) in the 18.142-18.3 GHz band. The 35 grandfathered fixed service licenses consist of 25 temporary fixed station (station class FX5) licenses [18 common carrier point-to-point microwave (radio service code CF) licenses, which authorize nationwide (one license), continental (three), multistate (seven), and statewide (eight) use, and six local television transmission (CT) licenses, which authorize nationwide use] and 10 operational fixed station (station class FXO) licenses (eight microwave industrial/business pool (MG) licenses and two microwave public safety pool (MW) licenses, all of which authorize local area use). We note that grandfathered licensees are required to disclose locations and technical parameters of their links during the coordination process.

⁹⁰ While conducting the GENMEN license search on March 3, 2021, Commission staff noted that there were 119 currently licensed and pending International Bureau Filing System (IBFS) files; however, as of August 26, 2022, there are 636 currently licensed and pending IBFS files. *Id.*

35. Finally, we request comment on whether we should allow the continued operation of existing CARS licenses that authorize operation in the 18.3-18.304 GHz and 18.3-18.334 GHz bands in Puu Nianiau, Hawaii, and Placerville, California, respectively, and revise footnote US139 to codify that these fixed station operations may continue to operate indefinitely under the existing conditions.

7. Deletion of the Radionavigation-Satellite Service from the 149.9-150.05 MHz and 399.9-400.05 MHz Bands

36. Consistent with the *WRC-15 Final Acts*, we propose to delete the radionavigation-satellite service allocation from the 149.9-150.05 MHz and 399.9-400.05 MHz bands.⁹¹ WRC-15 deleted this allocation because it had expired pursuant to footnote 5.224B.⁹² In the U.S. Table, the 149.9-150.05 MHz and 399.9-400.05 MHz bands are Federal/non-Federal shared bands that are allocated to the mobile-satellite service (Earth-to-space) and the radionavigation-satellite service on a primary basis. This proposal would make these two bands – totaling 300 kilohertz – exclusively allocated to the mobile-satellite service (Earth-to-space). We seek comment on this proposal.

B. Terrestrial Issues

1. Amateur Service in the 5351.5-5366.5 kHz Band

37. We propose to allocate the 5351.5-5366.5 kHz band to the Amateur Radio Service on a secondary basis and seek comment on whether the amateur service should keep the existing channels they use in the 60 meter band.⁹³ During WRC-15, the International Telecommunication Union allocated this band to the amateur service on a secondary basis in all ITU Regions. The ITU generally set the maximum radiated power at 15 watts (W) equivalent isotropically radiated power (EIRP), which is equivalent to 9.15 W effective radiated power (ERP).⁹⁴ **WRC-15 allocated this 'band'... 9 full watts!**

That's a 15 KHz wide 'band'

And maybe keep what we have now?

38. These frequencies are currently part of the 5275-5450 kHz band, which is allocated for Federal/non-Federal shared use, on a primary basis, to the fixed service and, on a secondary basis, to the mobile except aeronautical mobile service. Footnote US23 to the Allocation Table currently provides a secondary allocation to the amateur service on five discrete channels – each with a maximum bandwidth of 2.8 kilohertz and centered on the frequencies 5332, 5348, 5358.5, 5373, and 5405 kHz.⁹⁵ However, pursuant to Commission rules, stations in the amateur service may transmit on these frequencies with a maximum radiated power of 100 W ERP – over ten times more powerful than WRC-15's EIRP limit.⁹⁶

We are beggars for table scraps in this spectrum

but fairly high power table scraps

So to summarize.... the WRC in 2015 already allocated a 15 kHz wide secondary ham 'band' at around 5.3 MHz, with effectively a 9 watt power level.
Now the FCC is asking if we should adopt that allocation and power level... and / or keep our current 5 channels. They don't say what power level we'd keep them.
Then, they remind us that we got those 5 channels and 100 watts by the grace of the Federal spectrum managers (NTIA). They don't note that it came grudgingly.

⁹⁵ While footnote US23 of the Allocations Table does not have an explicit bandwidth limit, it limits use of these frequencies to specified emission types and designators, which in effect limit the bandwidth to a maximum of 2.8 kilohertz, i.e. phone (2K80J3E), data (2K80J2D), RTTY [narrow-band direct-printing telegraphy emissions having specified designators] (60H0J2B), and CW [International Morse code telegraphy emissions having specified designators] (150HA1A). 47 CFR §§ 2.101, 2.102, 2.106 footnote US23, 97.3(c)(1), (c)(7).

⁹⁶ Footnote US23 of the Allocations Table and section 97.313(i) of the Commission's rules state that amateur service use of these frequencies is restricted to a maximum ERP of 100 watts "PEP" and that no station may

(continued....)

NTIA recommends that we conform footnote US23 to the *WRC-15 Final Acts* by **allocating the 5351.5-5366.5 kHz band** to the amateur service on a secondary basis, **removing the four existing amateur channels** outside this proposed new amateur band, **and restricting** the maximum radiated **power** of amateur operations in the band **to 15 W EIRP**.⁹⁷ Federal agencies use the larger 5275-5450 kHz band for services that include military, law enforcement, disaster relief, emergency, and contingency operations.⁹⁸ Most non-Federal operations in the 60 meter band are part 90 industrial business pool land mobile operations.⁹⁹

39. In 2017, **ARRL**, the National Association for Amateur Radio (ARRL), filed a petition for rulemaking **asking** the Commission **to allocate the 5351.5-5366.5 kHz band** to the amateur service on a secondary basis, as provided in the *WRC-15 Final Acts*, **and also** to **retain the four** amateur service **channels** that are outside this band (i.e., the frequencies 5332 kHz, 5348 kHz, 5373 kHz, and 5405 kHz)¹⁰⁰ Further, ARRL supports using the same operating rules in terms of permitted emission types, power level, and access by class of amateur licensee for the new contiguous allocation that is currently applied to the existing five amateur channels.¹⁰¹ Essentially, ARRL supports extending the provisions of footnote US23 of the Allocation Table and section 97.303(h) of the Commission's rules that apply to the existing five amateur channels, **including the 100 watt ERP limit**, to the new allocation.¹⁰² Therefore, ARRL disagrees with applying the 15 W EIRP limit suggested in the *WRC-15 Final Acts*. While most commenters support implementation of the ARRL Petition as filed, some commenters disagreed with various aspects of the ARRL Petition as addressed below. Some even argue that the entire 60 meter band should be opened for amateur use at higher power because they are not aware of any complaints of harmful interference.¹⁰³ Finally, we note that **Canada has essentially implemented the same rules as ARRL has requested**.¹⁰⁴

Canada is already doing what the ARRL is asking for!

(Continued from previous page)

transmit with an ERP exceeding 100 watts "PEP," respectively. These requirements are inconsistent with the definitions in part 97 of the Commission's rules, i.e., PEP is the average power supplied to the antenna transmission line by a transmitter during one RF cycle at the crest of the modulation envelope taken under normal operating conditions and ERP is the product of the power supplied to the antenna and its gain relative to a half-wave dipole in a given direction. 47 CFR § 97.3(b)(2)-(3), (9). Our review finds that these rules were intended to limit the radiated power to 100 watts ERP based on the 2006 agreement between NTIA and ARRL and, to minimize confusion we refer to this limit in our discussion. [Petition](#) for Rule Making of ARRL, RM-11353, at Exhibit A (filed Oct. 10, 2006); 47 CFR § 97.313(k), (l).

⁹⁷ NTIA WRC-15 Implementation Recommendations, Attachment 1 – Annex 1.4, 29 (emphasis in original).

⁹⁸ As of March 2022, there are 36 Federal assignments in the 5351.5-5366.5 kHz band.

⁹⁹ As of April 17, 2023, there are 44 non-Federal licenses that authorize operations in the 5351.5-5366.5 kHz segment and 44 non-Federal licenses that authorize operations in the 5275-5450 kHz band. Licenses that authorize operations in the 5351.5-5366.5 kHz segment authorize disaster or long distance communications pursuant to footnote US22 on specific frequencies in the 5005-5450 kHz band. 47 CFR §§ 2.106 footnote US22, 90.264, 90.266.

¹⁰⁰ Petition for Rule Making, ARRL, RM-11785 (filed Jan. 12, 2017) (ARRL Petition); Comments of ARRL, RM-11785 (filed March 29, 2017). The Commission issued a public notice announcing receipt of this petition on February 16, 2017. See Public Notice Consumer & Governmental Affairs Bureau Information Center Petition For Rulemakings Filed, Report No. 3071 (rel. Feb. 16, 2017). As of Feb. 28, 2022, there were 119 filings in RM-11785, most of which support the ARRL petition.

¹⁰¹ ARRL Petition at 18.

¹⁰² *Id.* at 19.

¹⁰³ See, e.g., Daniel P Schaff Comments at 1; Michael Goltz Comments at 1; Danny Douglas Comments at 1.

¹⁰⁴ See *Decision on Proposed Revisions to the Canadian Table of Frequency Allocations*, [SMSE-07-18](#), April 2018, pages 1-2.

Give'em the little band and flea power.

Take away the other channels (Bwaaa ha ha)

ARRL says (in 2017) 'We want it all... and at 100 watts!

Yes, we've been here before.

40. We propose to modify footnote US23 and part 97 of our rules to implement the new international allocation at 5351.5-5366.5 kHz, but also **seek comment on whether we should maintain the existing four channels** at 5332, 5348, 5373, and 5405 kHz that are outside of the new allocation.¹⁰⁵ Under this proposal, amateurs would have access to **a contiguous 15 kilohertz-wide band. Allowing amateurs to use these internationally-harmonized frequencies could facilitate amateur communications across international borders.** We note however, there is significant **opposition from the amateur community regarding the removal of the four discrete channels** at 5332, 5348, 5373, and 5405 kHz from amateur use, as requested by NTIA.¹⁰⁶ An argument could be made that amateur operations should remain on harmonized international frequencies because of the long-range propagation of these frequencies. Further, **amateur licensees also have access to** other high frequency (HF) bands at **3 and 7 MHz**, so we believe there should be sufficient spectrum options for amateur operations without deviating from the internationally harmonized spectrum. However, some commenters contend that the amateur community has been using the four discrete channels at 5332, 5348, 5373, and 5405 kHz that fall outside of the proposed band for some time and argue that these channels are important in responding to disasters.¹⁰⁷ We seek comment on this issue and what spectrum in the 60 meter band should be made available for amateur use.

So... what should we (the FCC) do?
The 'band' would promote internaional harmony.
Aren't 40 and 75 meters enough?

41. **Alternatively**, we seek comment on whether **the four discrete channels** at 5332, 5348, 5373, and 5405 kHz **should be kept available for limited amateur use** under certain conditions or **only in response to disasters.** For example, could the channels be authorized for amateur use during disasters as part of the Military Auxiliary Radio System (MARS) or SHARED RESOURCES High Frequency Radio (SHARES) programs where participating amateur licensees can operate on Federal channels in coordination with the Department of Defense or Department of Homeland Security, respectively? Should we permit amateur stations participating in established emergency communications programs such as the Amateur Radio Emergency Service (ARES) or the Radio Amateur Civil Emergency Service (RACES) to use the additional channels or operate at higher power during emergencies and drills?¹⁰⁸ Could the discrete channels be maintained under lower power or under other conditions that might reduce their potential to interfere with primary allocation services in the band? If so, we invite comment on whether the existing discrete channels should continue to be used for secondary amateur use and under what rules and conditions.

How about keeping the 'channels' for use only in emergencies?

42. While many amateur commenters argue they should be permitted access to more of the 60 meter band because they are **not aware of any complaints** of interference arising from their current operations, we note there are a variety of important non-Federal and Federal fixed and mobile except aeronautical mobile service operations in the band where even rare instances of interference could endanger public safety. Therefore, **we tentatively find** that the **spectrum requirements** for the amateur service in the 5005-5450 kHz band **should be met by the** WRC-15 amateur **band** and that **only the four** existing amateur channels at 5332, 5348, 5373, and 5405 kHz that are outside this band **should be**

Is anybody complaining about our current use?
Our mind is kinda made up about the 'band'.....

¹⁰⁵ Specifically, we propose to make the following amendments to part 97 of the rules: 1) replace the five center frequencies with the 5351.5-5366.5 kHz band in sections 97.301(b)-(d) and 97.305(c); 2) simplify the frequency sharing requirements in section 97.303(h) by stating that amateur stations transmitting in the band must not cause harmful interference to, and must accept interference from, stations authorized by the United States and other nations in the fixed service; and other nations in the mobile except aeronautical mobile service; and 3) revise the emission standard in section 97.307(f)(14) by removing unneeded text, including the unneeded upper sideband and Morse telegraphy restrictions (as requested by ARRL in its petition). Appx. B.

¹⁰⁶ See, e.g., Steve Schroder Comments at 1; Ronald F. Henry Comments at 1; James J. Martin Comments at 1.

¹⁰⁷ See, e.g., Roland Wayne Woodhams Comments at 1; Troy M King Comments at 1; Hugh Bahar Comments at 1; ARRL Comments at 9.

¹⁰⁸ RACES is a radio service using amateur stations for civil defense communications during periods of local, regional, or national civil emergencies. 47 CFR § 97.3(a)(38). ARES is an ARRL program for radio amateurs who participate in emergency communications. See <http://www.arrl.org/ares> (last visited Feb. 28, 2022).

So maybe only talk to us about the four channels that are outside the 'band'....

considered in this proceeding. Nevertheless, we seek comment on this idea. Commenters that support expanded access to the 60 meter band should provide information regarding how heavily the five amateur frequencies in the 5275-5450 kHz band are used and why additional amateur spectrum in this frequency range is needed if we adopt the proposed allocation.

... or not.

43. *Power.* ARRL seeks a maximum radiated power limit of 100 W ERP for the new secondary amateur allocation and to maintain the existing maximum radiated power limit of 100 W ERP for the existing discrete channels at 5332, 5348, 5373, and 5405 kHz. ARRL argues that such an implementation would support amateurs engaged in emergency and disaster relief communications to more reliably, flexibly, and capably conduct those communications; that imposing a maximum radiated power limit of 15 W EIRP would render the band unsuitable for emergency and public service communications; that the lower power limit is insufficient to permit reliable communications on the paths that are most critical; and that this reduced radiated power limit is not necessary to protect primary services from interference.¹⁰⁹

ARRL says 9 watts isn't enough (life is too short for QRP?)

44. Harold Ross Lambert and Michael Goltz argue that the power limit should be increased to 500 W to deal with propagation challenges in disaster communications;¹¹⁰ and Milton K. Miller supports 500 W power with the use of more efficient antennas.¹¹¹ Phillip Finkle urges for at least 200 W of power designated as output power instead of ERP because ERP is difficult to measure.¹¹² Janis Carson initially expresses concern over allowing U.S. amateurs to operate at much higher powers than the international standard, suggesting a compromise power of 30 W because digital modes are very effective at lower power and world-wide communications can be achieved at lower power levels like 5 W.¹¹³ However, in later comments Ms. Carson supports the ARRL proposal to allow 100 W for “more reliable communications in an environment of high static crashes.”¹¹⁴ William Springer urges the adoption of the 15 W power limit in the *WRC-15 Final Acts* because he contends that newer digital modes are more efficient, and so weaker signals are not an impediment to achieving communication.¹¹⁵ Finally Hugh Bahar cautions that deviating from limits agreed to at the international level is unwise and could lead to other countries ignoring the standards and could be viewed as an act of bad faith.¹¹⁶

And now we're herding cats on the power level.

45. Several commenters also argue for more flexibility in the types of antennas permitted in the 60 meter band.¹¹⁷ Scott Wright and George Dominick contend that antennas with gain greater than 0 dBi should be allowed since they are essential for efficient communications during an emergency.¹¹⁸ In

And we want gain antennas

¹⁰⁹ ARRL Petition at 3, 19-21.

¹¹⁰ Harold Ross Lambert Comments at 1; Michael Goltz Comments at 1.

¹¹¹ Milton K. Miller Comments at 1.

¹¹² Phillip Finkle Comments at 1.

¹¹³ Janis Carson March 13, 2017 Comments at 1.

¹¹⁴ Janis Carson December 2, 2019 Comment at 1.

¹¹⁵ William Springer Comments at 1, William K. Mabry Comments at 1.

¹¹⁶ Hugh Bahar Comments at 1.

¹¹⁷ The rules do not limit antenna gain and thus it is unclear why commenters have made this assertion. These comments appear to relate to section 97.313(i) of the rules, which states that: 1) for the purpose of computing ERP, the transmitter PEP will be multiplied by the antenna gain relative to a half-wave dipole antenna; 2) a half-wave dipole antenna will be presumed to have a gain of 1 (0 dBd); and 3) licensees using other antennas must maintain in their station records either the antenna manufacturer's data on the antenna gain or calculations of the antenna gain. 47 CFR § 97.313(i).

¹¹⁸ Scott Wright Comments at 1, George Dominick Comments at 1.

contrast, Mathew Pitts does not support increasing the permitted antenna gain and contends the power should range between 15 and 30 W.¹¹⁹

46. We seek comment on the appropriate power limit for the new internationally harmonized amateur allocation and for the discrete channels if they are maintained for amateur use. We tentatively conclude that limiting the radiated power of amateur stations to 15 W EIRP would reduce the potential of harmful interference to incumbent primary operations, while maintaining consistency with the power limits established internationally for amateur operations in this band. However, the majority of the amateur comments are opposed to lower power limits and neighboring countries in Region 2 permit power levels higher than 15 W EIRP.¹²⁰ We agree with certain commenters that the long-range propagation capabilities of these frequencies is likely to allow efficient communications at low-power levels, but there may be instances where more power is needed to deal with propagation challenges.

Again, our mind is made up, except when it isn't, so tell us again.

47. We acknowledge that valid arguments may exist for adopting power limits above 15 W up to 100 W. For example, footnote 5.133B of the Allocations Table, which addresses this international allocation, outlines a power limit of 20 W EIRP for Mexico and 25 W EIRP for all Latin American countries and for many Caribbean countries/territories.¹²¹ Further, a review of our licensing database indicates other licenses with higher allocation status operating at power levels ranging from 15 W up to as high as 5000 W. Accordingly, we seek to build a more comprehensive record on the appropriate power limit for 60-meter band amateur operations. Interested parties seeking a power limit above the proposed 15 W EIRP limit should explain how much power would be appropriate, and how higher power limits would affect other operations in the 60-meter band? For example, should we allow the higher power allowed in other countries in ITU Region 2, such as Mexico and most Caribbean countries? Should we allow higher power during times of emergency drills/response or as part of programs where Amateur licensees support Federal emergency response? Should higher power only be permitted during disasters or drills supporting disaster relief? If, going forward, the discrete channels are permitted to be used by amateur operators under certain parameters or during disasters, what power limits should apply and when? What other conditions or considerations should be applied to amateur use of the 60 meter band?

Really overthinking the power thing here.

48. Further, we seek comment on how the limit should be specified in the rules. Specifically, should the power limit be defined in terms of EIRP to be consistent with the WRC-15 recommendation, or through some other means, such as ERP or transmitter output power? While some commenters argue that radiated power limits are difficult to calculate for certain types of antennas,¹²² we find that amateur licensees are supposed to study the radio arts and should be capable of determining their operating power. We seek comment on the pros and cons of the various power limit alternatives and which method is best for the 60 meter band. If we adopt a radiated power limit, we do not propose to adopt antenna limitations because a radiated power limit would ensure that excess power is not used, and flexibility in antenna choices may lead to spectrum efficiencies because the signal will propagate in its intended direction. Nevertheless, we seek comment on whether, and, if so what, antenna limitations are appropriate for amateur operations in this band using these different power limit measurements and how the Commission's decision could affect how these frequencies would be used by the amateur community.

Maybe overthinking the antenna thing, too

49. **Channelization.** ARRL and several commenters argue that the new allocation should not designate sub-bands for various modes of operation to enable maximum flexibility to avoid interference with other operations.¹²³ Janis Carson contends channelization is wasteful because narrowband modes

Say no to channels?

¹¹⁹ Mathew Pitts Comments at 1.

¹²⁰ See, e.g., Blair Balden Comments at 1; Bruce Pitman Comments at 1; Harold Ross Lambert Comments at 1; Roland Wayne Woodhams Comments at 1.

¹²¹ See 47 C.F.R. § 2.106 footnote 5.133B.

¹²² See e.g., Louis Lee Grande Barrett Comments at 1 (arguing “[n]o one can easily determine their wire antenna gain (or other) without intensive mathematical analysis and a knowledge of logarithms to determine ERP. Please conform to a Power Output as on other bands and disregard the antenna gain/ERP ratings.”)

can operate at less than three kilohertz and flexibility is need to address prevailing circumstances.¹²⁴ She adds that a maximum bandwidth of 500 Hertz should be allowed in the new contiguous allocation.¹²⁵ Charles Powell supports the ARRL request and contends that amateur equipment is not designed to maintain a high level of frequency accuracy and that such a design change would make equipment prohibitively expensive.¹²⁶ However, William Springer argues that the new allocation should be channelized into five 3 kilohertz channels to promote efficiency and avoid overlapping transmissions.¹²⁷ Benjamin Russell also supports five discrete channels, but suggests creating ten overlapping channels for narrowband carrier wave (CW) use.¹²⁸ Ronald F Henry contends that channelization would facilitate sharing with Federal users and, given there are several bands available for amateur use, the “60 Meter band must be set aside for emergency communications as the primary use and as such, channelization is desired to protect both the primary and secondary user.”¹²⁹

And maybe we need to accomodate those really narrow modes better?

50. We propose that the 5351.5-5366.5 kHz band should not be channelized or have sub-bands. Due to the wide variety of potential applications and the need to protect other communications, dividing the band into channels may lead to inefficient spectrum use. However, we agree with commenters who state that some wideband digital emissions could create spectrum sharing problems, and so we propose a maximum emission bandwidth of 2.8 kilohertz for amateur operations in this band. We seek comment on this proposal and whether there are other limits or technical rule changes necessary to ensure reliable and efficient use of this band.

Again, our mind is kinda made up: No channels

51. *Station Class and Permitted Uses.* ARRL and certain other commenters state that only amateurs with a General Class license or higher should be allowed to use the new allocation, because Technician Class license holders may not have the experience to operate consistent with the interference avoidance protocols needed for the band.¹³⁰ William Springer opposes the allowance of CW transmissions in the band because he contends that they are outdated and inefficient, but supports the use of any commonly-available, unencrypted digital transmission mode limited by a maximum occupied bandwidth that fits within the channel.¹³¹ Scott Wright supports the allowance of CW, arguing that several CW emissions can fit within a small amount of bandwidth.¹³² Janis Carson and Hugh Bahar oppose the allowance of automatically controlled digital stations and wideband digital modes that could block the entire allocation and could cause interference without busy channel detection.¹³³ In her reply comments, Ms. Carson adds that the new allocation should be used for narrowband digital or CW and that the discrete channels, along with the one 3 kHz channel contained within the new allocation, could remain for use of single-side band (SSB) voice or wider digital modes.¹³⁴ Ms. Carson also suggests not allowing

A mish-mash of ideas here worth of ChatGPT!

License class, modes, automatic control

(Continued from previous page) _____

¹²³ ARRL Petition at 18. *See also e.g.*, Phillip Finkle Comments at 1, Scott Wright Comments at 1.

¹²⁴ Janis Carson March 13, 2017 Comments at 2.

¹²⁵ *Id.* at 3.

¹²⁶ Charles Powell Comments at 1.

¹²⁷ William Springer Comments at 1. Other commenters supporting channelization of the band include: John Rohow Comment at 1; Ronald F. Henry Comment at 1.

¹²⁸ Benjamin Russell Comments at 1. CW (the abbreviation coming from the fact that it uses a Carrier Wave, or a Continuous Wave that is interrupted) is defined as international Morse code telegraphy emissions having designators with A, C, H, J or R as the first symbol; 1 as the second symbol; A or B as the third symbol; and emissions J2A and J2B. 47 CFR § 97.3(c)(1).

¹²⁹ Ronald F. Henry Comment at 1.

¹³⁰ ARRL Petition at 21; Janis Carson March 13, 2017 Comments at 1; Hugh Bahar Comments at 1.

¹³¹ William Springer Comments at 1.

¹³² Scott Wright Comments at 1.

¹³³ Janis Carson March 13, 2017 Comments at 2, Hugh Bahar Comments at 1.

any automatic store and forward email systems in the 60 meter band, claiming that these systems have a high potential to cause interference due to the “hidden transmitter” effect, where the offshore initiating station cannot hear a primary user in the skip zone of the shore based relay station.¹³⁵ Finally, W. Lee McVey contends that the 60 meter band rules should ensure that only publicly documented digital codes operate in the band to prohibit encrypted communications.¹³⁶

52. Consistent with the current amateur class requirements for the 60 meter band,¹³⁷ we propose to permit amateurs holding a General Class license or higher to use the 5351.5-5366.5 kHz band. We agree with commenters that the long-range propagation characteristics in the band combined with the need to protect important safety of life communications by Federal operations potentially requires a higher level of radio knowledge to ensure the spectrum is properly shared.¹³⁸ We seek comment on this proposal. Further, if we maintain the four existing discrete channels at 5332, 5348, 5373, and 5405 kHz outside of the international allocation, we propose that those channels also be permitted for General Class licensees or higher. **We seek comment on** this proposal and other **alternatives**. For example, if we adopt the new allocation and keep the existing discrete channels, should different amateur classes be permitted on the new allocation versus the discrete channels? If we allow station classes below General Class licensees to access the 60 meter band, what conditions should be applied? For example, should certain classes be permitted to operate in certain modes (*i.e.*, voice vs. digital) or at certain times (*e.g.*, only in response to a disaster)? Given the limited spectral resource at issue, commenters supporting more flexible use should support their comments with suggested safeguards or ideas on how the spectrum can be efficiently used without interfering with primary allocation operations.

We go with 'No Techs' (so General and above)

Or maybe we give techs something?

53. At this time, **we are not proposing to preclude CW** or any other radio technique currently permitted in the 60 meter band because the record is inconclusive on whether certain modulation methods should be prohibited. However, we note that the amateur rules generally preclude encrypted operations,¹³⁹ and so we seek comment on whether the 60 meter band rules need to be clearer on what types of digital operations are permitted. As discussed above, we propose to limit the emission bandwidth to 2.8 kilohertz, which may limit some techniques. We seek comment on these proposals and encourage the amateur community to attempt to reach consensus on what radio techniques should be permitted, given the limited amount of spectrum available, the need to use this spectrum efficiently, and the importance of ensuring that the primary users are protected from harmful interference.

Keep CW

2. Amateur Service in the 420-450 MHz Band **Oh, hey... lost in the noise of 60...**

54. Based on a request from NTIA, we propose to update the coordination and contact information in footnote US270 for the areas wherein the peak envelope power of an amateur station operating in the 420-450 MHz (70 cm) band is generally limited to 50 watts, and to revise the cross reference to this footnote in section 97.313(f) of the rules.¹⁴⁰ See Appendix B for the proposed text of footnote US270 and section 97.313(f). We request comment on these proposals.

Remember those areas where the 440 band is limited? (PAVE PAWS) Our database is a mess.

(Continued from previous page) _____

¹³⁴ Janis Carson Reply Comment at 2.

¹³⁵ Janis Carson December 2, 2019 Comment.

¹³⁶ W. Lee McVey August 30, 2021 *ex parte* at 1-2.

¹³⁷ See 47 C.F.R. § 97.301.

¹³⁸ See, *e.g.*, Hugh Bahar Comments at 1; ARRL Comments at 9; Janis Carson Comments at 1.

¹³⁹ See generally 47 C.F.R. § 97.309 (outlining various requirements for RTTY and data emissions including the requirement that digital codes must not be transmitted for the purpose of obscuring the meaning of any communication).

¹⁴⁰ See e-mail from Charles Cooper, Associate Administrator, Office of Spectrum Management, NTIA, to Ronald Repasi, Acting Chief, FCC Office of Engineering and Technology, August 8, 2021, attachment at 1-2.

We're done with the ham stuff, but in the (many) pages below there are some interesting charts.

Who has the time?

3. Maritime On-board Communication Stations (457/467 MHz)

55. We propose to revise footnote US288 to make a limited number of narrowband channels from the international channel plan adopted at WRC-15 available for use by on-board communication stations. An on-board communication station is a low-powered mobile station in the maritime mobile service used for internal communications on board a ship, or between a ship and its lifeboats and life-rafts during lifeboat drills or operations, or for communication within a group of vessels being towed or pushed, as well as for line handling and mooring instructions.¹⁴¹ Our proposals are intended to benefit the maritime industry by making available a subset of the internationally-harmonized narrowband channels for on-board communication use while ships are in U.S. territorial waters.¹⁴² Our overarching goals in making these proposals are to minimize the potential for intermittent and harmful interference to stations in the land mobile and fixed services that operate on the same or adjacent frequencies to on-board communication stations and to promote more efficient and effective use of the available spectrum, while fully meeting the operational requirements of ship station licensees for on-board communication stations.¹⁴³

56. Footnote US288 and section 80.373(g) of the rules make seven internationally-harmonized frequencies in the 457.5125-457.5875 MHz and 467.5125-467.5875 MHz bands (150 kilohertz) and five other frequencies available for use by on-board communication stations in U.S. territorial waters (275 kilohertz in total).¹⁴⁴ Specifically, section 80.373(g)(1) states that the

¹⁴¹ 47 CFR §§ 2.1(c), 80.5.

¹⁴² WRC-15 revised footnote 5.287 to require that the characteristics of on-board communications stations conform to Recommendation ITU-R M.1174-3. Subsequently, Recommendation ITU-R M.1174-3 was revised to correct the frequency deviation for 6.25 kilohertz channels, and consequently, Recommendation ITU-R M.1174-4 is now in force. For the purposes of this section, internationally-harmonized channel means that the center frequency is specified in Recommendation ITU-R M.1174-4 and that this frequency is available, or is proposed to be made available, for licensed use in part 80 of our rules. Recommendation ITU-R 1174-4 includes the following: “Provision is made for 25 kHz or 12.5 kHz channel spacing for analogue and digital technologies. In addition, 6.25 kHz channel spacing may also be used for digital technology.” In this section, we refer to the 25, 12.5, and 6.25 kilohertz-spaced channels in the 457.5125-457.6125 MHz, 467.5125-467.5875 MHz, and 467.7375-467.8375 MHz bands as “25 kilohertz channels,” “12.5 kilohertz channels,” and “6.25 kilohertz channels,” respectively. With respect to the United States, “territorial sea means the waters, 12 nautical miles wide, adjacent to the coast of the United States and seaward of the territorial sea baseline” for “[i]nterpreting international law” and the other purposes specified in 33 CFR section 2.22(a), internal waters means the waters shoreward of the territorial sea baseline, and territorial waters of the United States means the territorial sea and the internal waters of the United States. Normally, the territorial sea baseline is the mean low water line along the coast of the United States. See [33 CFR subpart B](#) at §§ 2.20, 2.22(a), 2.24(a), 2.26, and 2.36; Recommendation ITU-R [M.1174-4](#) (10-2019), Technical characteristics of equipment used for on-board vessel communications in the bands between 450 and 470 MHz.

¹⁴³ The 456-460 MHz and 462.7375-462.5375 MHz bands are allocated to the fixed and land mobile services on a primary basis for non-Federal use and the bands are available for licensing to applicants in the Industrial/Business Radio Pool pursuant to our part 90 rules for Private Land Mobile Radio Services. The 467.5375-467.7375 MHz band is allocated to the land mobile service on a primary basis for non-Federal use and this band is licensed by rule pursuant to our part 95 rules for Personal Radio Services. This band is shared between the Family Radio Service (part 95 subpart B) and the General Mobile Radio Service (part 95 subpart E). A ship station license permits operation of all maritime services transmitting equipment on board a vessel. In contrast, a ship station that is licensed by rule is limited to certain part 80 VHF frequencies. In particular, ship stations that are licensed by rule do “not travel to foreign ports” and are not eligible for on-board communication stations. 47 CFR §§ 80.13, part 90 subpart C, part 95 subparts B and E.

¹⁴⁴ The seven internationally-harmonized frequencies are 457.525 MHz (channel 1 or 11), 457.5375 MHz (channel 12), 457.550 MHz (channel 2 or 13), 457.5625 MHz (channel 14), 457.575 MHz (channel 3 or 15), 467.5375 MHz (channel 22), and 467.5625 MHz (channel 24), which are specified in Recommendation ITU-R M.1174-4. The five frequencies that are not internationally harmonized are 457.600 MHz, 467.750 MHz, 467.775

(continued....)

frequencies 457.525 MHz, 457.550 MHz, 457.575 MHz, and 457.600 MHz may be used by on-board repeater stations¹⁴⁵ and by unpaired on-board mobile stations (i.e., single-frequency simplex operation¹⁴⁶) and that four frequencies in the 467.7375-467.8375 MHz band (i.e., 467.750, 467.775, 467.800, and 467.825 MHz) may be used by on-board mobile stations in two-frequency repeater systems. In addition, section 80.373(g)(2) states that, where needed, equipment designed for 12.5 kilohertz channel spacing using the additional frequencies 457.5375 MHz, 457.5625 MHz, 467.5375 MHz, and 467.5625 MHz (i.e., channels 12, 14, 22, and 24) may be introduced for on-board communications;¹⁴⁷ however, no use of these channels is currently authorized.¹⁴⁸

57. WRC-15 revised the international channel plan for on-board communication stations to provide for 6.25 kilohertz channels.¹⁴⁹ This new channel plan, shown in Table 1 below, specifies 40 frequencies that support the use of equipment designed to operate on 25, 12.5, or 6.25 kilohertz channels. The shaded channels in Table 1 indicate the internationally-harmonized channels that are currently available for use under our rules.

Table 1: International vs. United States Channels for On-Board Communication Stations											
International Footnote 5.287 and Recommendation ITU-R M.1174-4											US1-US3 (25/25 kHz with the lower channel harmonized) ¹⁵⁰
Lower Band Channels						Upper Band Channels					
25 kHz		12.5 kHz		6.25 kHz		25 kHz		12.5 kHz		6.25 kHz	
Ch	MHz	Ch	MHz	Ch	MHz	Ch	MHz	Ch	MHz	Ch	MHz
1	457.525	-	-	102	457.515625	4	467.525	-	-	202	467.515625
		11	457.5250	111	457.521875			21	467.5250	211	467.521875
				112	457.528125					212	467.528125

(Continued from previous page) _____
 MHz, 467.800 MHz, and 467.825 MHz. Channels 1-3 and the five non-harmonized frequencies are 25 kilohertz channels and channels 11-15, 22, and 24 are 12.5 kilohertz channels. Footnote US288 does not currently prohibit on-board communications stations on foreign-flagged vessels from operating on other internationally-harmonized channels in U.S. territorial waters that are not licensed for such use by the Commission, and thus stations in the fixed and land mobile services may experience intermittent interference from on-board communication stations that operate in up to 275 kilohertz of spectrum (457.5125-457.6125 MHz, 467.5125-467.5875 MHz, and 467.7375-467.8375 MHz) under the current rules.

¹⁴⁵ An on-board repeater is a radio station that receives and automatically retransmits signals between on-board communication stations. On-board frequencies are assignable only to ship stations. When an on-board repeater is used, paired frequencies must be used. On-board repeater frequencies must be used for single-frequency simplex operations. 47 CFR §§ 80.5, 80.1177.

¹⁴⁶ Simplex operation is the operating method in which transmission is made possible alternatively in each direction of a telecommunication channel, for example, by means of manual control. Duplex operation is the operating method in which transmission is possible simultaneously in both directions of a telecommunication channel. In general, duplex operation requires two frequencies and simplex operation may use either one or two. 47 CFR § 2.1(c).

¹⁴⁷ 47 CFR § 80.373(g)(2).

¹⁴⁸ The 12.5 kilohertz channels are internationally-harmonized channels centered on the frequencies 457.5375 MHz, 457.5625 MHz, 467.5375 MHz, and 467.5625 MHz (designated as channels 12, 14, 22, and 24, respectively). As of April 17, 2023, no equipment for use in the 12.5 kilohertz channels had been certified. 47 CFR §§ 2.106 footnote US288, 80.203(a), 80.373(g)(2).

¹⁴⁹ See also *WRC-15 Admin Order*, *supra* note 3, para. 8, Appx. at 25 (U.S. Table); 47 CFR § 2.106 footnotes 5.287, 5.288.

¹⁵⁰ Because the frequencies 457.525, 457.550, and 457.575 MHz are designated as channels 1-3 in Recommendation ITU-R M.1174-4 (when using equipment designed to operate in 25 kHz spaced channels), we are referring to these channel pairs as channels US1-US3 in this proceeding.

2	457.550	12	457.5375	121	457.534375	5	467.550	22	467.5375	221	467.534375	on 467.750 MHz
				122	457.540625					222	467.540625	
		13	457.5500	131	457.546875			23	467.5500	231	467.546875	
				132	457.553125					232	467.553125	
3	457.575	14	457.5625	141	457.559375	6	467.575	24	467.5625	241	467.559375	US3 consists of channel 3 and a channel centered on 467.800 MHz
				142	457.565625					242	467.565625	
		15	457.5750	151	457.571875			25	467.5750	251	467.571875	
				152	457.578125					252	467.578125	
-	-	161	457.584375	-	-	261	467.584375					

58. To permit the deployment of more spectrally efficient narrowband equipment, we propose to revise footnote US288 by authorizing on-board communication stations to use 12.5 and 6.25 kilohertz channels in the territorial waters of the United States as described in the following paragraphs.

59. First, we propose to revise footnote US288 to authorize: 1) nationwide use of channels 11-15, which are internationally-harmonized 12.5 kilohertz channels, for on-board repeater stations and on-board mobile stations used for single-frequency simplex operation;¹⁵¹ 2) on-board mobile stations to operate nationwide on five non-harmonized frequencies that are 10.225 megahertz higher in frequency than the center frequency of their associated on-board repeater stations (frequencies shown in Table 2, below); and 3) on-board repeater stations to operate on channels 12 and 14 and associated on-board mobile stations operating on channels 22 and 24, respectively, in the Territorial Sea of the United States and at coastal ports and the inland ports of Baton Rouge, Houston, and Portland, and on the waterways and at other ports between these inland ports and the ocean.¹⁵² We request comment on these proposals.¹⁵³

Table 2: Center Frequencies for 12.5 Kilohertz On-board Paired Channels		
Channel ¹⁵⁴	On-board Repeater Station	On-board Mobile Station
US11	Channel 11 – 457.5250 MHz	467.7500 MHz

¹⁵¹ Three of the center frequency pairs proposed for 12.5 kilohertz channels are the same as those currently used by 25 kilohertz channels (i.e., channels US1-US3) and the other two proposed center frequencies in the 457 MHz band are the existing 12.5 kilohertz channels (i.e., channels 12 and 14) and they (like channels US1-US3) are paired with center frequencies in the 467 MHz band that are offset from the internationally-harmonized frequencies by 225 kilohertz.

¹⁵² Channel 24 is co-channel with the Family Radio Service (FRS) and General Mobile Radio Service (GMRS) interstitial channel centered on 467.5625 MHz (± 6.25 kilohertz; FRS channel 8) and channel 24 overlaps the GMRS main channels centered on 467.5500 MHz and 467.5750 MHz (± 10 kilohertz) by 3.75 kilohertz, which is the same overlap as the FRS/GMRS interstitial channel. Channel 22 also overlaps the GMRS main channel centered on 467.5500 MHz by 3.75 kilohertz. Because the effective radiated power (ERP) of these FRS and GMRS units must not exceed 0.5 watt, the increase in interference potential to these GRMS main channels would be caused solely by on-board mobile stations transmitting at 2 watts ERP. 47 CFR §§ 95.563, 95.567, 95.1763, 95.1767(c).

¹⁵³ Our proposal would make two new frequencies (467.7625 and 467.7875 MHz) available for use by on-board communication stations and would authorize the use of eight existing frequencies with twice the power spectral density (PSD) in their narrower authorized bandwidth, which increases the potential for harmful interference to nearby stations of the fixed and land mobile services that also operate on these frequencies. PSD is defined as the “power of an emission in the frequency domain, such as in terms of ERP or EIRP, stated per unit bandwidth, e.g., watts/MHz.” 47 CFR § 22.99. Currently, the part 80 rules limit the ERP of on-board communication stations in the 456-468 MHz band to 2 watts in a 25 kilohertz channel (80 mW/kHz). If we authorize the same ERP in 6.25 kilohertz, then the PSD would double (160 mW/kHz), thereby increasing the potential for harmful interference over the signal’s bandwidth because the signal’s power is concentrated over a narrower bandwidth. We intend to address the PSD issue in any subsequent service rules proceeding.

¹⁵⁴ For purposes of this proceeding, we are referring to the associated channel pairs as channels US11-US15.

US12	Channel 12 – 457.5375 MHz	467.7625 MHz
US13	Channel 13 – 457.5500 MHz	467.7750 MHz
US14	Channel 14 – 457.5625 MHz	467.7875 MHz
US15	Channel 15 – 457.5750 MHz	467.8000 MHz

60. Second, we propose to revise footnote US288 to authorize on-board repeater stations and on-board mobile stations used for single-frequency simplex operation to operate on the 6.25 kilohertz channels 102, 121, 122, 141, and 142 and for on-board mobile stations operating with a repeater station to operate on the 6.25 kilohertz channels 202, 221, 222, 241, and 242, respectively, in the Territorial Sea of the United States and at coastal ports and the inland ports of Baton Rouge, Houston, and Portland, and on the waterways and at other ports between these inland ports and the ocean.¹⁵⁵ We request comment on this proposal, noting that eight of these channels overlap the 12.5 kilohertz channels that we are proposing in the previous paragraph (i.e., channels 12, 14, 22, and 24) and that channels 102 and 202 are between low-power part 90 channels.¹⁵⁶ We request comment on these proposals, noting that the use of 6.25 kilohertz channels with center frequencies that are offset from the frequencies used by stations in the fixed and land mobile services by 6.25 kilohertz are expected to enhance spectrum sharing.¹⁵⁷ We also solicit comment on whether we should authorize the use of channel pairs 121/221 on those waterways in the contiguous United States that the Department of Transportation has designated as part of America’s Marine Highway.¹⁵⁸

61. We also propose to revise the text of footnote US288 to state that, in the territorial waters of the United States, footnote 5.287 applies, except that on-board communication stations must transmit only on the listed frequencies and must operate as specified herein. On-board repeater stations and mobile stations used for single-frequency simplex operation currently may transmit only in the band 457.5125-457.6125 MHz. We propose that the preferred frequencies for repeater systems would be 457.525 MHz (channel 1 or 11), 457.5375 MHz (channel 12), 457.550 MHz (channel 2 or 13), 457.5625 MHz (channel 14), 457.575 MHz (channel 3 or 15), and 457.600 MHz paired, respectively, with 467.750 MHz, 467.7625 MHz, 467.775 MHz, 467.7875 MHz, 467.800 MHz, and 467.825 MHz; and the preferred frequencies for single-frequency operations would be those designated as channels 1-3, 11-15, and 121. Finally, we propose that use of channels 122, 141, and 142 and channel pairs 12/22, 14/24, 102/202, 121/221, 122/222, 141/241, and 142/242 would be authorized at coastal ports and the inland ports of Houston, Baton Rouge, and Portland, and along the waterways and at other ports between these inland ports and the ocean; however, on-board communication stations would not be able to transmit on these channels while in port and not underway or preparing to get underway. See Appendix B for the proposed text of footnote US288. We seek comment on these proposals.

62. Finally, we propose to revise footnote US287 by allocating the 457.5125-457.6125 MHz, 467.512375-467.518625 MHz, 467.55625-467.56875 MHz, 467.53125-467.54375 MHz, and

¹⁵⁵ The eight 6.25 kilohertz channels are internationally-harmonized channels that are centered on the frequencies 457.534375 MHz, 457.540625 MHz, 457.559375 MHz, 457.565625 MHz, 467.534375 MHz, 467.540625 MHz, 467.559375 MHz, and 467.565625 MHz, which are designated as channels 121, 122, 141, 142, 221, 222, 241, and 242, respectively. Channels 222, 241, and 242 also overlap the GMRS main channels centered on 467.5500 MHz and 467.5750 by 3.75 kilohertz.

¹⁵⁶ Channels 102 and 202 are between frequencies in the Group A low power pool (i.e., 457.5125, 457.51875, 467.5125, and 467.51875 MHz), which are limited to a maximum ERP of 2 or 6 watts. 47 CFR § 90.267(b)(2)(i), (b)(4), (c)(2)(i), (c)(3).

¹⁵⁷ We also note that the power spectral density of these channels would be four times greater than that of 25 kilohertz channels (320 mW/6.25 kHz). See *supra* note 153.

¹⁵⁸ See <https://www.maritime.dot.gov/grants/marine-highways/marine-highway> and, in particular, <https://cms.marad.dot.gov/sites/marad.dot.gov/files/2021-05/Route%20Designation%20one-pagers%20May%202021.pdf> (last visited, 2022).

467.7375-467.8375 MHz bands (231.25 kilohertz) to the maritime mobile service on a primary basis, by limiting the use of these allocations to on-board communication stations, and by stating that, in these frequency bands, stations in the fixed and land mobile services may not claim protection from interference caused by on-board communication stations operating in accordance with US288 and that on-board communication stations may not claim protection from stations in the fixed and land mobile services. See Appendix B for the proposed text of footnote US287. Alternatively, we request comment on whether existing part 90 Private Land Mobile and part 95 Personal Radio Service licensees operating in the 456-470 MHz band should be afforded any protection from interference caused by on-board communication stations operating in accordance with US288. We observe that the 456-470 MHz band is allocated to the mobile service on a primary basis in all ITU Regions, and request comment on the public interest benefits of both our proposal and the alternative.

4. Deletion of the Broadcasting Service from the 700 MHz Band

63. We propose to delete the broadcasting service allocation in the 698-758 MHz, 775-788 MHz, and 805-806 MHz bands from the non-Federal Table and to revise footnote NG159 by removing the reference to part 74, subpart G. Between 1998 and 2010, the Commission transitioned the 698-806 MHz (700 MHz) band from television broadcasting use (i.e., TV channels 52-69) to public safety and mobile broadband uses.¹⁵⁹ Currently, the entire 700 MHz band is allocated to the fixed and mobile services on a primary basis, but the broadcasting service allocation still remains in the 698-758 MHz, 775-788 MHz, and 805-806 MHz portions on a primary basis, and licensees in those bands have the flexibility to provide broadcast services, if they choose.¹⁶⁰ See Appendix B for the proposed text of footnote NG159. We request comment on our proposal. In the event that we delete the broadcast allocation as proposed, we seek comment on whether, and which, part 27 service rules should be modified to reflect the change (e.g., sections 27.3 (Other Applicable Rule Parts), 27.4 (Terms and Definitions), 27.10 (Regulatory Status), 27.13 (License Period), 27.50 (Power Limits and Duty Cycle), and 27.55 (Power Strength Limits)).¹⁶¹

5. Deletion of Footnote NG155

64. We propose to remove footnote NG155 from the rules because the frequencies and frequency bands to which it applies are not authorized in part 80 of the Commission's rules.¹⁶² The ITU

¹⁵⁹ *Reallocation of Television Channels 60-69, the 746-806 MHz Band*, 12 FCC Rcd 22953 (1998); *Reallocation and Service Rules for the 698-746 MHz Spectrum Band (Television Channels 52-59)*, 17 FCC Rcd 1022 (2002); *Service Rules for the 698-746, 747-762 and 777-792 MHz Bands*, 22 FCC Rcd 5289 (2007); *Amendment of Parts 1, 2, 25, 73, 74, 90, and 97 of the Commission's Rules to Make Non-Substantive Editorial Revisions to the Table of Frequency Allocations and to Various Service Rules*, 23 FCC Rcd 3775, 3785 para. 27 (2008); and *Revisions to Rules Authorizing the Operation of Low Power Auxiliary Stations in the 698-806 MHz Band*, 25 FCC Rcd 643 (2010). Specifically, the 698-758, 775-788, and 805-806 MHz bands are licensed for commercial mobile broadband use and as reflected in footnote NG34, the 758-775 and 788-805 MHz bands are designated for public safety use.

¹⁶⁰ While full-power television stations have vacated this spectrum, part 27 geographic area licenses may provide broadcast services, although none currently list it as a radio service type on their licenses. There are also television broadcast auxiliary stations remaining in the band. Footnote NG159 allows these stations to operate indefinitely on a secondary basis to all other stations operating in that band. Television broadcast auxiliary stations may be authorized pursuant to part 74, subpart F of the rules. On April 17, 2023, Commission staff conducted a Site Based Search of the Universal Licensing System (ULS) and found that 14 licenses authorize various types of television broadcast auxiliary stations to operate in the 698-806 MHz band (i.e., one TV relay, two TV translator relay, and 11 TV studio-transmitter link stations) and that there are no active licenses that authorize operations pursuant to part 74, subpart G in the band. *WRC-15 Admin Order*, *supra* note 3, para. 15; 47 CFR § 2.106 footnote NG159.

¹⁶¹ See, e.g., 47 CFR §§ 27.3, 27.4, 27.10, 27.13, 27.50, 27.55.

¹⁶² Footnote NG155 states that: "The bands 159.500-159.675 MHz and 161.375-161.550 MHz are allocated to the maritime service as described in 47 CFR part 80. Additionally, the frequencies 159.550, 159.575, and 159.600 MHz are available for low-power intership communications." 47 CFR § 2.106 footnote NG155.

has identified the frequencies that can generally be used worldwide for intership communications.¹⁶³ Thus, we tentatively conclude that there is no need to specify any other frequencies for intership use. We note that, in the Second Report and Order in PR Docket No. 92-257 that added footnote NG155 to section 2.106 of the Commission’s rules, the Commission declined to adopt the proposed rules for part 80 regarding maritime sharing of private land mobile radio frequencies for intership communications.¹⁶⁴ We request comment on this proposal.

C. Other Matters

65. As a result of discussions regarding the protection of near-Earth operations of deep space missions,¹⁶⁵ WRC-15 added a provision in Article 4 of the Radio Regulations (No. 4.24) to describe the use of space research service (deep space) allocations.¹⁶⁶ Similarly, we propose to add a new paragraph to section 2.102 of the Commission’s rules to clarify that: “Space research systems intended to operate in deep space may also use the space research service (deep space) allocations, with the same status as those allocations, when the spacecraft is near the Earth, such as during launch, early orbit, flying by the Earth and returning to the Earth.” We request comment on this proposal.¹⁶⁷

66. We propose to amend section 2.1(c) of the rules to add or revise the definitions for the terms “meteorological aids land station,” “meteorological aids mobile station,” and “coordinated universal time” in accordance with the WRC-15 adopted definitions. We also propose to add a definition for the term “frequency band” based on that term’s ITU definition.¹⁶⁸ The proposed language of these definitions appears in the Appendix. We seek comment on these definitions.

67. We propose to amend section 2.105(d) of the rules by stating that the footnote references

¹⁶³ ITU Radio Regulations, Vol. 2, Appendix 18 (Rev.WRC-19) at 299.

¹⁶⁴ See *Amendment of the Commission’s Rules Concerning Maritime Communications*, PR Docket No. 92-257, Second Report and Order and Second Further Notice of Proposed Rulemaking, 12 FCC Rcd 16949, 16894-16896, paras. 70-73

¹⁶⁵ Specifically, in examining the wording of footnotes 5.460 and 5.465, parties concluded that there may be an interpretation of these footnotes that is physically impossible to comply with and could lead to constraints on the use of frequencies that are not compatible with the design of a spacecraft meant for deep space operations. *CITEL Proposals to WRC-15*, agenda item 9.2 (9.2.2), Addendum 2 to Document 7(Add.23)(Add.2)-E, dated August 21, 2015 (Doc. 4000-9_2_2.doc).

¹⁶⁶ ITU Radio Regulations, Vol. 1, Article 4 (Assignment and use of frequencies), No. 4.24.

¹⁶⁷ This clarification pertains to the following frequency bands:

Table 3: Frequency Bands Allocated to the Space Research Service (Deep Space) in the U.S. Table		
Band	Directional Indicator	Remarks
2110-2120 MHz	Earth-to-space	Primary allocation per footnote US252
2290-2300 MHz	Space-to-Earth	Primary Federal and non-Federal allocations
7145-7190 MHz	Earth-to-space	Primary Federal & secondary non-Federal use, Goldstone only per US262
8400-8450 MHz	Space-to-Earth	Primary Federal and secondary non-Federal allocations
12.75-13.25 GHz	Space-to-Earth	Secondary international allocation; use limited to Goldstone per US251
16.6-17.1 GHz	Earth-to-space	Secondary Federal allocation
31.8-32.3 GHz	Space-to-Earth	Primary allocation, limited to Goldstone, per footnote US262
34.2-34.7 GHz	Earth-to-space	Primary Federal & secondary non-Federal use, Goldstone only per US262

¹⁶⁸ NTIA WRC-15 Implementation Recommendations, Attachment 1 – Annexes 1.14 and 9.2.1, 70, 101. We note that NTIA revised its existing term “meteorological aids base station” to “meteorological aids base/land station” in order to avoid confusion. Because we do not have such an existing term in our rules, it is unnecessary to propose NTIA’s term. The definition for “frequency band” is taken from the ITU’s online database of Terms and Definitions, <https://www.itu.int/pub/R-TER-DB> (last visited Feb. 28, 2022).

which appear in the United States Table below the allocated service or services apply to more than one of the allocated services, or to the whole of the allocation concerned, and that the footnote references which appear to the right of the name of a service are applicable only to that particular service. See Appendix B for the proposed text of section 2.105(d)(6)-(8), where the text in paragraph (d)(6) has been moved to paragraph (d)(8).

68. In response to NTIA's recommendation that we add a subset of the international footnotes that identify spectrum for International Mobile Telecommunications (IMT) to the non-Federal Table, we direct the Chief, Office of Engineering and Technology to maintain a "Mobile Broadband Spectrum in the United States" file on the "Radio Spectrum Allocation" webpage.¹⁶⁹ We request comment on whether this file meets the public's needs.

69. *Digital Equity and Inclusion.* Finally, the Commission, as part of its continuing effort to advance digital equity for all,¹⁷⁰ including people of color, persons with disabilities, persons who live in rural or Tribal areas, and others who are or have been historically underserved, marginalized, or adversely affected by persistent poverty or inequality, invites comment on any equity-related considerations¹⁷¹ and benefits (if any) that may be associated with the proposals and issues discussed herein. Specifically, we seek comment on how our proposals may promote or inhibit advances in diversity, equity, inclusion, and accessibility, as well as the scope of the Commission's relevant legal authority.

VI. PROCEDURAL MATTERS

A. Order

70. *Regulatory Flexibility Act.* None of the rule changes discussed in the Order are subject to the notice and comment requirements for rulemaking in the Administrative Procedure Act (APA).¹⁷² Section 553(b)(B) of the APA provides exceptions to the notice and comment requirements for rulemakings when, among other things, the agency finds good cause that the notice and comment requirements are "impracticable, unnecessary, or contrary to the public interest" with respect to the rules at issue. The changes discussed in the Order have no substantive effect on industry or the general public. Accordingly, we find that it is "unnecessary," within the meaning of section 553(b)(B) of the APA, to provide notice and an opportunity for public comment before adopting these rule revisions. Because the rule changes are being adopted without notice and comment, the Regulatory Flexibility Act, 5 U.S.C. §§

¹⁶⁹ The FCC Online Allocation Table and Allocation History File are currently available on the "Radio Spectrum Allocation" webpage, i.e., <https://www.fcc.gov/engineering-technology/policy-and-rules-division/general/radio-spectrum-allocation>. NTIA recommends that we add references to footnotes 5.295, 5.308A, 5.431B, and 5.434 to the 470-608 MHz, 614-698 MHz, 3550-3600 MHz, and 3600-3700 MHz bands, respectively. NTIA WRC-15 Implementation Recommendations, Attachment 1 – Annex 1.1 and 1.2, at 4, 11.

¹⁷⁰ Section 1 of the Communications Act of 1934 as amended provides that the FCC "regulat[es] interstate and foreign commerce in communication by wire and radio so as to make [such service] available, so far as possible, to all the people of the United States, without discrimination on the basis of race, color, religion, national origin, or sex." 47 U.S.C. § 151.

¹⁷¹ The term "equity" is used here consistent with Executive Order 13985 as the consistent and systematic fair, just, and impartial treatment of all individuals, including individuals who belong to underserved communities that have been denied such treatment, such as Black, Latino, and Indigenous and Native American persons, Asian Americans and Pacific Islanders and other persons of color; members of religious minorities; lesbian, gay, bisexual, transgender, and queer (LGBTQ+) persons; persons with disabilities; persons who live in rural areas; and persons otherwise adversely affected by persistent poverty or inequality. See Exec. Order No. 13985, 86 Fed. Reg. 7009, Executive Order on Advancing Racial Equity and Support for Underserved Communities Through the Federal Government (January 20, 2021).

¹⁷² See [5 U.S.C. § 553](#) (herein referred to as the "APA"), and in particular, 5 U.S.C. § 553(b)(B) (allowing for implementation without notice and comment or publication in the Federal Register if good cause exists).

601 *et seq.*, does not apply.¹⁷³

71. *Paperwork Reduction Act.* This Order does not contain new or modified information collections subject to the Paperwork Reduction Act of 1995 (PRA), Public Law 104-13 (44 U.S.C. §§ 3501-3520). In addition, it does not contain any new or modified information collection burden for small business concerns with fewer than 25 employees pursuant to the Small Business Paperwork Relief Act of 2002, Public Law 107-198, *see* 44 U.S.C. § 3506(c)(4).

72. *Congressional Review Act.* The Commission has determined, and the Administrator of the Office of Information and Regulatory Affairs, Office of Management and Budget, concurs, that this rule is “non-major” under the Congressional Review Act, 5 U.S.C. § 804(2). The Commission will send a copy of this Order to Congress and the Government Accountability office, pursuant to 5 U.S.C. § 801(a)(1)(A).

B. NPRM

73. *Paperwork Reduction Analysis.* This document does not contain proposed information collection requirements subject to the Paperwork Reduction Act of 1995, Public Law 104-13. In addition, therefore, it does not contain any proposed information collection burden for small business concerns with fewer than 25 employees, pursuant to the Small Business Paperwork Relief Act of 2002, Public Law 107-198, *see* 44 U.S.C. 3506(c)(4).

74. *Regulatory Flexibility Act.* The Regulatory Flexibility Act of 1980, as amended (RFA),¹⁷⁴ requires an agency to prepare a regulatory flexibility analysis for notice and comment rulemakings, unless the agency certifies that “the rule will not, if promulgated, have a significant economic impact on a substantial number of small entities.”¹⁷⁵ Accordingly, , the Commission has prepared an Initial Regulatory Flexibility Analysis (IRFA) concerning the potential impact of the rule and policy changes contained in the *WRC-15 Notice*.¹⁷⁶ The IRFA is set forth in Appendix C. Written public comments are requested on the IRFA. Comments must be filed in accordance with the same filing deadlines as comments filed in response to the *WRC-15 Notice*, and must have a separate and distinct heading designating them as responses to the IRFA. The Commission’s Consumer and Governmental Affairs Bureau, Reference Information Center, will send a copy of this *WRC-15 Notice*, including the IRFA, to the Chief Counsel for Advocacy of the Small Business Administration, in accordance with the Regulatory Flexibility Act.¹⁷⁷

75. *Filing Requirements.* Pursuant to sections 1.415 and 1.419 of the Commission’s rules, 47 CFR §§ 1.415, 1.419, interested parties may file comments and reply comments on or before the dates indicated on the first page of this document.

- Electronic Filers: Comments may be filed electronically using the Internet by accessing the Commission’s Electronic Comment Filing System (ECFS): <http://apps.fcc.gov/ecfs/>.¹⁷⁸
- Paper Filers: Parties who choose to file by paper must file an original and one copy of each filing.

¹⁷³ *See* 5 U.S.C. §§ 601(2) (definition of “rule”), 604(a) (requiring a final regulatory flexibility analysis when an agency promulgates a final rule “after being required . . . to publish a general notice of proposed rulemaking”).

¹⁷⁴ 5 U.S.C. §§ 601–612. The RFA has been amended by the Small Business Regulatory Enforcement Fairness Act of 1996 (SBREFA), Pub. L. No. 104-121, Title II, 110 Stat. 857 (1996).

¹⁷⁵ 5 U.S.C. § 605(b).

¹⁷⁶ 5 U.S.C. § 603.

¹⁷⁷ 5 U.S.C. § 603(a).

¹⁷⁸ *See Electronic Filing of Documents in Rulemaking Proceedings*, 63 FR 24121 (1998).

Filings can be sent by commercial overnight courier, or by first-class or overnight U.S. Postal Service mail. All filings must be addressed to the Commission's Secretary, Office of the Secretary, Federal Communications Commission.

- Commercial overnight mail (other than U.S. Postal Service Express Mail and Priority Mail) must be sent to 9050 Junction Drive, Annapolis Junction, MD 20701.
- U.S. Postal Service first-class, Express, and Priority mail must be addressed to 45 L Street, NE, Washington DC 20554.
- Effective March 19, 2020, and until further notice, the Commission no longer accepts any hand or messenger delivered filings. This is a temporary measure taken to help protect the health and safety of individuals, and to mitigate the transmission of COVID-19.¹⁷⁹
- People with Disabilities: To request materials in accessible formats for people with disabilities (braille, large print, electronic files, audio format), send an e-mail to fcc504@fcc.gov or call the Consumer & Governmental Affairs Bureau at 202-418-0530 (voice), 202-418-0432 (tty).

76. The proceeding that this Notice initiates shall be treated as a “permit-but-disclose” proceeding in accordance with the Commission's *ex parte* rules.¹⁸⁰ Persons making *ex parte* presentations must file a copy of any written presentation or a memorandum summarizing any oral presentation within two business days after the presentation (unless a different deadline applicable to the Sunshine period applies). Persons making oral *ex parte* presentations are reminded that memoranda summarizing the presentation must (1) list all persons attending or otherwise participating in the meeting at which the *ex parte* presentation was made, and (2) summarize all data presented and arguments made during the presentation. If the presentation consisted in whole or in part of the presentation of data or arguments already reflected in the presenter's written comments, memoranda or other filings in the proceeding, the presenter may provide citations to such data or arguments in his or her prior comments, memoranda, or other filings (specifying the relevant page and/or paragraph numbers where such data or arguments can be found) in lieu of summarizing them in the memorandum. Documents shown or given to Commission staff during *ex parte* meetings are deemed to be written *ex parte* presentations and must be filed consistent with rule 1.1206(b). In proceedings governed by rule 1.49(f) or for which the Commission has made available a method of electronic filing, written *ex parte* presentations and memoranda summarizing oral *ex parte* presentations, and all attachments thereto, must be filed through the electronic comment filing system available for that proceeding, and must be filed in their native format (e.g., .doc, .xml, .ppt, searchable .pdf). Participants in this proceeding should familiarize themselves with the Commission's *ex parte* rules.

77. *Availability of Documents.* Comments, reply comments, and *ex parte* submissions will be publicly available online via ECFS.¹⁸¹

78. When the FCC Headquarters reopens to the public, these documents will also be available for public inspection during regular business hours in the FCC Reference Center, Federal Communications Commission, 45 L Street N.E., Washington, DC 20554.

79. *Additional Information.* For additional information on this proceeding, contact Patrick Forster, Office of Engineering and Technology, Patrick.Forster@fcc.gov, (202) 418-7061.

¹⁷⁹ See FCC Announces Closure of FCC Headquarters Open Window and Change in Hand-Delivery Policy, Public Notice, DA 20-304 (Mar. 19, 2020), <https://www.fcc.gov/document/fcc-closes-headquarters-open-window-and-changes-hand-delivery-policy>.

¹⁸⁰ 47 CFR §§ 1.1200 *et seq.*

¹⁸¹ Documents will generally be available electronically in ASCII, Microsoft Word, and/or Adobe Acrobat.

VII. ORDERING CLAUSES

80. IT IS ORDERED that, pursuant to sections 1, 4(i), 4(j), 7, 301, 303(c), 303(f), and 303(r) of the Communications Act of 1934, as amended, 47 U.S.C. §§ 151, 154(i), 154(j), 157, 301, 303(c), 303(f), and 303(r), this Order and Notice of Proposed Rulemaking IS ADOPTED.

81. IT IS FURTHER ORDERED pursuant to section 1.407 of the Commission's rules, 47 CFR § 1.407, that the petition for rulemaking filed by the American Radio Relay League, Incorporated, Amendment of Parts 2 and 97 of the Commission's Rules Regarding Implementation of the Final Acts of the World Radiocommunication Conference (Geneva, 2015) to Allocate the Band 5351.5-5366.5 kHz to the Amateur Radio Service, RM-11785, IS GRANTED IN PART.

82. IT IS FURTHER ORDERED that the amendments of part 2 of the Commission's rules, as set forth in Appendix A, ARE ADOPTED, effective thirty (30) days after publication in the Federal Register.

83. IT IS FURTHER ORDERED that the Commission's Consumer and Governmental Affairs Bureau, Reference Information Center, SHALL SEND a copy of this Order and Notice of Proposed Rulemaking, including the Initial Regulatory Flexibility Analysis, to the Chief Counsel for Advocacy of the Small Business Administration.

84. IT IS FURTHER ORDERED that the Commission SHALL SEND a copy of this Order in a report to be sent to Congress and the Government Accountability Office pursuant to the Congressional Review Act, *see* 5 U.S.C. § 801(a)(1)(A).

FEDERAL COMMUNICATIONS COMMISSION

Marlene H. Dortch
Secretary

APPENDIX A**Final Rules**

The Federal Communications Commission amends 47 CFR part 2 as follows:

PART 2 – FREQUENCY ALLOCATIONS AND RADIO TREATY MATTERS; GENERAL RULES AND REGULATIONS

1. The authority citation for part 2 continues to read as follows:

AUTHORITY: 47 U.S.C. 154, 302a, 303, and 336, unless otherwise noted.

2. Amend section 2.106 by:

- a. Revising the Table of Frequency Allocations , pages 3, 4, 19 through 28, 30, 33, 34, 38 through 42, 50, 52 through 56, 58 through 60, 62, 66, and 68.

- b. In the list of International Footnotes:

- i. Revising footnotes 5.67, 5.67B, 5.70, 5.77, 5.79, 5.87, 5.107, 5.109, 5.110, 5.111, 5.112, 5.114, 5.117, 5.118, 5.123, 5.128, 5.132, 5.132B, 5.133A, 5.133B, 5.134, 5.141B, 5.145, 5.145B, 5.146, 5.147, 5.149, 5.149A, 5.150, 5.151, 5.152, 5.153, 5.154, 5.155, 5.155A, 5.155B, 5.156, 5.156A, 5.157, 5.158, 5.159, 5.161A, 5.161B, 5.162A, 5.163, 5.164, 5.165, 5.169, 5.171, 5.194, 5.201, 5.202, 5.204, 5.208A, 5.208B, 5.211, 5.212, 5.214, 5.219, 5.221, 5.242, 5.252, 5.265, 5.275, 5.277, 5.278, 5.279, 5.279A, 5.280, 5.286AA, 5.287, 5.288, 5.295, 5.296, 5.296A, 5.297, 5.308, 5.308A, 5.312, 5.312A, 5.313A, 5.316B, 5.317A, 5.323, 5.325A, 5.328AA, 5.328B, 5.329, 5.331, 5.338A, 5.341A, 5.341B, 5.341C, 5.345, 5.346, 5.346A, 5.349, 5.350, 5.351A, 5.352A, 5.359, 5.368, 5.372, 5.382, 5.384A, 5.388, 5.388B, 5.389B, 5.389F, 5.393, 5.401, 5.418, 5.428, 5.429, 5.429A, 5.429B, 5.429C, 5.429D, 5.429F, 5.430, 5.430A, 5.431, 5.432, 5.432A, 5.432B, 5.433A, 5.434, 5.441A, 5.441B, 5.444B, 5.446A, 5.446C, 5.447, 5.447F, 5.448, 5.450A, 5.453, 5.455, 5.458, 5.468, 5.473, 5.474D, 5.477, 5.478, 5.479, 5.480, 5.481, 5.483, 5.484B, 5.495, 5.505, 5.508, 5.509D, 5.547, 5.516B, 5.536A, 5.536B, 5.537A, 5.546, 5.552A, and 5.562B;

- ii. Adding footnotes 5.82C, 5.166A, 5.166B, 5.166C, 5.166D, 5.166E, 5.169A, 5.169B, 5.203C, 5.209A, 5.218A, 5.228AB, 5.228AC, 5.260A, 5.260B, 5.254A, 5.264B, 5.373, 5.373A, 5.446D, 5.517A, 5.530E, 5.532AA, 5.532AB, 5.534A, 5.543B, 5.550B, 5.550C, 5.550D, 5.550E, 5.55A, 5.553B, 5.555C, 5.559AA, and 5.564A; and

- iii. Removing footnotes 5.71, 5.311A, 5.396, 5.530D, 5.543A, 5.562F, and 5.562G.

- c. In the list of United States (US) Footnotes, revising footnotes US1, US52, US82, US100, US247, US281, US283, US296, US312, US342, and US444B; and add footnote US79A.

- d. In the list of Non-Federal Government (NG) Footnotes:

- i. Revising footnotes NG33 and NG169; and

- ii. Removing footnote NG185.

- e. In the list of Federal Government (G) footnotes, revising footnotes G2, G32, G115, and G132.

The revisions and additions read as follows:

§ 2.106 Table of Frequency Allocations.

* * * * *

International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
137.8-148.5 FIXED MARITIME MOBILE 5.64 5.67	137.8-160 FIXED MARITIME MOBILE	137.8-160 FIXED MARITIME MOBILE RADIONAVIGATION	137.8-160 FIXED MARITIME MOBILE		Maritime (80)
148.5-255 BROADCASTING	5.64	5.64	5.64 US2		
	160-190 FIXED	160-190 FIXED Aeronautical radionavigation	160-190 FIXED MARITIME MOBILE US2	160-190 FIXED US2	
	190-200 AERONAUTICAL RADIONAVIGATION		190-200 AERONAUTICAL RADIONAVIGATION US18 US2		Aviation (87)
5.68 5.69 5.70 255-283.5 BROADCASTING AERONAUTICAL RADIONAVIGATION 5.70	200-275 AERONAUTICAL RADIONAVIGATION Aeronautical mobile	200-285 AERONAUTICAL RADIONAVIGATION Aeronautical mobile	200-275 AERONAUTICAL RADIONAVIGATION US18 Aeronautical mobile US2		
283.5-315 AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73	275-285 AERONAUTICAL RADIONAVIGATION Aeronautical mobile Maritime radionavigation (radiobeacons)		275-285 AERONAUTICAL RADIONAVIGATION Aeronautical mobile Maritime radionavigation (radiobeacons) US2 US18		
5.74 315-325 AERONAUTICAL RADIONAVIGATION Maritime radionavigation (radiobeacons) 5.73	285-315 AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73		285-325 MARITIME RADIONAVIGATION (radiobeacons) 5.73 Aeronautical radionavigation (radiobeacons)		
5.75 325-405 AERONAUTICAL RADIONAVIGATION	315-325 MARITIME RADIONAVIGATION (radiobeacons) 5.73 Aeronautical radionavigation	315-325 AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73	US2 US18 US364		
	325-335 AERONAUTICAL RADIONAVIGATION Aeronautical mobile Maritime radionavigation (radiobeacons)	325-405 AERONAUTICAL RADIONAVIGATION Aeronautical mobile	325-335 AERONAUTICAL RADIONAVIGATION (radiobeacons) Aeronautical mobile Maritime radionavigation (radiobeacons) US2 US18		Aviation (87)
	335-405 AERONAUTICAL RADIONAVIGATION Aeronautical mobile		335-405 AERONAUTICAL RADIONAVIGATION (radiobeacons) US18 Aeronautical mobile US2		
405-415 RADIONAVIGATION 5.76	405-415 RADIONAVIGATION 5.76 Aeronautical mobile		405-415 RADIONAVIGATION 5.76 US18		Maritime (80)

		Aeronautical mobile US2	Aviation (87)
415-435 MARITIME MOBILE 5.79 AERONAUTICAL RADIONAVIGATION	415-472 MARITIME MOBILE 5.79 Aeronautical radionavigation 5.77 5.80	415-435 MARITIME MOBILE US79A AERONAUTICAL RADIONAVIGATION US2	

435-472 MARITIME MOBILE 5.79 Aeronautical radionavigation 5.77 5.82			435-472 MARITIME MOBILE US79A Aeronautical radionavigation 5.82 US2 US231	435-472 MARITIME MOBILE US79A 5.82 US2 US231	
472-479 MARITIME MOBILE 5.79 Amateur 5.80A Aeronautical radionavigation 5.77 5.80 5.80B 5.82			472-479 US2	472-479 Amateur 5.80A 5.82 US2 NG8	Amateur Radio (97)
479-495 MARITIME MOBILE 5.79 5.79A Aeronautical radionavigation 5.77 5.82	479-495 MARITIME MOBILE 5.79 5.79A Aeronautical radionavigation 5.77 5.80 5.82		479-495 MARITIME MOBILE US79A 5.79A Aeronautical radionavigation 5.82 US2 US231	479-495 MARITIME MOBILE US79A 5.79A 5.82 US2 US231	Maritime (80)
495-505 MARITIME MOBILE 5.82C			495-505 MARITIME MOBILE		Maritime (80) Aviation (87)
505-526.5 MARITIME MOBILE 5.79 5.79A 5.84 AERONAUTICAL RADIONAVIGATION	505-510 MARITIME MOBILE 5.79 510-525 MARITIME MOBILE 5.79A 5.84 AERONAUTICAL RADIONAVIGATION	505-526.5 MARITIME MOBILE 5.79 5.79A 5.84 AERONAUTICAL RADIONAVIGATION Aeronautical mobile Land mobile	505-510 MARITIME MOBILE US79A 510-525 MARITIME MOBILE (ships only) 5.79A 5.84 AERONAUTICAL RADIONAVIGATION (radiobeacons) US18 US14 US225		Maritime (80) Maritime (80) Aviation (87)
526.5-1606.5 BROADCASTING	525-535 BROADCASTING 5.86 AERONAUTICAL RADIONAVIGATION	526.5-535 BROADCASTING Mobile 5.88	525-535 MOBILE US221 AERONAUTICAL RADIONAVIGATION (radiobeacons) US18 US239		Aviation (87) Private Land Mobile (90)
	535-1605 BROADCASTING	535-1606.5 BROADCASTING	535-1605	535-1605 BROADCASTING NG1 NG5	Radio Broadcast (AM)(73) Private Land Mobile (90)
5.87 5.87A 1606.5-1625 FIXED MARITIME MOBILE 5.90 LAND MOBILE 5.92	1605-1625 BROADCASTING 5.89 5.90	1606.5-1800 FIXED MOBILE RADIOLOCATION RADIONAVIGATION	1605-1615 MOBILE US221 G127 1615-1705	1605-1705 BROADCASTING 5.89	Radio Broadcast (AM)(73) Alaska Fixed (80) Private Land Mobile (90)
1625-1635 RADIOLOCATION 5.93	1625-1705 FIXED MOBILE				

1635-1800 FIXED MARITIME MOBILE 5.90 LAND MOBILE	BROADCASTING 5.89 Radiolocation 5.90		US299	US299 NG1 NG5	
5.92 5.96	1705-1800 FIXED MOBILE RADIOLOCATION AERONAUTICAL RADIONAVIGATION	5.91	1705-1800 FIXED MOBILE RADIOLOCATION US240		Alaska Fixed (80) Private Land Mobile (90)

Table of Frequency Allocations 41.015-117.975 MHz (VHF) Page 19

International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
40.98-41.015 FIXED MOBILE Space research 5.160 5.161			40-41.015 MHz: see previous page		
41.015-42 FIXED MOBILE			41.015-41.665 FIXED MOBILE RADIOLOCATION US132A US220	41.015-41.665 RADIOLOCATION US132A US220	Private Land Mobile (90)
5.160 5.161 5.161A			41.665-42 FIXED MOBILE US220	41.665-42	
42-42.5 FIXED MOBILE Radiolocation 5.132A 5.160 5.161B	42-42.5 FIXED MOBILE		42-43.35	42-43.35 FIXED LAND MOBILE	Public Mobile (22) Private Land Mobile (90)
5.160 5.161 5.161A	5.161			NG124 NG141	
42.5-44 FIXED MOBILE			43.35-44 RADIOLOCATION US132A	43.35-43.69 FIXED LAND MOBILE RADIOLOCATION US132A NG124	Private Land Mobile (90)
5.160 5.161 5.161A				43.69-44 LAND MOBILE RADIOLOCATION US132A NG124	
44-47 FIXED MOBILE			44-46.6	44-46.6 LAND MOBILE NG124 NG141	
5.162 5.162A			46.6-47 FIXED MOBILE	46.6-47	

47-50 BROADCASTING	47-50 FIXED MOBILE	47-50 FIXED MOBILE BROADCASTING	47-49.6	47-49.6 LAND MOBILE NG124	Private Land Mobile (90)
			49.6-50 FIXED MOBILE	49.6-50	
5.162A 5.163 5.164 5.165		5.162A			
50-52 BROADCASTING Amateur 5.166A 5.166B 5.166C 5.166D 5.166E 5.169 5.169A 5.169B 5.162A 5.164 5.165	50-54 AMATEUR		50-54	50-54 AMATEUR	Amateur Radio (97)
	5.162A 5.167 5.167A 5.168 5.170				
52-68 BROADCASTING					
5.162A 5.163 5.164 5.165 5.169 5.169A 5.169B 5.171	54-68 BROADCASTING Fixed Mobile 5.172	54-68 FIXED MOBILE BROADCASTING 5.162A	54-73	54-72 BROADCASTING	Broadcast Radio (TV)(73) LPTV, TV Translator/ Booster (74G) Low Power Auxiliary (74H)
	68-74.8 FIXED MOBILE except aeronautical mobile	68-74.8 FIXED MOBILE		NG5 NG14 NG115 NG149	
	72-73 FIXED MOBILE			72-73 FIXED MOBILE	Public Mobile (22) Maritime (80) Aviation (87) Private Land Mobile (90) Personal Radio (95)
	73-74.6 RADIO ASTRONOMY 5.178		73-74.6 RADIO ASTRONOMY US74		
	74.6-74.8 FIXED MOBILE		74.6-74.8 FIXED MOBILE	NG3 NG16 NG56	Private Land Mobile (90)
5.149 5.175 5.177 5.179		5.149 5.176 5.179	US246		
74.8-75.2 AERONAUTICAL RADIONAVIGATION			US273		
5.180 5.181			74.8-75.2 AERONAUTICAL RADIONAVIGATION		Aviation (87)
75.2-87.5 FIXED MOBILE except aeronautical mobile	75.2-75.4 FIXED MOBILE 5.179		5.180		
	75.4-76 FIXED	75.4-87 FIXED	75.2-75.4 FIXED MOBILE US273		Private Land Mobile (90)
			75.4-88	75.4-76 FIXED	Public Mobile (22) Maritime (80)

	MOBILE	MOBILE		MOBILE NG3 NG16 NG56	Aviation (87) Private Land Mobile (90) Personal Radio (95)
5.175 5.179 5.187	76-88 BROADCASTING Fixed Mobile	5.182 5.183 5.188		76-88 BROADCASTING	Broadcast Radio (TV)(73) LPTV, TV Translator/ Booster (74G) Low Power Auxiliary (74H)
87.5-100 BROADCASTING	5.185	87-100 FIXED MOBILE BROADCASTING		NG5 NG14 NG115 NG149	
5.190	88-100 BROADCASTING		88-108	88-108 BROADCASTING NG2	Broadcast Radio (FM)(73) FM Translator/Booster (74L)
100-108 BROADCASTING			US93	US93 NG5	
5.192 5.194					
108-117.975 AERONAUTICAL RADIONAVIGATION			108-117.975 AERONAUTICAL RADIONAVIGATION		Aviation (87)
5.197 5.197A			5.197A US93		Page 20

International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
117.975-137 AERONAUTICAL MOBILE (R)			117.975-121.9375 AERONAUTICAL MOBILE (R) 5.111 5.200 US26 US28 US36 121.9375-123.0875 US30 US31 US33 US80 US102 US213 123.0875-123.5875 AERONAUTICAL MOBILE 5.200 US32 US33 US112 123.5875-128.8125 AERONAUTICAL MOBILE (R) US26 US36 128.8125-132.0125 132.0125-136 AERONAUTICAL MOBILE (R) US26 136-137 US244	121.9375-123.0875 AERONAUTICAL MOBILE US30 US31 US33 US80 US102 US213 128.8125-132.0125 AERONAUTICAL MOBILE (R) 136-137 AERONAUTICAL MOBILE (R) US244	Aviation (87)
5.111 5.200 5.201 5.202 137-137.025 SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R)			137-137.025 SPACE OPERATION (space-to-Earth) METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) US319 US320 SPACE RESEARCH (space-to-Earth) 5.208		Satellite Communication: (25)
5.204 5.205 5.206 5.207 5.208 137.025-137.175 SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.209			137.025-137.175 SPACE OPERATION (space-to-Earth) METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Mobile-satellite (space-to-Earth) US319 US320 5.208		
5.204 5.205 5.206 5.207 5.208 137.175-137.825 SPACE OPERATION (space-to-Earth) 5.203C 5.209A METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R)			137.175-137.825 SPACE OPERATION (space-to-Earth) METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) US319 US320 SPACE RESEARCH (space-to-Earth) 5.208		

137.825-138 SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.209 5.204 5.205 5.206 5.207 5.208			137.825-138 SPACE OPERATION (space-to-Earth) METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Mobile-satellite (space-to-Earth) US319 US320 5.208		
138-143.6 AERONAUTICAL MOBILE (OR) 5.210 5.211 5.212 5.214	138-143.6 FIXED MOBILE RADIOLOCATION Space research (space-to-Earth)	138-143.6 FIXED MOBILE Space research (space-to-Earth) 5.207 5.213	138-144 FIXED MOBILE G30	138-144	
143.6-143.65 AERONAUTICAL MOBILE (OR) SPACE RESEARCH (space-to-Earth) 5.211 5.212 5.214	143.6-143.65 FIXED MOBILE RADIOLOCATION SPACE RESEARCH (space-to-Earth)	143.6-143.65 FIXED MOBILE SPACE RESEARCH (space-to-Earth) 5.207 5.213			
143.65-144 AERONAUTICAL MOBILE (OR) 5.210 5.211 5.212 5.214	143.65-144 FIXED MOBILE RADIOLOCATION Space research (space-to-Earth)	143.65-144 FIXED MOBILE Space research (space-to-Earth) 5.207 5.213			
144-146 AMATEUR AMATEUR-SATELLITE 5.216			144-148	144-146 AMATEUR AMATEUR-SATELLITE	Amateur Radio (97)
146-148 FIXED MOBILE except aeronautical mobile (R)	146-148 AMATEUR 5.217	146-148 AMATEUR FIXED MOBILE 5.217			
148-149.9 FIXED MOBILE except aeronautical mobile (R) MOBILE-SATELLITE (Earth-to-space) 5.209 5.218 5.218A 5.219 5.221	148-149.9 FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) 5.209 5.218 5.218A 5.219 5.221		148-149.9 FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) US319 US320 US323 US325 5.218 5.219 G30	148-149.9 MOBILE-SATELLITE (Earth-to-space) US320 US323 US325 5.218 5.219 US319	Satellite Communication: (25)
149.9-150.05 MOBILE-SATELLITE (Earth-to-space) 5.209 5.220			149.9-150.05 MOBILE-SATELLITE (Earth-to-space) US319 US320 RADIONAVIGATION-SATELLITE		

150.05-153 FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY 5.149	150.05-154 FIXED MOBILE	150.05-150.8 FIXED MOBILE US73 G30	150.05-150.8 US73	
	5.225			

International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
150.05-153 MHz: see previous page	150.05-154 MHz: see previous page		150.8-152.855 US73	150.8-152.855 FIXED LAND MOBILE NG4 NG51 NG112 US73 NG124	Public Mobile (22) Private Land Mobile (90) Personal Radio (95)
153-154 FIXED MOBILE except aeronautical mobile (R) Meteorological aids			152.855-156.2475	152.855-154 LAND MOBILE NG4 NG124	Remote Pickup (74D) Private Land Mobile (90)
154-156.4875 FIXED MOBILE except aeronautical mobile (R)	154-156.4875 FIXED MOBILE	154-156.4875 FIXED MOBILE		154-156.2475 FIXED LAND MOBILE NG112 5.226 NG22 NG124 NG148	Maritime (80) Private Land Mobile (90) Personal Radio (95)
5.225A 5.226	5.226	5.225A 5.226	156.2475-156.5125	156.2475-156.5125 MARITIME MOBILE NG22	Maritime (80) Aviation (87)
156.4875-156.5625 MARITIME MOBILE (distress and calling via DSC)			5.226 US52 US227 US266	5.226 US52 US227 US266 NG124	
			156.5125-156.5375 MARITIME MOBILE (distress, urgency, safety and calling via DSC) 5.111 5.226 US266		
5.111 5.226 5.227 156.5625-156.7625 FIXED MOBILE except aeronautical mobile (R) 5.226	156.5625-156.7625 FIXED MOBILE 5.226		156.5375-156.7625 5.226 US52 US227 US266	156.5375-156.7625 MARITIME MOBILE 5.226 US52 US227 US266	
156.7625-156.7875 MARITIME MOBILE Mobile-satellite (Earth-to-space) 5.111 5.226 5.228	156.7625-156.7875 MARITIME MOBILE MOBILE-SATELLITE (Earth-to-space) 5.111 5.226 5.228	156.7625-156.7875 MARITIME MOBILE Mobile-satellite (Earth-to-space) 5.111 5.226 5.228	156.7625-156.7875 MOBILE-SATELLITE (Earth-to-space) (AIS 3) 5.226 US52 US266		Satellite Communications (25) Maritime (80)
156.7875-156.8125 MARITIME MOBILE (distress and calling) 5.111 5.226			156.7875-156.8125 MARITIME MOBILE (distress, urgency, safety and calling) 5.111 5.226 US266		Maritime (80) Aviation (87)
156.8125-156.8375 MARITIME MOBILE Mobile-satellite (Earth-to-space) 5.111 5.226 5.228	156.8125-156.8375 MARITIME MOBILE MOBILE-SATELLITE (Earth-to-space) 5.111 5.226 5.228	156.8125-156.8375 MARITIME MOBILE Mobile-satellite (Earth-to-space) 5.111 5.226 5.228	156.8125-156.8375 MOBILE-SATELLITE (Earth-to-space) (AIS 4) 5.226 US52 US266		Satellite Communications (25) Maritime (80)
156.8375-157.1875 FIXED MOBILE except aeronautical	156.8375-157.1875 FIXED MOBILE		156.8375-157.0375 5.226 US52 US266	156.8375-157.0375 MARITIME MOBILE 5.226 US52 US266	Maritime (80) Aviation (87)

mobile		157.0375-157.1875 MARITIME MOBILE US214 5.226 US266 G109	157.0375-157.1875 5.226 US214 US266	Maritime (80)
5.226	5.226			
157.1875-157.3375 FIXED MOBILE except aeronautical mobile Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC 5.226	157.1875-157.3375 FIXED MOBILE Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC 5.226	157.1875-161.575	157.1875-157.45 MOBILE except aeronautical mobile US266	Maritime (80) Aviation (87) Private Land Mobile (90)

157.3375-161.7875 FIXED MOBILE except aeronautical mobile	157.3375-161.7875 FIXED MOBILE			5.226 NG111	
				157.45-161.575 FIXED LAND MOBILE NG28 NG111 NG112	Public Mobile (22) Remote Pickup (74D) Maritime (80) Private Land Mobile (90)
			161.575-161.625	161.575-161.625 MARITIME MOBILE	Public Mobile (22) Maritime (80)
			5.226 US52	5.226 US52 NG6 NG17	
5.226	5.226		161.625-161.9625	161.625-161.775 LAND MOBILE NG6	Public Mobile (22) Remote Pickup (74D) Low Power Auxiliary (74H)
				5.226	
161.7875-161.9375 FIXED MOBILE except aeronautical mobile Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC 5.226	161.7875-161.9375 FIXED MOBILE Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC 5.226			161.775-161.9625 MOBILE except aeronautical mobile US266 NG6	Maritime (80) Private Land Mobile (90)
161.9375-161.9625 FIXED MOBILE except aeronautical mobile Maritime mobile-satellite (Earth- to- space) 5.228AA 5.226	161.9375-161.9625 FIXED MOBILE Maritime mobile-satellite (Earth-to-space) 5.228AA 5.226		US266	5.226	
161.9625-161.9875 FIXED MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.228F 5.226 5.228A 5.228B	161.9625-161.9875 AERONAUTICAL MOBILE (OR) MARITIME MOBILE MOBILE-SATELLITE (Earth-to- space) 5.228C 5.228D	161.9625-161.9875 MARITIME MOBILE Aeronautical mobile (OR) 5.228E Mobile-satellite (Earth-to- space) 5.228F 5.226	161.9625-161.9875 AERONAUTICAL MOBILE (OR) (AIS 1) MARITIME MOBILE (AIS 1) MOBILE-SATELLITE (Earth-to-space) (AIS 1) 5.228C US52		Satellite Communications (25) Maritime (80)
161.9875-162.0125 FIXED MOBILE except aeronautical mobile Maritime mobile-satellite (Earth- to- space) 5.228AA 5.226 5.229	161.9875-162.0125 FIXED MOBILE Maritime mobile-satellite (Earth-to-space) 5.228AA 5.226		161.9875-162.0125	161.9875-162.0125 MOBILE except aeronautical mobile 5.226	Maritime (80)

162.0125-162.0375 FIXED MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.228F 5.226 5.228A 5.228B 5.229	162.0125-162.0375 AERONAUTICAL MOBILE (OR) MARITIME MOBILE MOBILE-SATELLITE (Earth-to- space) 5.228C 5.228D	162.0125-162.0375 MARITIME MOBILE Aeronautical mobile (OR) 5.228E Mobile-satellite (Earth-to- space) 5.228F 5.226	162.0125-162.0375 AERONAUTICAL MOBILE (OR) (AIS 2) MARITIME MOBILE (AIS 2) MOBILE-SATELLITE (Earth-to-space) (AIS 2) 5.228C US52	Satellite Communications (25) Maritime (80) Page 24
--	--	--	--	---

International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
162.0375-174 FIXED MOBILE except aeronautical mobile	162.0375-174 FIXED MOBILE		162.0375-173.2 FIXED MOBILE US8 US11 US13 US55 US73 US300 US312 G5 173.2-173.4 173.4-174 FIXED MOBILE G5	162.0375-173.2 US8 US11 US13 US55 US73 US300 US312 173.2-173.4 FIXED Land mobile 173.4-174	Remote Pickup (74D) Private Land Mobile (90) Private Land Mobile (90)
5.226 5.229 174-223 BROADCASTING	5.226 5.230 5.231 174-216 BROADCASTING Fixed Mobile 216-220 FIXED MARITIME MOBILE Radiolocation 5.241 5.242 220-225 AMATEUR FIXED MOBILE Radiolocation 5.241	174-223 FIXED MOBILE BROADCASTING 5.233 5.238 5.240 5.245 223-230 FIXED MOBILE BROADCASTING AERONAUTICAL RADIONAVIGATION Radiolocation 5.250 230-235 FIXED MOBILE AERONAUTICAL	174-216 216-217 Fixed Land mobile US210 US241 G2 217-220 Fixed Mobile US210 US241 220-222 FIXED LAND MOBILE US241 US242 222-225 225-235 FIXED MOBILE G27	174-216 BROADCASTING NG5 NG14 NG115 NG149 216-219 FIXED MOBILE except aeronautical mobile US210 US241 NG173 219-220 FIXED MOBILE except aeronautical mobile Amateur NG152 US210 US241 NG173	Broadcast Radio (TV)(73) LPTV, TV Translator/ Booster (74G) Low Power Auxiliary (74H) Maritime (80) Private Land Mobile (90) Personal Radio (95) Maritime (80) Private Land Mobile (90) Amateur Radio (97) Private Land Mobile (90) Amateur Radio (97)
5.235 5.237 5.243 223-230 BROADCASTING Fixed Mobile					
5.243 5.246 5.247 230-235 FIXED MOBILE					

5.247 5.251 5.252		RADIONAVIGATION 5.250		
235-267 FIXED MOBILE			235-267 FIXED MOBILE	235-267
5.111 5.252 5.254 5.256 5.256A			5.111 5.256 G27 G100	5.111 5.256
267-272 FIXED MOBILE Space operation (space-to-Earth)			267-322 FIXED MOBILE	267-322
5.254 5.257				
272-273 SPACE OPERATION (space-to-Earth)				
FIXED MOBILE				
5.254				
273-312 FIXED MOBILE				
5.254				
312-315 FIXED MOBILE				
Mobile-satellite (Earth-to-space) 5.254 5.255				
315-322 FIXED MOBILE				
5.254			G27 G100	
322-328.6 FIXED MOBILE RADIO ASTRONOMY			322-328.6 FIXED MOBILE	322-328.6
5.149			US342 G27	US342
328.6-335.4 AERONAUTICAL RADIONAVIGATION 5.258			328.6-335.4 AERONAUTICAL RADIONAVIGATION 5.258	Aviation (87)
5.259				
335.4-387 FIXED MOBILE			335.4-399.9 FIXED MOBILE	335.4-399.9
5.254				
387-390 FIXED MOBILE				
Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.254 5.255				
390-399.9 FIXED MOBILE			G27 G100	

5.254			
399.9-400.05	399.9-400.05	MOBILE-SATELLITE (Earth-to-space) US319 US320	Satellite Communications
MOBILE-SATELLITE (Earth-to-space) 5.209 5.220 5.260A 5.260B	RADIONAVIGATION-SATELLITE		(25)
			Page 26

International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
400.05-400.15 STANDARD FREQUENCY AND TIME SIGNAL-SATELLITE (400.1 MHz) 5.261 5.262			400.05-400.15 STANDARD FREQUENCY AND TIME SIGNAL-SATELLITE (400.1 MHz) 5.261		
400.15-401 METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) 5.263 Space operation (space-to-Earth)			400.15-401 METEOROLOGICAL AIDS (radiosonde) US70 METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) US319 US320 US324 SPACE RESEARCH (space-to-Earth) 5.263 Space operation (space-to-Earth)	400.15-401 METEOROLOGICAL AIDS (radiosonde) US70 MOBILE-SATELLITE (space-to-Earth) US319 US320 US324 SPACE RESEARCH (space-to-Earth) 5.263 Space operation (space-to-Earth)	Satellite Communications (25)
5.262 5.264			5.264	5.264	
401-402 METEOROLOGICAL AIDS SPACE OPERATION (space-to-Earth) EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile			401-402 METEOROLOGICAL AIDS (radiosonde) US70 SPACE OPERATION (space-to-Earth) EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space)	401-402 METEOROLOGICAL AIDS (radiosonde) US70 SPACE OPERATION (space-to-Earth) Earth exploration-satellite (Earth-to-space) Meteorological-satellite (Earth-to-space)	MedRadio (95I)
5.264A 5.264B			US64 US384	US64 US384	
402-403 METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile			402-403 METEOROLOGICAL AIDS (radiosonde) US70 EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space)	402-403 METEOROLOGICAL AIDS (radiosonde) US70 Earth exploration-satellite (Earth-to-space) Meteorological-satellite (Earth-to-space)	
5.264A 5.264B			US64 US384	US64 US384	
403-406 METEOROLOGICAL AIDS Fixed Mobile except aeronautical mobile			403-406 METEOROLOGICAL AIDS (radiosonde) US70	403-406 METEOROLOGICAL AIDS (radiosonde) US70	
5.265			US64 G6	US64	
406-406.1 MOBILE-SATELLITE (Earth-to-space) 5.265 5.266 5.267			406-406.1 MOBILE-SATELLITE (Earth-to-space) 5.266 5.267		Maritime (EPIRBs) (80V) Aviation (ELTs) (87F) Personal Radio (95)
406.1-410 FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY			406.1-410 FIXED MOBILE RADIO ASTRONOMY US74	406.1-410 RADIO ASTRONOMY US74	Private Land Mobile (90)

5.149 5.265		US13 US55 US117 G5 G6	US13 US55 US117	
410-420 FIXED MOBILE except aeronautical mobile SPACE RESEARCH (space-to-space) 5.268		410-420 FIXED MOBILE SPACE RESEARCH (space-to-space) 5.268 US13 US55 US64 G5	410-420 US13 US55 US64	Private Land Mobile (90) MedRadio (95I)
420-430 FIXED MOBILE except aeronautical mobile Radiolocation 5.269 5.270 5.271		420-450 RADIOLOCATION G2 G129	420-450 Amateur US270	Private Land Mobile (90) MedRadio (95I) Amateur Radio (97)
430-432 AMATEUR RADIOLOCATION	430-432 RADIOLOCATION Amateur			
5.271 5.274 5.275 5.276 5.277	5.271 5.276 5.277 5.278 5.279			
432-438 AMATEUR RADIOLOCATION Earth exploration-satellite (active) 5.279A	432-438 RADIOLOCATION Amateur Earth exploration-satellite (active) 5.279A			
5.138 5.271 5.276 5.277 5.280 5.281 5.282	5.271 5.276 5.277 5.278 5.279 5.281 5.282			
438-440 AMATEUR RADIOLOCATION	438-440 RADIOLOCATION Amateur			
5.271 5.274 5.275 5.276 5.277 5.283	5.271 5.276 5.277 5.278 5.279			
440-450 FIXED MOBILE except aeronautical mobile Radiolocation 5.269 5.270 5.271 5.284 5.285 5.286		5.286 US64 US87 US230 US269 US270 US397 G8	5.282 5.286 US64 US87 US230 US269 US397	
450-455 FIXED MOBILE 5.286AA		450-454	450-454 LAND MOBILE	Remote Pickup (74D) Low Power Auxiliary (74H) Private Land Mobile (90) MedRadio (95I)
		5.286 US64 US87	5.286 US64 US87 NG112 NG124	
		454-456	454-455 FIXED LAND MOBILE	Public Mobile (22) Maritime (80) MedRadio (95I)
5.209 5.271 5.286 5.286A 5.286B 5.286C 5.286D 5.286E			US64 NG32 NG112 NG148	

455-456 FIXED MOBILE 5.286AA 5.209 5.271 5.286A 5.286B 5.286C 5.286E	455-456 FIXED MOBILE 5.286AA MOBILE-SATELLITE (Earth-to-space) 5.286A 5.286B 5.286C 5.209	455-456 FIXED MOBILE 5.286AA 5.209 5.271 5.286A 5.286B 5.286C 5.286E	 US64	455-456 LAND MOBILE US64	Remote Pickup (74D) Low Power Auxiliary (74H) MedRadio (95I) Page 28
---	--	---	--------------------------	--	--

5.149 5.291A 5.294 5.296 5.300 5.304 5.306 5.312 694-790 MOBILE except aeronautical mobile 5.312A 5.317A BROADCASTING	614-698 BROADCASTING Fixed Mobile 5.293 5.308 5.308A 5.309
5.300 5.312 790-862 FIXED MOBILE except aeronautical mobile 5.316B 5.317A BROADCASTING	698-806 MOBILE 5.317A BROADCASTING Fixed
5.312 5.319	5.293 5.309 806-890 FIXED MOBILE 5.317A BROADCASTING

614-890	614-698 FIXED MOBILE NG5 NG14 NG33 NG115 NG149	RF Devices (15) Wireless Communications (27) LPTV, TV Translator/Booster (74G) Low Power Auxiliary (74H)
	698-758 FIXED MOBILE BROADCASTING NG159	Wireless Communications (27) LPTV and TV Translator (74G)
	758-775 FIXED MOBILE NG34 NG159	Public Safety Land Mobile (90R)
	775-788 FIXED MOBILE BROADCASTING NG159	Wireless Communications (27) LPTV and TV Translator (74G)
	788-805 FIXED MOBILE NG34 NG159	Public Safety Land Mobile (90R)
	805-806 FIXED MOBILE BROADCASTING NG159	Wireless Communications (27) LPTV and TV Translator (74G)
	806-809 LAND MOBILE	Public Safety Land Mobile (90S)
	809-849 FIXED LAND MOBILE	Public Mobile (22) Private Land Mobile (90)
	849-851 AERONAUTICAL MOBILE	Public Mobile (22)
	851-854 LAND MOBILE	Public Safety Land Mobile (90S)
	854-894	

862-890 FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322 5.319 5.323	5.317 5.318	5.149 5.305 5.306 5.307 5.320		FIXED LAND MOBILE US116 US268	Public Mobile (22) Private Land Mobile (90)
--	-------------	----------------------------------	--	-------------------------------------	--

International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
1400-1427 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341			1400-1427 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY US74 SPACE RESEARCH (passive) 5.341 US246		
1427-1429 SPACE OPERATION (Earth-to-space) FIXED MOBILE except aeronautical mobile 5.341A 5.341B 5.341C 5.338A 5.341			1427-1429.5 LAND MOBILE (medical telemetry and medical telecommand) US350 5.341 US79	1427-1429.5 LAND MOBILE (telemetry and telecommand) Fixed (telemetry) 5.341 US79 US350 NG338A	Private Land Mobile (90) Personal Radio (95)
1429-1452 FIXED MOBILE except aeronautical mobile 5.341A	1429-1452 FIXED MOBILE 5.341B 5.341C 5.343		1429.5-1432 5.341 US79 US350	1429.5-1432 FIXED (telemetry and telecommand) LAND MOBILE (telemetry and telecommand) 5.341 US79 US350 NG338A	
5.338A 5.341 5.342	5.338A 5.341		1432-1435 5.341 US83	1432-1435 FIXED MOBILE except aeronautical mobile 5.341 US83 NG338A	Wireless Communications (27)
1452-1492 FIXED MOBILE except aeronautical mobile 5.346 BROADCASTING BROADCASTING-SATELLITE 5.208B 5.341 5.342 5.345	1452-1492 FIXED MOBILE 5.341B 5.343 5.346A BROADCASTING BROADCASTING-SATELLITE 5.208B 5.341 5.344 5.345		1435-1525 MOBILE (aeronautical telemetry) US338A		Aviation (87)
1492-1518 FIXED MOBILE except aeronautical mobile 5.341A 5.341 5.342	1492-1518 FIXED MOBILE 5.341B 5.343 5.341 5.344	1492-1518 FIXED MOBILE 5.341C 5.341			
1518-1525 FIXED MOBILE except aeronautical mobile MOBILE-SATELLITE (space-to- Earth) 5.348 5.348A 5.348B 5.351A 5.341 5.342	1518-1525 FIXED MOBILE 5.343 MOBILE-SATELLITE (space-to- Earth) 5.348 5.348A 5.348B 5.351A 5.341 5.344	1518-1525 FIXED MOBILE MOBILE-SATELLITE (space-to- Earth) 5.348 5.348A 5.348B 5.351A 5.341	5.341 US84 US343		

1525-1530 SPACE OPERATION (space-to-Earth) FIXED MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A Earth exploration-satellite Mobile except aeronautical mobile 5.349 5.341 5.342 5.350 5.351 5.352A 5.354	1525-1530 SPACE OPERATION (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A Earth exploration-satellite Fixed Mobile 5.343 5.341 5.351 5.354	1525-1530 SPACE OPERATION (space-to-Earth) FIXED MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A Earth exploration-satellite Mobile 5.349 5.341 5.351 5.352A 5.354	1525-1535 MOBILE-SATELLITE (space-to-Earth) US315 US380	Satellite Communications (25) Maritime (80)
--	--	---	--	--

1530-1535 SPACE OPERATION (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.353A Earth exploration-satellite Fixed Mobile except aeronautical mobile 5.341 5.342 5.351 5.354	1530-1535 SPACE OPERATION (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.353A Earth exploration-satellite Fixed Mobile 5.343 5.341 5.351 5.354		5.341 5.351	
1535-1559 MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.341 5.351 5.353A 5.354 5.355 5.356 5.357 5.357A 5.359 5.362A			1535-1559 MOBILE-SATELLITE (space-to-Earth) US308 US309 US315 US380 5.341 5.351 5.356	Satellite Communications (25) Maritime (80) Aviation (87)
1559-1610 AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.208B 5.328B 5.329A 5.341			1559-1610 AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth)(space-to-space) 5.341 US85 US208 US260	Aviation (87)
1610-1610.6 MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION 5.341 5.355 5.359 5.364 5.366 5.367 5.368 5.369 5.371 5.372	1610-1610.6 MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION RADIODETERMINATION-SATELLITE (Earth-to-space) 5.341 5.364 5.366 5.367 5.368 5.370 5.372	1610-1610.6 MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Radiodetermination-satellite (Earth-to-space) 5.341 5.355 5.359 5.364 5.366 5.367 5.368 5.369 5.372	1610-1610.6 MOBILE-SATELLITE (Earth-to-space) US319 US380 AERONAUTICAL RADIONAVIGATION US260 RADIODETERMINATION-SATELLITE (Earth-to-space) 5.341 5.364 5.366 5.367 5.368 5.372 US208	Satellite Communications (25) Aviation (87)
1610.6-1613.8 MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY AERONAUTICAL RADIONAVIGATION 5.149 5.341 5.355 5.359 5.364 5.366 5.367 5.368 5.369 5.371 5.372	1610.6-1613.8 MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY AERONAUTICAL RADIONAVIGATION RADIODETERMINATION-SATELLITE (Earth-to-space) 5.149 5.341 5.364 5.366 5.367 5.368 5.370 5.372	1610.6-1613.8 MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY AERONAUTICAL RADIONAVIGATION Radiodetermination-satellite (Earth-to-space) 5.149 5.341 5.355 5.359 5.364 5.366 5.367 5.368 5.369 5.372	1610.6-1613.8 MOBILE-SATELLITE (Earth-to-space) US319 US380 RADIO ASTRONOMY AERONAUTICAL RADIONAVIGATION US260 RADIODETERMINATION-SATELLITE (Earth-to-space) 5.341 5.364 5.366 5.367 5.368 5.372 US208 US342	
1613.8-1621.35 MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth)	1613.8-1621.35 MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION RADIODETERMINATION-	1613.8-1621.35 MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth)	1613.8-1626.5 MOBILE-SATELLITE (Earth-to-space) US319 US380 AERONAUTICAL RADIONAVIGATION US260 RADIODETERMINATION-SATELLITE (Earth-to-space) Mobile-satellite (space-to-Earth)	

5.208B	SATELLITE (Earth-to-space) Mobile-satellite (space-to-Earth) 5.208B	5.208B Radiodetermination-satellite (Earth-to-space)	
5.341 5.355 5.359 5.364 5.365 5.366 5.367 5.368 5.369 5.371 5.372	5.341 5.364 5.365 5.366 5.367 5.368 5.370 5.372	5.341 5.355 5.359 5.364 5.365 5.366 5.367 5.368 5.369 5.372	
1621.35-1626.5 MARITIME MOBILE-SATELLITE (space-to-Earth) 5.373 5.373A MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION RADIODETERMINATION-SATELLITE Mobile-satellite (space-to-Earth) except maritime mobile-satellite (space-to-Earth)	1621.35-1626.5 MARITIME MOBILE-SATELLITE (space-to-Earth) 5.373 5.373A MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION RADIODETERMINATION-SATELLITE (Earth-to-space) Mobile-satellite (space-to-Earth) except maritime mobile-satellite (space-to-Earth)	1621.35-1626.5 MARITIME MOBILE-SATELLITE (space-to-Earth) 5.373 5.373A MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth) except maritime mobile-satellite (space-to-Earth) Radiodetermination-satellite (Earth-to-space)	5.341 5.364 5.365 5.366 5.367 5.368 5.372 US208
5.208B 5.341 5.355 5.359 5.364 5.365 5.366 5.367 5.368 5.369 5.371 5.372	5.208B 5.341 5.364 5.365 5.366 5.367 5.368 5.370 5.372	5.208B 5.341 5.355 5.359 5.364 5.365 5.366 5.367 5.368 5.369 5.372	

		2310-2320 Fixed Mobile US100 Radiolocation G2	2310-2320 FIXED MOBILE BROADCASTING-SATELLITE RADIOLOCATION	Wireless Communications (27)
		US97 US327	US97 US100 US327	
		2320-2345 Fixed Radiolocation G2	2320-2345 BROADCASTING-SATELLITE	Satellite Communications (25)
		US327	US327	
		2345-2360 Fixed Mobile US100 Radiolocation G2	2345-2360 FIXED MOBILE US100 BROADCASTING-SATELLITE RADIOLOCATION	Wireless Communications (27)
		US327	US327	
		2360-2390 MOBILE US276 RADIOLOCATION G2 G120 Fixed	2360-2390 MOBILE US276	Aviation (87) Personal Radio (95)
		US101	US101	
		2390-2395 MOBILE US276	2390-2395 AMATEUR MOBILE US276	Aviation (87) Personal Radio (95) Amateur Radio (97)
5.150 5.282 5.395	5.150 5.282 5.393 5.394	US101	US101	

		2395-2400	2395-2400 AMATEUR	Personal Radio (95) Amateur Radio (97)
		US101 G122	US101	
		2400-2417	2400-2417 AMATEUR	RF Devices (15) ISM Equipment (18) Amateur Radio (97)
		5.150 G122	5.150 5.282	
		2417-2450 Radiolocation G2	2417-2450 Amateur	
		5.150	5.150 5.282	
2450-2483.5 FIXED MOBILE Radiolocation	2450-2483.5 FIXED MOBILE RADIOLOCATION	2450-2483.5	2450-2483.5 FIXED MOBILE Radiolocation	RF Devices (15) ISM Equipment (18) TV Auxiliary Broadcasting (74F) Private Land Mobile (90) Fixed Microwave (101)
5.150	5.150	5.150 US41	5.150 US41	

International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
2483.5-2500 FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A RADIODETERMINATION-SATELLITE (space-to-Earth) 5.398 Radiolocation 5.398A	2483.5-2500 FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A RADIOLOCATION RADIODETERMINATION-SATELLITE (space-to-Earth) 5.398	2483.5-2500 FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A RADIOLOCATION RADIODETERMINATION-SATELLITE (space-to-Earth) 5.398	2483.5-2500 MOBILE-SATELLITE (space-to-Earth) US319 US380 US391 RADIODETERMINATION-SATELLITE (space-to-Earth) 5.398	2483.5-2495 MOBILE-SATELLITE (space-to-Earth) US380 RADIODETERMINATION-SATELLITE (space-to-Earth) 5.398 5.150 5.402 US41 US319 NG147	ISM Equipment (18) Satellite Communications (25)
5.150 5.399 5.401 5.402	5.150 5.402	5.150 5.401 5.402	5.150 5.402 US41	2495-2500 FIXED MOBILE except aeronautical mobile MOBILE-SATELLITE (space-to-Earth) US380 RADIODETERMINATION-SATELLITE (space-to-Earth) 5.398 5.150 5.402 US41 US319 US391 NG147	
2500-2520 FIXED 5.410 MOBILE except aeronautical mobile 5.384A	2500-2520 FIXED 5.410 FIXED-SATELLITE (space-to-Earth) 5.415 MOBILE except aeronautical mobile 5.384A 5.404	2500-2520 FIXED 5.410 FIXED-SATELLITE (space-to-Earth) 5.415 MOBILE except aeronautical mobile 5.384A MOBILE-SATELLITE (space-to-Earth) 5.351A 5.407 5.414 5.414A 5.404 5.415A	2500-2655	2500-2655 FIXED US205 MOBILE except aeronautical mobile	Wireless Communications (27)
5.412	5.404	5.404 5.415A			
2520-2655 FIXED 5.410 MOBILE except aeronautical mobile 5.384A BROADCASTING-SATELLITE 5.413 5.416	2520-2655 FIXED 5.410 FIXED-SATELLITE (space-to-Earth) 5.415 MOBILE except aeronautical mobile 5.384A BROADCASTING-SATELLITE 5.413 5.416	2520-2535 FIXED 5.410 FIXED-SATELLITE (space-to-Earth) 5.415 MOBILE except aeronautical mobile 5.384A BROADCASTING-SATELLITE 5.413 5.416 5.403 5.414A 5.415A 2535-2655 FIXED 5.410 MOBILE except aeronautical mobile 5.384A BROADCASTING-SATELLITE 5.413 5.416			
5.339 5.412 5.418B 5.418C	5.339 5.418B 5.418C	5.339 5.418 5.418A 5.418B 5.418C	5.339 US205	5.339	

2655-2670 FIXED 5.410 MOBILE except aeronautical mobile 5.384A BROADCASTING- SATELLITE 5.208B 5.413 5.416 Earth exploration-satellite (passive) Radio astronomy Space research (passive) 5.149 5.412	2655-2670 FIXED 5.410 FIXED-SATELLITE (Earth-to-space) (space-to-Earth) 5.415 MOBILE except aeronautical mobile 5.384A BROADCASTING-SATELLITE 5.413 5.416 Earth exploration-satellite (passive) Radio astronomy Space research (passive) 5.149 5.208B	2655-2670 FIXED 5.410 FIXED-SATELLITE (Earth-to-space) 5.415 MOBILE except aeronautical mobile 5.384A BROADCASTING-SATELLITE 5.413 5.416 Earth exploration-satellite (passive) Radio astronomy Space research (passive) 5.149 5.208B 5.420	2655-2690 Earth exploration-satellite (passive) Radio astronomy US385 Space research (passive)	2655-2690 FIXED US205 MOBILE except aeronautical mobile Earth exploration-satellite (passive) Radio astronomy Space research (passive)	
--	--	---	--	---	--

2670-2690 FIXED 5.410 MOBILE except aeronautical mobile 5.384A Earth exploration-satellite (passive) Radio astronomy Space research (passive) 5.149 5.412	2670-2690 FIXED 5.410 FIXED-SATELLITE (Earth-to-space) (space-to-Earth) 5.208B 5.415 MOBILE except aeronautical mobile 5.384A Earth exploration-satellite (passive) Radio astronomy Space research (passive) 5.149	2670-2690 FIXED 5.410 FIXED-SATELLITE (Earth-to-space) 5.415 MOBILE except aeronautical mobile 5.384A MOBILE-SATELLITE (Earth-to-space) 5.351A 5.419 Earth exploration-satellite (passive) Radio astronomy Space research (passive) 5.149			
2690-2700 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.422			2690-2700 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY US74 SPACE RESEARCH (passive) US246		
2700-2900 AERONAUTICAL RADIONAVIGATION 5.337 Radiolocation 5.423 5.424			2700-2900 METEOROLOGICAL AIDS AERONAUTICAL RADIONAVI- GATION 5.337 US18 Radiolocation G2 5.423 G15	2700-2900	Aviation (87)
2900-3100 RADIOLOCATION 5.424A RADIONAVIGATION 5.426 5.425 5.427			2900-3100 RADIOLOCATION 5.424A G56 MARITIME RADIONAVIGATION 5.427 US44 US316	2900-3100 MARITIME RADIONAVIGATION Radiolocation US44 5.427 US316	Maritime (80) Private Land Mobile (90)
3100-3300 RADIOLOCATION Earth exploration-satellite (active) Space research (active) 5.149 5.428			3100-3300 RADIOLOCATION G59 Earth exploration-satellite (active) Space research (active) US342	3100-3300 Earth exploration-satellite (active) Space research (active) Radiolocation US342	Private Land Mobile (90)
3300-3400 RADIOLOCATION 5.149 5.429 5.429A 5.429B 5.430	3300-3400 RADIOLOCATION Amateur Fixed Mobile 5.149 5.429C 5.429D	3300-3400 RADIOLOCATION Amateur 5.149 5.429 5.429E 5.429F	3300-3500 RADIOLOCATION US431B G2	3300-3450 US103 US342	
3400-3600 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except	3400-3500 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile	3400-3500 FIXED FIXED-SATELLITE (space-to-Earth) Amateur Mobile 5.432 5.432B		3450-3600 FIXED MOBILE except aeronautical mobile	Wireless Communi- cations (27) Citizens

aeronautical mobile 5.430A Radiolocation 5.431	5.431A 5.431B Amateur Radiolocation 5.433 5.282	Radiolocation 5.433 5.282 5.432A	US103 US342	US103 US105 US431B US433	Broadband (96) Page 40
---	--	---	-------------	--------------------------	--

Table of Frequency Allocations			3600-5460 MHz (SHF)		Page 41
International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
3400-3600 MHz: see previous page	3500-3600 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.431B Radiolocation 5.433	3500-3600 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.433A Radiolocation 5.433	3500-3550 RADIOLOCATION G59 AERONAUTICAL RADIONAVIGATION (ground-based) G110 US103 US431B	3500-3600 MHz: see previous page	
3600-4200 FIXED FIXED-SATELLITE (space-to-Earth) Mobile	3600-3700 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.434 Radiolocation 5.433	3600-3700 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile Radiolocation 5.435	3550-3650 RADIOLOCATION G59 AERONAUTICAL RADIONAVIGATION (ground-based) G110	3600-3700 FIXED FIXED-SATELLITE (space-to-Earth) US107 US245 NG169 MOBILE except aeronautical mobile	Satellite Communications (25) Citizens Broadband (96)
			US105 US107 US245 US433 3650-3700 US109 US349		
4200-4400 AERONAUTICAL MOBILE (R) 5.436 AERONAUTICAL RADIONAVIGATION 5.438 5.437 5.439 5.440	3700-4200 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile		3700-4200	3700-4000 FIXED MOBILE except aeronautical mobile NG182 NG457A	Wireless Communications (27)
				4000-4200 FIXED FIXED-SATELLITE (space-to-Earth) NG457A NG182	Satellite Communications (25)
4400-4500 FIXED MOBILE 5.440A			4200-4400 AERONAUTICAL RADIONAVIGATION	4400-4500	Aviation (87)
4500-4800 FIXED FIXED-SATELLITE (space-to-Earth) 5.441 MOBILE 5.440A			5.440 US261	4500-4800 FIXED-SATELLITE (space-to-Earth) 5.441 US245	
4800-4990 FIXED MOBILE 5.440A 5.441A 5.441B 5.442 Radio astronomy			4400-4940 FIXED MOBILE	4800-4940 US113 US342	
5.149 5.339 5.443			US113 US245 US342 4940-4990	4940-4990 FIXED MOBILE except aeronautical mobile	Public Safety Land Mobile (90Y)
			5.339 US342 US385 G122	5.339 US342 US385	

4990-5000 FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY Space research (passive) 5.149	4990-5000 RADIO ASTRONOMY US74 Space research (passive) US246	
---	--	--

5000-5010 AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (Earth-to-space)	5000-5010 AERONAUTICAL MOBILE (R) US115 AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION US260 RADIONAVIGATION-SATELLITE (Earth-to-space) US211		Aviation (87)
5010-5030 AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.443B	5010-5030 AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION US260 RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.443B US115 US211		
5030-5091 AERONAUTICAL MOBILE (R) 5.443C AERONAUTICAL MOBILE-SATELLITE (R) 5.443D AERONAUTICAL RADIONAVIGATION 5.444 5091-5150 FIXED-SATELLITE (Earth-to-space) 5.444A AERONAUTICAL MOBILE 5.444B AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION 5.444	5030-5091 AERONAUTICAL MOBILE (R) 5.443C AERONAUTICAL MOBILE-SATELLITE (R) 5.443D AERONAUTICAL RADIONAVIGATION US260 US211 US444		Satellite Communications (25) Aviation (87)
5150-5250 FIXED-SATELLITE (Earth-to-space) 5.447A MOBILE except aeronautical mobile 5.446A 5.446B AERONAUTICAL RADIONAVIGATION 5.446 5.446C 5.446D 5.447 5.447B 5.447C	5150-5250 AERONAUTICAL RADIONAVIGATION US260 US211 US307 US344	5150-5250 FIXED-SATELLITE (Earth-to-space) 5.447A US344 AERONAUTICAL RADIONAVIGATION US260 5.447C US211 US307	RF Devices (15) Satellite Communications (25) Aviation (87)
5250-5255 EARTH EXPLORATION-SATELLITE (active) MOBILE except aeronautical mobile 5.446A 5.447F RADIOLOCATION SPACE RESEARCH 5.447D 5.447E 5.448 5.448A	5250-5255 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION G59 SPACE RESEARCH (active) 5.447D 5.448A	5250-5255 Earth exploration-satellite (active) Radiolocation Space research	RF Devices (15) Private Land Mobile (90)
5255-5350 EARTH EXPLORATION-SATELLITE (active) MOBILE except aeronautical mobile 5.446A 5.447F RADIOLOCATION SPACE RESEARCH (active) 5.447E 5.448 5.448A	5255-5350 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION G59 SPACE RESEARCH (active) 5.448A	5255-5350 Earth exploration-satellite (active) Radiolocation Space research (active) 5.448A	
5350-5460 EARTH EXPLORATION-SATELLITE (active) 5.448B RADIOLOCATION 5.448D AERONAUTICAL RADIONAVIGATION 5.449	5350-5460 EARTH EXPLORATION-SATELLITE (active) 5.448B RADIOLOCATION G56	5350-5460 AERONAUTICAL RADIONAVIGATION 5.449 Earth exploration-satellite (active)	Aviation (87) Private Land Mobile (90)

SPACE RESEARCH (active) 5.448C

AERONAUTICAL
RADIONAVIGATION
5.449
SPACE RESEARCH (active)
US390 G130

5.448B
Radiolocation
Space research (active)

US390

<p>13.4-13.65 EARTH EXPLORATION-SATELLITE (active) FIXED-SATELLITE (space-to-Earth) 5.499A 5.499B RADIOLOCATION SPACE RESEARCH 5.499C 5.499D Standard frequency and time signal-satellite (Earth-to-space) 5.499E 5.500 5.501 5.501B</p>	<p>13.4-13.65 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.499C 5.499D Standard frequency and time signal-satellite (Earth-to-space) 5.499 5.500 5.501 5.501B</p>	<p>13.4-13.75 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION G59 SPACE RESEARCH 5.499C 5.499D 5.501A Standard frequency and time signal-satellite (Earth-to-space) 5.501B</p>	<p>13.4-13.75 Earth exploration-satellite (active) Radiolocation Space research Standard frequency and time signal-satellite (Earth-to-space)</p>	<p>Private Land Mobile (90)</p>
<p>13.65-13.75 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.501A Standard frequency and time signal-satellite (Earth-to-space) 5.499 5.500 5.501 5.501B</p>				
<p>13.75-14 FIXED-SATELLITE (Earth-to-space) 5.484A RADIOLOCATION Earth exploration-satellite Standard frequency and time signal-satellite (Earth-to-space) Space research 5.499 5.500 5.501 5.502 5.503</p>		<p>13.75-14 RADIOLOCATION G59 Standard frequency and time signal-satellite (Earth-to-space) Space research US337 US356 US357</p>	<p>13.75-14 FIXED-SATELLITE (Earth-to-space) US337 Standard frequency and time signal-satellite (Earth-to-space) Space research Radiolocation US356 US357</p>	<p>Satellite Communications (25) Private Land Mobile (90)</p>
<p>14-14.25 FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B RADIONAVIGATION 5.504 Mobile-satellite (Earth-to-space) 5.504B 5.504C 5.506A Space research 5.504A 5.505</p>		<p>14-14.2 Space research US133</p>	<p>14-14.2 FIXED-SATELLITE (Earth-to-space) NG527A Mobile-satellite (Earth-to-space) Space research US133</p>	<p>Satellite Communications (25)</p>
<p>14.25-14.3 FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B RADIONAVIGATION 5.504 Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.508A Space research 5.504A 5.505 5.508</p>	<p>14.3-14.4 FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.484B 5.506 5.506B Mobile-satellite (Earth-to-space) 5.506A Radionavigation-satellite</p>	<p>14.3-14.4 FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.484B 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-</p>	<p>14.2-14.4 14.2-14.47 FIXED-SATELLITE (Earth-to-space) NG527A Mobile-satellite (Earth-to-space)</p>	

space) 5.504B 5.506A 5.509A Radionavigation-satellite 5.504A	5.504A	space) 5.504B 5.506A 5.509A Radionavigation-satellite 5.504A			
14.4-14.47 FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.509A Space research (space-to-Earth) 5.504A			14.4-14.47 Fixed Mobile		
15.63-15.7 RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION			15.63-15.7 RADIOLOCATION 5.511E 5.511F US511E AERONAUTICAL RADIONAVIGATION US260 US211	15.63-15.7 AERONAUTICAL RADIONAVIGATION US260 US211 US511E	Aviation (87)
15.7-16.6 RADIOLOCATION 5.512 5.513			15.7-16.6 RADIOLOCATION G59	15.7-17.2 Radiolocation	Private Land Mobile (90)
16.6-17.1 RADIOLOCATION Space research (deep space) (Earth-to-space) 5.512 5.513			16.6-17.1 RADIOLOCATION G59 Space research (deep space) (Earth-to-space)		
17.1-17.2 RADIOLOCATION 5.512 5.513			17.1-17.2 RADIOLOCATION G59		
17.2-17.3 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.512 5.513 5.513A			17.2-17.3 EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION G59 SPACE RESEARCH (active)	17.2-17.3 Earth exploration-satellite (active) Radiolocation Space research (active)	
17.3-17.7 FIXED-SATELLITE (Earth-to- space) 5.516 (space-to-Earth) 5.516A 5.516B Radiolocation 5.514	17.3-17.7 FIXED-SATELLITE (Earth-to- space) 5.516 BROADCASTING-SATELLITE Radiolocation 5.514 5.515	17.3-17.7 FIXED-SATELLITE (Earth-to- space) 5.516 Radiolocation 5.514	17.3-17.7 Radiolocation US259 G59 US402 G117	17.3-17.7 FIXED-SATELLITE (Earth-to- space) (space-to-Earth) NG527A BROADCASTING-SATELLITE US259 US402 NG58	Satellite Communications (25)
17.7-18.1 FIXED FIXED-SATELLITE (space-to- Earth) 5.484A 5.517A (Earth-to- space)	17.7-17.8 FIXED FIXED-SATELLITE (space-to- Earth) 5.517 5.517A (Earth-to- space)	17.7-18.1 FIXED FIXED-SATELLITE (space-to- Earth) 5.484A 5.517A (Earth-to- space)	17.7-17.8	17.7-17.8 FIXED FIXED-SATELLITE (Earth-to- space) (space-to-Earth) NG527A	Satellite Communications (25) TV Broadcast Auxiliary

5.516 MOBILE	5.516 BROADCASTING-SATELLITE Mobile 5.515	5.516 MOBILE	US334 G117	US334 NG58	(74F) Cable TV Relay (78) Fixed Microwave (101)
	17.8-18.1 FIXED FIXED-SATELLITE (space-to- Earth) 5.484A 5.517A (Earth-to- space) 5.516 MOBILE 5.519		17.8-18.6 FIXED-SATELLITE (space- to- Earth) US334 G117	17.8-18.3 FIXED Fixed-satellite (space-to-Earth) NG527A	
18.1-18.4 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B 5.517A (Earth-to-space) 5.520 MOBILE 5.519 5.521				US334 US519	
18.4-18.6 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B 5.517A MOBILE			US139 US519	18.3-18.6 FIXED-SATELLITE (space-to- Earth) NG527A	Satellite Communications (25)
				US139 US334	Page 52

International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
18.6-18.8 EARTH EXPLORATION-SATELLITE (passive) FIXED FIXED-SATELLITE (space-to-Earth) 5.517A 5.522B MOBILE except aeronautical mobile Space research (passive) 5.522A 5.522C	18.6-18.8 EARTH EXPLORATION-SATELLITE (passive) FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.517A 5.522B MOBILE except aeronautical mobile SPACE RESEARCH (passive) 5.522A	18.6-18.8 EARTH EXPLORATION-SATELLITE (passive) FIXED FIXED-SATELLITE (space-to-Earth) 5.517A 5.522B MOBILE except aeronautical mobile Space research (passive) 5.522A	18.6-18.8 EARTH EXPLORATION-SATELLITE (passive) FIXED-SATELLITE (space-to-Earth) US255 US334 G117 SPACE RESEARCH (passive) US139 US254	18.6-18.8 EARTH EXPLORATION-SATELLITE (passive) FIXED-SATELLITE (space-to-Earth) US255 NG164 NG527A SPACE RESEARCH (passive) US139 US254 US334	Satellite Communications (25)
18.8-19.3 FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.517A 5.523A MOBILE			18.8-20.2 FIXED-SATELLITE (space-to-Earth) US334 G117	18.8-19.3 FIXED-SATELLITE (space-to-Earth) NG165 NG527A US139 US334	
19.3-19.7 FIXED FIXED-SATELLITE (space-to-Earth) (Earth-to-space) 5.517A 5.523B 5.523C 5.523D 5.523E MOBILE				19.3-19.7 FIXED FIXED-SATELLITE (space-to-Earth) NG166 US334 NG527A	Satellite Communications (25) TV Broadcast Auxiliary (74F) Cable TV Relay (78) Fixed Microwave (101)
19.7-20.1 FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.527A Mobile-satellite (space-to-Earth) 5.524	19.7-20.1 FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.527A MOBILE-SATELLITE (space-to-Earth) 5.524 5.525 5.526 5.527 5.528 5.529	19.7-20.1 FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.527A Mobile-satellite (space-to-Earth) 5.524		19.7-20.2 FIXED-SATELLITE (space-to-Earth) NG527A MOBILE-SATELLITE (space-to-Earth) 5.525 5.526 5.527 5.528 5.529 US334	Satellite Communications (25)
20.1-20.2 FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.527A MOBILE-SATELLITE (space-to-Earth) 5.524 5.525 5.526 5.527 5.528			US139		
20.2-21.2 FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) Standard frequency and time signal-satellite (space-to-Earth) 5.524			20.2-21.2 FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) Standard frequency and time signal-satellite (space-to-Earth)	20.2-21.2 Standard frequency and time signal-satellite (space-to-Earth)	

21.2-21.4 EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive)			G117 21.2-21.4 EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) US532	Fixed Microwave (101)
21.4-22 FIXED MOBILE BROADCASTING-SATELLITE 5.208B 5.530A 5.530B	21.4-22 FIXED 5.530E MOBILE 5.530A	21.4-22 FIXED MOBILE BROADCASTING-SATELLITE 5.208B 5.530A 5.530B 5.531	21.4-22 FIXED MOBILE	

22-22.21 FIXED MOBILE except aeronautical mobile 5.149		22-22.21 FIXED MOBILE except aeronautical mobile US342		
22.21-22.5 EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive) 5.149 5.532		22.21-22.5 EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive) US342 US532		
22.5-22.55 FIXED MOBILE		22.5-22.55 FIXED MOBILE US211		
22.55-23.15 FIXED INTER-SATELLITE 5.338A MOBILE SPACE RESEARCH (Earth-to-space) 5.532A 5.149		22.55-23.15 FIXED INTER-SATELLITE US145 US278 MOBILE SPACE RESEARCH (Earth-to-space) 5.532A US342		Satellite Communications (25) Fixed Microwave (101)
23.15-23.55 FIXED INTER-SATELLITE 5.338A MOBILE		23.15-23.55 FIXED INTER-SATELLITE US145 US278 MOBILE		
23.55-23.6 FIXED MOBILE		23.55-23.6 FIXED MOBILE		Fixed Microwave (101)
23.6-24 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		23.6-24 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY US74 SPACE RESEARCH (passive) US246		
24-24.05 AMATEUR AMATEUR-SATELLITE 5.150		24-24.05	24-24.05 AMATEUR AMATEUR-SATELLITE	ISM Equipment (18) Amateur Radio (97)
24.05-24.25 RADIOLOCATION Amateur Earth exploration-satellite (active) 5.150		24.05-24.25 RADIOLOCATION G59 Earth exploration-satellite (active) 5.150	24.05-24.25 Amateur Earth exploration-satellite (active) Radiolocation 5.150	RF Devices (15) ISM Equipment (18) Private Land Mobile (90) Amateur Radio (97)
24.25-24.45 FIXED MOBILE except aeronautical mobile 5.338A 5.532AB	24.25-24.45 FIXED 5.532AA MOBILE except aeronautical mobile 5.338A 5.532AB RADIONAVIGATION	24.25-24.45 FIXED MOBILE 5.338A 5.532AB RADIONAVIGATION	24.25-24.45 FIXED MOBILE	RF Devices (15) Upper Microwave Flexible Use (30)

International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
24.45-24.65 FIXED INTER-SATELLITE MOBILE except aeronautical mobile 5.338A 5.532AB	24.45-24.65 FIXED 5.532AA INTER-SATELLITE MOBILE except aeronautical mobile 5.338A 5.532AB RADIONAVIGATION 5.533	24.45-24.65 FIXED INTER-SATELLITE MOBILE 5.338A 5.532AB RADIONAVIGATION 5.533	24.45-24.65 INTER-SATELLITE RADIONAVIGATION 5.533		RF Devices (15) Satellite Communications (25)
24.65-24.75 FIXED FIXED-SATELLITE (Earth-to-space) 5.532B INTER-SATELLITE MOBILE except aeronautical mobile 5.338A 5.532AB	24.65-24.75 FIXED 5.532AA INTER-SATELLITE MOBILE except aeronautical mobile 5.338A 5.532AB RADIOLOCATION-SATELLITE (Earth-to-space)	24.65-24.75 FIXED FIXED-SATELLITE (Earth-to-space) 5.532B INTER-SATELLITE MOBILE 5.338A 5.532AB	24.65-24.75 INTER-SATELLITE RADIOLOCATION-SATELLITE (Earth-to-space)		
24.75-25.25 FIXED FIXED-SATELLITE (Earth-to-space) 5.532B MOBILE except aeronautical mobile 5.338A 5.532AB	24.75-25.25 FIXED 5.532AA FIXED-SATELLITE (Earth-to-space) 5.535 MOBILE except aeronautical mobile 5.338A 5.532AB	24.75-25.25 FIXED FIXED-SATELLITE (Earth-to-space) 5.535 MOBILE 5.338A 5.532AB	24.75-25.25	24.75-25.25 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE NG65	RF Devices (15) Satellite Communications (25) Upper Microwave Flexible Use (30)
25.25-25.5 FIXED 5.534A INTER-SATELLITE 5.536 MOBILE 5.338A 5.532AB Standard frequency and time signal-satellite (Earth-to-space)			25.25-25.5 FIXED INTER-SATELLITE 5.536 MOBILE Standard frequency and time signal-satellite (Earth-to-space)	25.25-25.5 Inter-satellite 5.536 Standard frequency and time signal-satellite (Earth-to-space)	RF Devices (15)
25.5-27 EARTH EXPLORATION-SATELLITE (space-to-Earth) 5.536B FIXED 5.534A INTER-SATELLITE 5.536 MOBILE 5.338A 5.532AB SPACE RESEARCH (space-to-Earth) 5.536C Standard frequency and time signal-satellite (Earth-to-space) 5.536A			25.5-27 EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED INTER-SATELLITE 5.536 MOBILE SPACE RESEARCH (space-to-Earth) Standard frequency and time signal-satellite (Earth-to-space) 5.536A US258	25.5-27 SPACE RESEARCH (space-to-Earth) Inter-satellite 5.536 Standard frequency and time signal-satellite (Earth-to-space) 5.536A US258	
27-27.5 FIXED INTER-SATELLITE 5.536 MOBILE 5.338A 5.532AB	27-27.5 FIXED 5.534A FIXED-SATELLITE (Earth-to-space) INTER-SATELLITE 5.536 5.537 MOBILE 5.338A 5.532AB		27-27.5 FIXED INTER-SATELLITE 5.536 MOBILE	27-27.5 Inter-satellite 5.536	
27.5-28.5 FIXED 5.537A FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.539 MOBILE			27.5-30	27.5-28.35 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE	RF Devices (15) Satellite Communications (25) Upper Microwave

					Flexible Use (30) Fixed Microwave (101)
5.538 5.540				28.35-29.1 FIXED-SATELLITE (Earth-to-space) NG165 NG527A	RF Devices (15) Satellite Communications (25)
28.5-29.1 FIXED FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.523A 5.539 MOBILE Earth exploration-satellite (Earth-to-space) 5.541 5.540				NG62	
29.1-29.5 FIXED FIXED-SATELLITE (Earth-to-space) 5.516B 5.517A 5.523C 5.523E 5.535A 5.539 5.541A MOBILE Earth exploration-satellite (Earth-to-space) 5.541				29.1-29.25 FIXED FIXED-SATELLITE (Earth-to-space) NG166 MOBILE	Satellite Communications (25) Fixed Microwave (101)
5.540				29.25-29.5 FIXED-SATELLITE (Earth-to-space) NG527A NG535A NG62	Satellite Communications (25)
29.5-29.9 FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.527A 5.539 Earth exploration-satellite (Earth-to-space) 5.541 Mobile-satellite (Earth-to-space) 5.540 5.542	29.5-29.9 FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.527A 5.539 MOBILE-SATELLITE (Earth-to-space) Earth exploration-satellite (Earth-to-space) 5.541 5.525 5.526 5.527 5.529 5.540	29.5-29.9 FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.527A 5.539 Earth exploration-satellite (Earth-to-space) 5.541 Mobile-satellite (Earth-to-space) 5.540 5.542		29.5-30 FIXED-SATELLITE (Earth-to-space) NG527A MOBILE-SATELLITE (Earth-to-space)	
29.9-30 FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.527A 5.539 MOBILE-SATELLITE (Earth-to-space) Earth exploration-satellite (Earth-to-space) 5.541 5.543 5.525 5.526 5.527 5.538 5.540 5.542				5.525 5.526 5.527 5.529 5.543	
30-31 FIXED-SATELLITE (Earth-to-space) 5.338A MOBILE-SATELLITE (Earth-to-space) Standard frequency and time signal-satellite (space-to-Earth) 5.542			30-31 FIXED-SATELLITE (Earth-to-space) MOBILE-SATELLITE (Earth-to-space) Standard frequency and time signal-satellite (space-to-Earth) G117	30-31 Standard frequency and time signal-satellite (space-to-Earth)	
31-31.3 FIXED 5.338A 5.543B MOBILE Standard frequency and time signal-satellite (space-to-Earth)			31-31.3 Standard frequency and time signal-satellite (space-to-Earth)	31-31.3 FIXED NG60 MOBILE Standard frequency and time	Fixed Microwave (101)

Space research 5.544 5.545 5.149			US211 US342	signal-satellite (space-to-Earth) US211 US342
31.3-31.5 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340			31.3-31.8 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY US74 SPACE RESEARCH (passive)	
31.5-31.8 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.546	31.5-31.8 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	31.5-31.8 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149	US246	

37-37.5 FIXED MOBILE except aeronautical mobile 5.550B SPACE RESEARCH (space-to-Earth) 5.547			37-38 FIXED MOBILE except aeronautical mobile SPACE RESEARCH (space-to-Earth)	37-37.5 FIXED MOBILE except aeronautical mobile US151	Upper Microwave Flexible Use (30)
37.5-38 FIXED FIXED-SATELLITE (space-to-Earth) 5.550C MOBILE except aeronautical mobile 5.550B SPACE RESEARCH (space-to-Earth) Earth exploration-satellite (space-to-Earth) 5.547			US151	37.5-38 FIXED FIXED-SATELLITE (space-to-Earth) NG63 MOBILE except aeronautical mobile US151	Satellite Communications (25) Upper Microwave Flexible Use (30)
38-39.5 FIXED 5.550D FIXED-SATELLITE (space-to-Earth) 5.550C MOBILE 5.550B Earth exploration-satellite (space-to-Earth) 5.547			38-38.6 FIXED MOBILE 38.6-39.5	38-39.5 FIXED FIXED-SATELLITE (space-to-Earth) NG63 MOBILE NG175	
39.5-40 FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.550C MOBILE 5.550B MOBILE-SATELLITE (space-to-Earth) Earth exploration-satellite (space-to-Earth) 5.547 5.550E			39.5-40 FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) US382 G117	39.5-40 FIXED FIXED-SATELLITE (space-to-Earth) NG63 MOBILE NG175 US382	
40-40.5 EARTH EXPLORATION-SATELLITE (Earth-to-space) FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.550C MOBILE 5.550B MOBILE-SATELLITE (space-to-Earth) SPACE RESEARCH (Earth-to-space) Earth exploration-satellite (space-to-Earth) 5.550E			40-40.5 EARTH EXPLORATION-SATELLITE (Earth-to-space) FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) SPACE RESEARCH (Earth-to-space) Earth exploration-satellite (space-to-Earth) G117	40-40.5 FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth)	Satellite Communications (25)
40.5-41 FIXED FIXED-SATELLITE (space-to-Earth) 5.550C LAND MOBILE 5.550B BROADCASTING BROADCASTING-SATELLITE Aeronautical mobile Maritime mobile	40.5-41 FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.550C LAND MOBILE 5.550B BROADCASTING BROADCASTING-SATELLITE Aeronautical mobile Maritime mobile Mobile-satellite (space-to-Earth)	40.5-41 FIXED FIXED-SATELLITE (space-to-Earth) 5.550C LAND MOBILE 5.550B BROADCASTING BROADCASTING-SATELLITE Aeronautical mobile Maritime mobile	40.5-41 FIXED-SATELLITE (space-to-Earth) Mobile-satellite (space-to-Earth)	40.5-41 FIXED-SATELLITE (space-to-Earth) BROADCASTING BROADCASTING-SATELLITE Fixed Mobile Mobile-satellite (space-to-Earth)	

5.547	5.547	5.547	US211 G117	US211	
41-42.5 FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.550C LAND MOBILE 5.550B BROADCASTING BROADCASTING-SATELLITE Aeronautical mobile Maritime mobile 5.547 5.551F 5.551H 5.551I			41-42.5 US211	41-42 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE BROADCASTING BROADCASTING-SATELLITE US211	

Page 58

Table of Frequency Allocations 42-56.9 GHz (EHF) Page 59

International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
41-42.5 GHz: see previous page			41-42.5 GHz: see previous page	42-42.5 FIXED MOBILE US211	
42.5-43.5 FIXED FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE except aeronautical mobile 5.550B RADIO ASTRONOMY 5.149 5.547			42.5-43.5 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE except aeronautical mobile RADIO ASTRONOMY US342	42.5-43.5 RADIO ASTRONOMY US342	
43.5-47 MOBILE 5.553 5.553A MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE			43.5-45.5 FIXED-SATELLITE (Earth-to-space) MOBILE-SATELLITE (Earth-to-space) G117 45.5-46.9 MOBILE MOBILE-SATELLITE (Earth-to-space) RADIONAVIGATION-SATELLITE 5.554	43.5-45.5 46.9-47 FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) RADIONAVIGATION-SATELLITE	
5.554 47-47.2 AMATEUR AMATEUR-SATELLITE			5.554 47-48.2	5.554 47-47.2 AMATEUR AMATEUR-SATELLITE	Amateur Radio (97)

47.2-47.5 FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.553B 5.552A			47.2-48.2 FIXED FIXED-SATELLITE (Earth-to-space) US297 MOBILE	Satellite Communications (25) Upper Microwave Flexible Use (30)
47.5-47.9 FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 (space-to-Earth) 5.516B 5.554A MOBILE 5.553B	47.5-47.9 FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.553B			
47.9-48.2 FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.553B 5.552A			NG65	

48.2-48.54 FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE	48.2-50.2 FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.516B 5.550C 5.552 MOBILE	48.2-50.2 FIXED FIXED-SATELLITE (Earth-to-space) US156 US297 MOBILE US264	Satellite Communications (25)
48.54-49.44 FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.149 5.340 5.555			
49.44-50.2 FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.550C 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE	5.149 5.340 5.555	5.555 US342	
50.2-50.4 EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340		50.2-50.4 EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) US246	
50.4-51.4 FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.550C MOBILE Mobile-satellite (Earth-to-space)		50.4-51.4 FIXED FIXED-SATELLITE (Earth-to-space) US156 MOBILE MOBILE-SATELLITE (Earth-to-space) G117	50.4-51.4 FIXED FIXED-SATELLITE (Earth-to-space) US156 MOBILE MOBILE-SATELLITE (Earth-to-space) NG65
51.4-52.4 FIXED FIXED-SATELLITE (Earth-to-space) 5.555C MOBILE		51.4-52.6 FIXED US157 MOBILE	
5.338A 5.547 5.556			
52.4-52.6 FIXED 5.338A MOBILE 5.547 5.556			
52.6-54.25 EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340 5.556		52.6-54.25 EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) US246	
54.25-55.78 EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.556A SPACE RESEARCH (passive) 5.556B		54.25-55.78 EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.556A SPACE RESEARCH (passive)	Satellite Communications (25)

55.78-56.9
EARTH EXPLORATION-SATELLITE (passive)
FIXED 5.557A
INTER-SATELLITE 5.556A
MOBILE 5.558
SPACE RESEARCH (passive)
5.547 5.557

55.78-56.9
EARTH EXPLORATION-SATELLITE (passive)
FIXED US379
INTER-SATELLITE 5.556A
MOBILE 5.558
SPACE RESEARCH (passive)
US353 US532

66-71 INTER-SATELLITE MOBILE 5.553 5.558 5.559AA MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.554	66-71 MOBILE 5.553 5.558 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.554	66-71 INTER-SATELLITE MOBILE 5.553 5.558 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.554	
71-74 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)	71-74 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth) US389		Fixed Microwave (101)
74-76 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE BROADCASTING BROADCASTING-SATELLITE Space research (space-to-Earth) 5.561	74-76 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE Space research (space-to-Earth) US389	74-76 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE BROADCASTING BROADCASTING-SATELLITE Space research (space-to-Earth) US389	RF Devices (15) Fixed Microwave (101)
76-77.5 RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to-Earth) 5.149	76-81 RADIO ASTRONOMY RADIOLOCATION Space research (space-to-Earth) 5.560 US342	76-77 RADIO ASTRONOMY RADIOLOCATION Amateur Space research (space-to-Earth) US342	RF Devices (15) Personal Radio (95) Amateur Radio (97)
77.5-78 AMATEUR AMATEUR-SATELLITE RADIOLOCATION 5.559B Radio astronomy Space research (space-to-Earth) 5.149		77-81 RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to-Earth)	
78-79 RADIOLOCATION Amateur Amateur-satellite Radio astronomy Space research (space-to-Earth) 5.149 5.560			
79-81 RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to-Earth) 5.149			

155.5-158.5 FIXED MOBILE RADIO ASTRONOMY	155.5-158.5 FIXED MOBILE RADIO ASTRONOMY	
5.149 158.5-164 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)	US342 158.5-164 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)	
164-167 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)	US211 164-167 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY US74 SPACE RESEARCH (passive)	
5.340 167-174.5 FIXED FIXED-SATELLITE (space-to-Earth) INTER-SATELLITE MOBILE 5.558	US246 167-174.5 FIXED FIXED-SATELLITE (space-to-Earth) INTER-SATELLITE MOBILE 5.558	
5.149 5.562D 174.5-174.8 FIXED INTER-SATELLITE MOBILE 5.558	US211 US342 174.5-174.8 FIXED INTER-SATELLITE MOBILE 5.558	
174.8-182 EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)	174.8-182 EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)	
182-185 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)	182-185 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)	
5.340 185-190 EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)	US246 185-190 EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)	
190-191.8 EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive)	190-191.8 EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive)	
5.340	US246	

238-240 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE	238-240 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE		
240-241 FIXED MOBILE RADIOLOCATION	240-241 FIXED MOBILE RADIOLOCATION		
241-248 RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite	241-248 RADIO ASTRONOMY RADIOLOCATION	241-248 RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite	ISM Equipment (18) Amateur Radio (97)
5.138 5.149 248-250 AMATEUR AMATEUR-SATELLITE Radio astronomy	5.138 US342 248-250 Radio astronomy	5.138 US342 248-250 AMATEUR AMATEUR-SATELLITE Radio astronomy	Amateur Radio (97)
5.149 250-252 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)	US342	US342	
5.340 5.563A 252-265 FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY RADIONAVIGATION RADIONAVIGATION-SATELLITE	250-252 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY US74 SPACE RESEARCH (passive)		
5.149 5.554 265-275 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY	5.563A US246 252-265 FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY RADIONAVIGATION RADIONAVIGATION-SATELLITE		
5.149 5.563A 275-3000 (Not allocated)	5.554 US211 US342 265-275 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY		
5.564A 5.565	5.563A US342 275-3000 (Not allocated)		Amateur Radio (97)
	US565		Page 68

International FOOTNOTES

* * * * *

5.67 *Additional allocation:* in Kyrgyzstan and Turkmenistan, the frequency band 130-148.5 kHz is also allocated to the radionavigation service on a secondary basis. Within and between these countries this service shall have an equal right to operate.

* * * * *

5.67B The use of the frequency band 135.7-137.8 kHz in Algeria, Egypt, Iraq, Lebanon, Syrian Arab Republic, Sudan, South Sudan and Tunisia is limited to the fixed and maritime mobile services. The amateur service shall not be used in the above-mentioned countries in the frequency band 135.7-137.8 kHz, and this should be taken into account by the countries authorizing such use.

* * * * *

5.70 *Alternative allocation:* in Angola, Botswana, Burundi, the Central African Rep., Congo (Rep. of the), Eswatini, Ethiopia, Kenya, Lesotho, Madagascar, Malawi, Mozambique, Namibia, Nigeria, Oman, the Dem. Rep. of the Congo, South Africa, Tanzania, Chad, Zambia and Zimbabwe, the frequency band 200-283.5 kHz is allocated to the aeronautical radionavigation service on a primary basis.

* * * * *

5.77 *Different category of service:* in Australia, China, the French overseas communities of Region 3, Korea (Rep. of), India, Iran (Islamic Republic of), Japan, Pakistan, Papua New Guinea, the Dem. People's Rep. of Korea and Sri Lanka, the allocation of the frequency band 415-495 kHz to the aeronautical radionavigation service is on a primary basis. In Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Latvia, Uzbekistan and Kyrgyzstan, the allocation of the frequency band 435-495 kHz to the aeronautical radionavigation service is on a primary basis. Administrations in all the aforementioned countries shall take all practical steps necessary to ensure that aeronautical radionavigation stations in the frequency band 435-495 kHz do not cause interference to reception by coast stations of transmissions from ship stations on frequencies designated for ship stations on a worldwide basis.

* * * * *

5.79 In the maritime mobile service, the frequency bands 415-495 kHz and 505-526.5 kHz are limited to radiotelegraphy and may also be used for the NAVDAT system in accordance with the most recent version of Recommendation ITU-R M.2010, subject to agreement between interested and affected administrations. NAVDAT transmitting stations are limited to coast stations.

* * * * *

5.82C The frequency band 495-505 kHz is used for the international NAVDAT system as described in the most recent version of Recommendation ITU-R M.2010. NAVDAT transmitting stations are limited to coast stations.

* * * * *

5.87 *Additional allocation:* in Angola, Botswana, Eswatini, Lesotho, Malawi, Mozambique, Namibia and Niger, the frequency band 526.5-535 kHz is also allocated to the mobile service on a secondary basis.

* * * * *

5.107 *Additional allocation:* in Saudi Arabia, Eritrea, Eswatini, Ethiopia, Iraq, Libya and Somalia, the frequency band 2160-2170 kHz is also allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis. The mean power of stations in these services shall not exceed 50 W.

* * * * *

5.109 The frequencies 2187.5 kHz, 4207.5 kHz, 6312 kHz, 8414.5 kHz, 12 577 kHz and 16 804.5 kHz are international distress frequencies for digital selective calling. The conditions for the use of these frequencies are prescribed in Article 31.

5.110 The frequencies 2174.5 kHz, 4177.5 kHz, 6268 kHz, 8376.5 kHz, 12 520 kHz and 16 695 kHz are international distress frequencies for narrow-band direct-printing telegraphy. The conditions for the use of these frequencies are prescribed in Article 31.

5.111 The carrier frequencies 2182 kHz, 3023 kHz, 5680 kHz, 8364 kHz and the frequencies 121.5 MHz, 156.525 MHz, 156.8 MHz and 243 MHz may also be used, in accordance with the procedures in force for terrestrial radiocommunication services, for search and rescue operations concerning manned space vehicles. The conditions for the use of the frequencies are prescribed in Article 31. The same applies to the frequencies 10 003 kHz, 14 993 kHz and 19 993 kHz, but in each of these cases emissions must be confined in a band of ± 3 kHz about the frequency.

5.112 *Alternative allocation:* in Sri Lanka, the frequency band 2194-2300 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.

* * * * *

5.114 *Alternative allocation:* in Iraq, the frequency band 2502-2625 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.

* * * * *

5.117 *Alternative allocation:* in Côte d'Ivoire, Egypt, Liberia, Sri Lanka and Togo, the frequency band 3155-3200 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.

5.118 *Additional allocation:* in the United States, Mexico and Peru, the frequency band 3230-3400 kHz is also allocated to the radiolocation service on a secondary basis.

* * * * *

5.123 *Additional allocation:* in Botswana, Eswatini, Lesotho, Malawi, Mozambique, Namibia, South Africa, Zambia and Zimbabwe, the frequency band 3900-3950 kHz is also allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21.

* * * * *

5.128 Frequencies in the frequency bands 4063-4123 kHz and 4130-4438 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W, on condition that harmful interference is

not caused to the maritime mobile service. In addition, in Afghanistan, Argentina, Armenia, Belarus, Botswana, Burkina Faso, the Central African Rep., China, the Russian Federation, Georgia, India, Kazakhstan, Mali, Niger, Pakistan, Kyrgyzstan, Tajikistan, Chad, Turkmenistan and Ukraine, in the frequency bands 4063-4123 kHz, 4130-4133 kHz and 4408-4438 kHz, stations in the fixed service, with a mean power not exceeding 1 kW, can be operated on condition that they are situated at least 600 km from the coast and that harmful interference is not caused to the maritime mobile service.

* * * * *

5.132 The frequencies 4210 kHz, 6314 kHz, 8416.5 kHz, 12579 kHz, 16 806.5 kHz, 19 680.5 kHz, 22 376 kHz and 26 100.5 kHz are the international frequencies for the transmission of maritime safety information (MSI) (see Appendix 17).

* * * * *

5.132B *Alternative allocation:* in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 4438-4488 kHz is allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis.

* * * * *

5.133A *Alternative allocation:* in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency bands 5250-5275 kHz and 26 200-26 350 kHz are allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.

5.133B Stations in the amateur service using the frequency band 5351.5-5366.5 kHz shall not exceed a maximum radiated power of 15 W (e.i.r.p.). However, in Region 2 in Mexico, stations in the amateur service using the frequency band 5351.5-5366.5 kHz shall not exceed a maximum radiated power of 20 W (e.i.r.p.). In the following Region 2 countries: Antigua and Barbuda, Argentina, Bahamas, Barbados, Belize, Bolivia, Brazil, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Dominica, El Salvador, Ecuador, Grenada, Guatemala, Guyana, Haiti, Honduras, Jamaica, Nicaragua, Panama, Paraguay, Peru, Saint Lucia, Saint Kitts and Nevis, Saint Vincent and the Grenadines, Suriname, Trinidad and Tobago, Uruguay, Venezuela, as well as the overseas countries and territories within the Kingdom of the Netherlands in Region 2, stations in the amateur service using the frequency band 5351.5-5366.5 kHz shall not exceed a maximum radiated power of 25 W (e.i.r.p.).

5.134 The use of the frequency bands 5900-5950 kHz, 7300-7350 kHz, 9400-9500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 13 570-13 600 kHz, 13 800-13 870 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz by the broadcasting service is subject to the application of the procedure of Article 12. Administrations are encouraged to use these frequency bands to facilitate the introduction of digitally modulated emissions in accordance with the provisions of Resolution 517 (Rev.WRC-19).

* * * * *

5.141B *Additional allocation:* in Algeria, Saudi Arabia, Australia, Bahrain, Botswana, Brunei Darussalam, China, Comoros, Korea (Rep. of), Diego Garcia, Djibouti, Egypt, United Arab Emirates, Eritrea, Guinea, Indonesia, Iran (Islamic Republic of), Japan, Jordan, Kuwait, Libya, Mali, Morocco, Mauritania, Niger, New Zealand, Oman, Papua New Guinea, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Sudan, South Sudan, Tunisia, Viet Nam and Yemen, the frequency band 7100-7200 kHz is also allocated to the fixed and the mobile, except aeronautical mobile (R), services on a primary basis.

* * * * *

5.145 The conditions for the use of the carrier frequencies 8291 kHz, 12 290 kHz and 16 420 kHz are prescribed in Articles 31 and 52.

* * * * *

5.145B *Alternative allocation:* in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency bands 9305-9355 kHz and 16 100-16 200 kHz are allocated to the fixed service on a primary basis.

5.146 *Additional allocation:* frequencies in the bands 9400-9500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz may be used by stations in the fixed service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies in the fixed service, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations.

5.147 On condition that harmful interference is not caused to the broadcasting service, frequencies in the bands 9775-9900 kHz, 11 650-11 700 kHz and 11 975-12 050 kHz may be used by stations in the fixed service communicating only within the boundary of the country in which they are located, each station using a total radiated power not exceeding 24 dBW.

5.149 In making assignments to stations of other services to which the bands:

13 360-13 410 kHz,	23.07-23.12 GHz,
25 550-25 670 kHz,	31.2-31.3 GHz,
37.5-38.25 MHz,	31.5-31.8 GHz in Regions 1 and 3,
73-74.6 MHz in Regions 1 and 3,	36.43-36.5 GHz,
150.05-153 MHz in Region 1,	42.5-43.5 GHz,
322-328.6 MHz,	48.94-49.04 GHz,
406.1-410 MHz,	76-86 GHz,
608-614 MHz in Regions 1 and 3,	92-94 GHz,
1330-1400 MHz,	94.1-100 GHz,
1610.6-1613.8 MHz,	102-109.5 GHz,
1660-1670 MHz,	111.8-114.25 GHz,
1718.8-1722.2 MHz,	128.33-128.59 GHz,
2655-2690 MHz,	129.23-129.49 GHz,
3260-3267 MHz,	130-134 GHz,
3332-3339 MHz,	136-148.5 GHz,
3345.8-3352.5 MHz,	151.5-158.5 GHz,
4825-4835 MHz,	168.59-168.93 GHz,
4950-4990 MHz,	171.11-171.45 GHz,
4990-5000 MHz,	172.31-172.65 GHz,
6650-6675.2 MHz,	173.52-173.85 GHz,
10.6-10.68 GHz,	195.75-196.15 GHz,
14.47-14.5 GHz,	209-226 GHz,
22.01-22.21 GHz,	241-250 GHz,
22.21-22.5 GHz,	252-275 GHz
22.81-22.86 GHz,	

are allocated, administrations are urged to take all practicable steps to protect the radio astronomy service from harmful interference. Emissions from spaceborne or airborne stations can be particularly serious

sources of interference to the radio astronomy service (see Nos. 4.5 and 4.6 and Article 29).

5.149A *Alternative allocation:* in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 13 450-13 550 kHz is allocated to the fixed service on a primary basis and to the mobile, except aeronautical mobile (R), service on a secondary basis.

5.150 The following bands:

13 553-13 567 kHz (centre frequency 13 560 kHz),
26 957-27 283 kHz (centre frequency 27 120 kHz),
40.66-40.70 MHz (centre frequency 40.68 MHz),
902-928 MHz in Region 2 (centre frequency 915 MHz),
2400-2500 MHz (centre frequency 2450 MHz),
5725-5875 MHz (centre frequency 5800 MHz), and
24-24.25 GHz (centre frequency 24.125 GHz)

are also designated for industrial, scientific and medical (ISM) applications. Radiocommunication services operating within these bands must accept harmful interference which may be caused by these applications. ISM equipment operating in these bands is subject to the provisions of No. 15.13.

5.151 *Additional allocation:* frequencies in the bands 13 570-13 600 kHz and 13 800-13 870 kHz may be used by stations in the fixed service and in the mobile except aeronautical mobile (R) service, communicating only within the boundary of the country in which they are located, on the condition that harmful interference is not caused to the broadcasting service. When using frequencies in these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations.

5.152 *Additional allocation:* in Armenia, Azerbaijan, China, Côte d'Ivoire, the Russian Federation, Georgia, Iran (Islamic Republic of), Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 14 250-14 350 kHz is also allocated to the fixed service on a primary basis. Stations of the fixed service shall not use a radiated power exceeding 24 dBW.

5.153 In Region 3, the stations of those services to which the band 15 995-16 005 kHz is allocated may transmit standard frequency and time signals.

5.154 *Additional allocation:* in Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 18 068-18 168 kHz is also allocated to the fixed service on a primary basis for use within their boundaries, with a peak envelope power not exceeding 1 kW.

5.155 *Additional allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the band 21 850-21 870 kHz is also allocated to the aeronautical mobile (R) service on a primary basis.

5.155A In Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the use of the band 21 850-21 870 kHz by the fixed service is limited to provision of services related to aircraft flight safety.

5.155B The band 21 870-21 924 kHz is used by the fixed service for provision of services related to aircraft flight safety.

5.156 *Additional allocation:* in Nigeria, the band 22 720-23 200 kHz is also allocated to the meteorological aids service (radiosondes) on a primary basis.

5.156A The use of the band 23 200-23 350 kHz by the fixed service is limited to provision of services related to aircraft flight safety.

5.157 The use of the band 23 350-24 000 kHz by the maritime mobile service is limited to inter-ship radiotelegraphy.

5.158 *Alternative allocation:* in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 24 450-24 600 kHz is allocated to the fixed and land mobile services on a primary basis.

5.159 *Alternative allocation:* in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 39-39.5 MHz is allocated to the fixed and mobile services on a primary basis.

* * * * *

5.161A *Additional allocation:* in Korea (Rep. of), the United States and Mexico, the frequency bands 41.015-41.665 MHz and 43.35-44 MHz are also allocated to the radiolocation service on a primary basis. Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed or mobile services. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution 612 (Rev.WRC-12).

5.161B *Alternative allocation:* in Albania, Germany, Armenia, Austria, Belarus, Belgium, Bosnia and Herzegovina, Cyprus, Vatican, Croatia, Denmark, Spain, Estonia, Finland, France, Greece, Hungary, Ireland, Iceland, Italy, Latvia, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Malta, Moldova, Monaco, Montenegro, Norway, Uzbekistan, Netherlands, Portugal, Kyrgyzstan, Slovakia, Czech Rep., Romania, United Kingdom, San Marino, Slovenia, Sweden, Switzerland, Turkey and Ukraine, the frequency band 42-42.5 MHz is allocated to the fixed and mobile services on a primary basis.

* * * * *

5.162A *Additional allocation:* in Germany, Austria, Belgium, Bosnia and Herzegovina, China, Vatican, Denmark, Spain, Estonia, the Russian Federation, Finland, France, Ireland, Iceland, Italy, Latvia, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Monaco, Montenegro, Norway, the Netherlands, Poland, Portugal, the Czech Rep., the United Kingdom, Serbia, Slovenia, Sweden and Switzerland the frequency band 46-68 MHz is also allocated to the radiolocation service on a secondary basis. This use is limited to the operation of wind profiler radars in accordance with Resolution 217 (WRC-97).

5.163 *Additional allocation:* in Armenia, Belarus, the Russian Federation, Georgia, Kazakhstan, Latvia, Moldova, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the frequency bands 47-48.5 MHz and 56.5-58 MHz are also allocated to the fixed and land mobile services on a secondary basis.

5.164 *Additional allocation:* in Albania, Algeria, Germany, Austria, Belgium, Bosnia and Herzegovina, Botswana, Bulgaria, Côte d'Ivoire, Croatia, Denmark, Spain, Estonia, Eswatini, Finland, France, Gabon, Greece, Hungary, Ireland, Israel, Italy, Jordan, Lebanon, Libya, Liechtenstein, Lithuania, Luxembourg, Madagascar, Mali, Malta, Morocco, Mauritania, Monaco, Montenegro, Nigeria, Norway, the Netherlands, Poland, Syrian Arab Republic, Slovakia, Czech Rep., Romania, the United Kingdom, Serbia, Slovenia, Sweden, Switzerland, Chad, Togo, Tunisia and Turkey, the frequency band 47-68 MHz, in South Africa the frequency band 47-50 MHz, and in Latvia the frequency bands 48.5-56.5 MHz and 58-68 MHz, are also allocated to the land mobile service on a primary basis. However, stations of the land mobile service in the countries mentioned in connection with each frequency band referred to in this footnote shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations of countries other than those mentioned in connection with the frequency band.

5.165 *Additional allocation:* in Angola, Cameroon, Congo (Rep. of the), Egypt, Madagascar, Mozambique, Niger, Somalia, Sudan, South Sudan, Tanzania and Chad, the frequency band 47-68 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.

5.166A *Different category of service:* in Austria, Cyprus, the Vatican, Croatia, Denmark, Spain, Finland, Hungary, Latvia, the Netherlands, the Czech Republic, the United Kingdom, Slovakia and Slovenia, the frequency band 50.0-50.5 MHz is allocated to the amateur service on a primary basis. Stations in the amateur service in these countries shall not cause harmful interference to, or claim protection from, stations of the broadcasting, fixed and mobile services operating in accordance with the Radio Regulations in the frequency band 50.0-50.5 MHz in the countries not listed in this provision. For a station of these services, the protection criteria in No. 5.169B shall also apply. In Region 1, with the exception of those countries listed in No. 5.169, wind profiler radars operating in the radiolocation service under No. 5.162A are authorized to operate on the basis of equality with stations in the amateur service in the frequency band 50.0-50.5 MHz.

5.166B In Region 1, stations in the amateur service operating on a secondary basis shall not cause harmful interference to, or claim protection from, stations of the broadcasting service. The field strength generated by an amateur station in Region 1 in the frequency band 50-52 MHz shall not exceed a calculated value of +6 dB(μ V/m) at a height of 10 m above ground for more than 10% of time along the border of a country with operational analogue broadcasting stations in Region 1 and of neighbouring countries with broadcasting stations in Region 3 listed in Nos. 5.167 and 5.168.

5.166C In Region 1, stations in the amateur service in the frequency band 50-52 MHz, with the exception of those countries listed in No. 5.169, shall not cause harmful interference to, or claim protection from, wind profiler radars operating in the radiolocation service under No. 5.162A.

5.166D *Different category of service:* in Lebanon, the frequency band 50-52 MHz is allocated to the amateur service on a primary basis. Stations in the amateur service in Lebanon shall not cause harmful interference to, or claim protection from, stations of the broadcasting, fixed and mobile services operating in accordance with the Radio Regulations in the frequency band 50-52 MHz in the countries not listed in this provision.

5.166E In the Russian Federation, only the frequency band 50.080-50.280 MHz is allocated to the amateur service on a secondary basis. The protection criteria for the other services in the countries not listed in this provision are specified in Nos. 5.166B and 5.169B.

* * * * *

5.169 *Alternative allocation:* in Botswana, Eswatini, Lesotho, Malawi, Namibia, Rwanda, South Africa, Zambia and Zimbabwe, the frequency band 50-54 MHz is allocated to the amateur service on a primary basis. In Senegal, the frequency band 50-51 MHz is allocated to the amateur service on a primary basis.

5.169A *Alternative allocation:* in the following countries in Region 1: Angola, Saudi Arabia, Bahrain, Burkina Faso, Burundi, the United Arab Emirates, Gambia, Jordan, Kenya, Kuwait, Mauritius, Mozambique, Oman, Uganda, Qatar, South Sudan and Tanzania, the frequency band 50-54 MHz is allocated to the amateur service on a primary basis. In Guinea-Bissau, the frequency band 50.0-50.5 MHz is allocated to the amateur service on a primary basis. In Djibouti, the frequency band 50-52 MHz is allocated to the amateur service on a primary basis. With the exception of those countries listed in No. 5.169, stations in the amateur service operating in Region 1 under this footnote, in all or part of the frequency band 50-54 MHz, shall not cause harmful interference to, or claim protection from, stations of other services operating in accordance with the Radio Regulations in Algeria, Egypt, Iran (Islamic

Republic of), Iraq, Israel, Libya, Palestine, the Syrian Arab Republic, the Dem. People's Republic of Korea, Sudan and Tunisia. The field strength generated by an amateur station in the frequency band 50-54 MHz shall not exceed a value of +6 dB(μ V/m) at a height of 10 m above ground for more than 10% of time along the borders of listed countries requiring protection.

Note: Pursuant to Resolution 99 (Rev. Dubai, 2018) and taking into account the Israeli-Palestinian Interim Agreement of 28 September 1995.

5.169B Except countries listed under No. 5.169, stations in the amateur service used in Region 1, in all or part of the 50-54 MHz frequency band, shall not cause harmful interference to, or claim protection from, stations of other services used in accordance with the Radio Regulations in Algeria, Armenia, Azerbaijan, Belarus, Egypt, Russian Federation, Iran (Islamic Republic of), Iraq, Kazakhstan, Kyrgyzstan, Libya, Uzbekistan, Palestine, the Syrian Arab Republic, Sudan, Tunisia and Ukraine. The field strength generated by an amateur station in the frequency band 50-54 MHz shall not exceed a value of +6 dB(μ V/m) at a height of 10 m above ground for more than 10% of time along the borders of the countries listed in this provision.

* * * * *

5.171 *Additional allocation:* in Botswana, Eswatini, Lesotho, Malawi, Mali, Namibia, Dem. Rep. of the Congo, Rwanda, South Africa, Zambia and Zimbabwe, the frequency band 54-68 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.

* * * * *

5.194 *Additional allocation:* in Kyrgyzstan, Somalia and Turkmenistan, the frequency band 104-108 MHz is also allocated to the mobile, except aeronautical mobile (R), service on a secondary basis.

* * * * *

5.201 *Additional allocation:* in Armenia, Azerbaijan, Belarus, Bulgaria, Estonia, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Iraq (Republic of), Japan, Kazakhstan, Mali, Mongolia, Mozambique, Uzbekistan, Papua New Guinea, Poland, Kyrgyzstan, Romania, Senegal, Tajikistan, Turkmenistan and Ukraine, the frequency band 132-136 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service.

5.202 *Additional allocation:* in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Bulgaria, the United Arab Emirates, the Russian Federation, Georgia, Iran (Islamic Republic of), Jordan, Mali, Oman, Uzbekistan, Poland, the Syrian Arab Republic, Kyrgyzstan, Romania, Senegal, Tajikistan, Turkmenistan and Ukraine, the frequency band 136-137 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service.

5.203C The use of the space operation service (space-to-Earth) with non-geostationary satellite short-duration mission systems in the frequency band 137-138 MHz is subject to Resolution 660 (WRC-19). Resolution 32 (WRC-19) applies. These systems shall not cause harmful interference to, or claim protection from, the existing services to which the frequency band is allocated on a primary basis.

5.204 *Different category of service:* in Afghanistan, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, China, Cuba, the United Arab Emirates, India, Indonesia, Iran (Islamic Republic of), Iraq, Kuwait, Montenegro, Oman, Pakistan, the Philippines, Qatar, Singapore, Thailand and Yemen, the frequency band 137-138 MHz is allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis (see No. 5.33).

* * * * *

5.208A In making assignments to space stations in the mobile-satellite service in the frequency bands 137-138 MHz, 387-390 MHz and 400.15-401 MHz and in the maritime mobile-satellite service (space-to-Earth) in the frequency bands 157.1875-157.3375 MHz and 161.7875-161.9375 MHz, administrations shall take all practicable steps to protect the radio astronomy service in the frequency bands 150.05-153 MHz, 322-328.6 MHz, 406.1-410 MHz and 608-614 MHz from harmful interference from unwanted emissions as shown in the most recent version of Recommendation ITU-R RA.769.

5.208B In the frequency bands 137-138 MHz, 157.1875-157.3375 MHz, 161.7875-161.9375 MHz, 387-390 MHz, 400.15-401 MHz, 1452-1492 MHz, 1525-1610 MHz, 1613.8-1626.5 MHz, 2655-2690 MHz, 21.4-22 GHz, Resolution 739 (Rev.WRC-19) applies.

* * * * *

5.209A The use of the frequency band 137.175-137.825 MHz by non-geostationary-satellite systems in the space operation service identified as short-duration mission in accordance with Appendix 4 is not subject to No. 9.11A.

* * * * *

5.211 *Additional allocation:* in Germany, Saudi Arabia, Austria, Bahrain, Belgium, Denmark, the United Arab Emirates, Spain, Finland, Greece, Guinea, Ireland, Israel, Kenya, Kuwait, Lebanon, Liechtenstein, Luxembourg, North Macedonia, Mali, Malta, Montenegro, Norway, the Netherlands, Qatar, Slovakia, the United Kingdom, Serbia, Slovenia, Somalia, Sweden, Switzerland, Tanzania, Tunisia and Turkey, the frequency band 138-144 MHz is also allocated to the maritime mobile and land mobile services on a primary basis.

5.212 *Alternative allocation:* in Angola, Botswana, Cameroon, the Central African Rep., Congo (Rep. of the), Eswatini, Gabon, Gambia, Ghana, Guinea, Iraq, Jordan, Lesotho, Liberia, Libya, Malawi, Mozambique, Namibia, Niger, Oman, Uganda, Syrian Arab Republic, the Dem. Rep. of the Congo, Rwanda, Sierra Leone, South Africa, Chad, Togo, Zambia and Zimbabwe, the frequency band 138-144 MHz is allocated to the fixed and mobile services on a primary basis.

* * * * *

5.214 *Additional allocation:* in Eritrea, Ethiopia, Kenya, North Macedonia, Montenegro, Serbia, Somalia, Sudan, South Sudan and Tanzania, the frequency band 138-144 MHz is also allocated to the fixed service on a primary basis.

* * * * *

5.218A The frequency band 148-149.9 MHz in the space operation service (Earth-to-space) may be used by non-geostationary-satellite systems with short-duration missions. Non-geostationary-satellite systems in the space operation service used for a short-duration mission in accordance with Resolution 32 (WRC-19) of the Radio Regulations are not subject to agreement under No. 9.21. At the stage of coordination, the provisions of Nos. 9.17 and 9.18 also apply. In the frequency band 148-149.9 MHz,

non-geostationary-satellite systems with short-duration missions shall not cause unacceptable interference to, or claim protection from, existing primary services within this frequency band, or impose additional constraints on the space operation and mobile-satellite services. In addition, earth stations in non-geostationary-satellite systems in the space operation service with short-duration missions in the frequency band 148-149.9 MHz shall ensure that the power flux-density does not exceed -149 dB(W/(m² · 4 kHz)) for more than 1% of time at the border of the territory of the following countries: Armenia, Azerbaijan, Belarus, China, Korea (Rep. of), Cuba, Russian Federation, India, Iran (Islamic Republic of), Japan, Kazakhstan, Malaysia, Uzbekistan, Kyrgyzstan, Thailand and Viet Nam. In case this power flux-density limit is exceeded, agreement under No. 9.21 is required to be obtained from countries mentioned in this footnote.

5.219 The use of the frequency band 148-149.9 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. The mobile-satellite service shall not constrain the development and use of the fixed, mobile and space operation services in the frequency band 148-149.9 MHz. The use of the frequency band 148-149.9 MHz by non-geostationary-satellite systems in the space operation service identified as short-duration mission is not subject to No. 9.11A.

* * * * *

5.221 Stations of the mobile-satellite service in the frequency band 148-149.9 MHz shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations in the following countries: Albania, Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Benin, Bosnia and Herzegovina, Botswana, Brunei Darussalam, Bulgaria, Cameroon, China, Cyprus, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Croatia, Cuba, Denmark, Djibouti, Egypt, the United Arab Emirates, Eritrea, Spain, Estonia, Eswatini, Ethiopia, the Russian Federation, Finland, France, Gabon, Georgia, Ghana, Greece, Guinea, Guinea Bissau, Hungary, India, Iran (Islamic Republic of), Ireland, Iceland, Israel, Italy, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kuwait, Lesotho, Latvia, Lebanon, Libya, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Malaysia, Mali, Malta, Mauritania, Moldova, Mongolia, Montenegro, Mozambique, Namibia, Norway, New Zealand, Oman, Uganda, Uzbekistan, Pakistan, Panama, Papua New Guinea, Paraguay, the Netherlands, the Philippines, Poland, Portugal, Qatar, the Syrian Arab Republic, Kyrgyzstan, Dem. People's Rep. of Korea, Slovakia, Romania, the United Kingdom, Senegal, Serbia, Sierra Leone, Singapore, Slovenia, Sudan, Sri Lanka, South Africa, Sweden, Switzerland, Tanzania, Chad, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Ukraine, Viet Nam, Yemen, Zambia and Zimbabwe.

* * * * *

5.228AB The use of the frequency bands 157.1875-157.3375 MHz and 161.7875-161.9375 MHz by the maritime mobile-satellite service (Earth-to-space) is limited to non-geostationary-satellite systems operating in accordance with Appendix 18.

5.228AC The use of the frequency bands 157.1875-157.3375 MHz and 161.7875-161.9375 MHz by the maritime mobile-satellite service (space-to-Earth) is limited to non-geostationary-satellite systems operating in accordance with Appendix 18. Such use is subject to agreement obtained under No. 9.21 with respect to the terrestrial services in Azerbaijan, Belarus, China, Korea (Rep. of), Cuba, the Russian Federation, the Syrian Arab Republic, the Dem. People's Rep. of Korea, South Africa and Viet Nam.

* * * * *

5.242 *Additional allocation:* in Canada and Mexico, the frequency band 216-220 MHz is also allocated to the land mobile service on a primary basis.

* * * * *

5.252 *Alternative allocation:* in Botswana, Eswatini, Lesotho, Malawi, Mozambique, Namibia, South Africa, Zambia and Zimbabwe, the frequency bands 230-238 MHz and 246-254 MHz are allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21.

* * * * *

5.260A In the frequency band 399.9-400.05 MHz, the maximum e.i.r.p. of any emission of earth stations in the mobile-satellite service shall not exceed 5 dBW in any 4 kHz band and the maximum e.i.r.p. of each earth station in the mobile-satellite service shall not exceed 5 dBW in the whole 399.9-400.05 MHz frequency band. Until 22 November 2022, this limit shall not apply to satellite systems for which complete notification information has been received by the Radiocommunication Bureau by 22 November 2019 and that have been brought into use by that date. After 22 November 2022, these limits shall apply to all systems within the mobile-satellite service operating in this frequency band. In the frequency band 399.99-400.02 MHz, the e.i.r.p. limits as specified above shall apply after 22 November 2022 to all systems within the mobile-satellite service. Administrations are requested that their mobile-satellite service satellite links in the 399.99-400.02 MHz frequency band comply with the e.i.r.p. limits as specified above, after 22 November 2019.

5.260B In the frequency band 400.02-400.05 MHz, the provisions of No. 5.260A are not applicable for telecommand uplinks within the mobile-satellite service.

* * * * *

5.264A In the frequency band 401-403 MHz, the maximum e.i.r.p. of any emission of each earth station in the meteorological-satellite service and the Earth exploration-satellite service shall not exceed 22 dBW in any 4 kHz band for geostationary-satellite systems and non-geostationary-satellite systems with an orbit of apogee equal or greater than 35 786 km. The maximum e.i.r.p. of any emission of each earth station in the meteorological-satellite service and the Earth exploration-satellite service shall not exceed 7 dBW in any 4 kHz band for non-geostationary-satellite systems with an orbit of apogee lower than 35 786 km. The maximum e.i.r.p. of each earth station in the meteorological-satellite service and the Earth exploration-satellite service shall not exceed 22 dBW for geostationary-satellite systems and non-geostationary-satellite systems with an orbit of apogee equal or greater than 35 786 km in the whole 401-403 MHz frequency band. The maximum e.i.r.p. of each earth station in the meteorological-satellite service and the Earth exploration-satellite service shall not exceed 7 dBW for non-geostationary-satellite systems with an orbit of apogee lower than 35 786 km in the whole 401-403 MHz frequency band. Until 22 November 2029, these limits shall not apply to satellite systems for which complete notification information has been received by the Radiocommunication Bureau by 22 November 2019 and that have been brought into use by that date. After 22 November 2029, these limits shall apply to all systems within the meteorological-satellite service and the Earth exploration-satellite service operating in this frequency band.

5.264B Non-geostationary-satellite systems in the meteorological-satellite service and the Earth exploration-satellite service for which complete notification information has been received by the Radiocommunication Bureau before 28 April 2007 are exempt from provisions of No. 5.264A and may continue to operate in the frequency band 401.898-402.522 MHz on a primary basis without exceeding a maximum e.i.r.p. level of 12 dBW.

5.265 In the frequency band 403-410 MHz, Resolution 205 (Rev.WRC-19) applies.

* * * * *

5.275 *Additional allocation:* in Croatia, Estonia, Finland, Libya, North Macedonia, Montenegro and Serbia, the frequency bands 430-432 MHz and 438-440 MHz are also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.

* * * * *

5.277 *Additional allocation:* in Angola, Armenia, Azerbaijan, Belarus, Cameroon, Congo (Rep. of the), Djibouti, the Russian Federation, Georgia, Hungary, Israel, Kazakhstan, Mali, Uzbekistan, Poland, the Dem. Rep. of the Congo, Kyrgyzstan, Slovakia, Romania, Rwanda, Tajikistan, Chad, Turkmenistan and Ukraine, the frequency band 430-440 MHz is also allocated to the fixed service on a primary basis.

5.278 *Different category of service:* in Argentina, Brazil, Colombia, Costa Rica, Cuba, Guyana, Honduras, Panama, Paraguay, Uruguay and Venezuela, the allocation of the frequency band 430-440 MHz to the amateur service is on a primary basis (see No. 5.33).

5.279 *Additional allocation:* in Mexico, the frequency bands 430-435 MHz and 438-440 MHz are also allocated on a primary basis to the mobile, except aeronautical mobile, service, and on a secondary basis to the fixed service, subject to agreement obtained under No. 9.21.

5.279A The use of the frequency band 432-438 MHz by sensors in the Earth exploration-satellite service (active) shall be in accordance with Recommendation ITU-R RS.1260-2. Additionally, the Earth exploration-satellite service (active) in the frequency band 432-438 MHz shall not cause harmful interference to the aeronautical radionavigation service in China. The provisions of this footnote in no way diminish the obligation of the Earth exploration-satellite service (active) to operate as a secondary service in accordance with Nos. 5.29 and 5.30.

5.280 In Germany, Austria, Bosnia and Herzegovina, Croatia, Liechtenstein, North Macedonia, Montenegro, Portugal, Serbia, Slovenia and Switzerland, the frequency band 433.05-434.79 MHz (centre frequency 433.92 MHz) is designated for industrial, scientific and medical (ISM) applications. Radiocommunication services of these countries operating within this frequency band must accept harmful interference which may be caused by these applications. ISM equipment operating in this frequency band is subject to the provisions of No. 15.13.

* * * * *

5.286AA The frequency band 450-470 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) – see Resolution 224 (Rev.WRC-19). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations.

* * * * *

5.287 Use of the frequency bands 457.5125-457.5875 MHz and 467.5125-467.5875 MHz by the maritime mobile service is limited to on-board communication stations. The characteristics of the equipment and the channelling arrangement shall be in accordance with Recommendation ITU-R M.1174-4. The use of these frequency bands in territorial waters is subject to the national regulations of the administration concerned.

5.288 In the territorial waters of the United States and the Philippines, the preferred frequencies for use by on-board communication stations shall be 457.525 MHz, 457.550 MHz, 457.575 MHz and 457.600 MHz paired, respectively, with 467.750 MHz, 467.775 MHz, 467.800 MHz and 467.825 MHz. The characteristics of the equipment used shall conform to those specified in Recommendation ITU-R M.1174-4.

* * * * *

5.295 In the Bahamas, Barbados, Canada, the United States and Mexico, the frequency band 470-608 MHz, or portions thereof, is identified for International Mobile Telecommunications (IMT) – see Resolution 224 (Rev.WRC-19). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Mobile service stations of the IMT system within the frequency band are subject to agreement obtained under No. 9.21 and shall not cause harmful interference to, or claim protection from, the broadcasting service of neighbouring countries. Nos. 5.43 and 5.43A apply.

5.296 *Additional allocation:* in Albania, Germany, Angola, Saudi Arabia, Austria, Bahrain, Belgium, Benin, Bosnia and Herzegovina, Botswana, Bulgaria, Burkina Faso, Burundi, Cameroon, Vatican, Congo (Rep. of the), Côte d'Ivoire, Croatia, Denmark, Djibouti, Egypt, United Arab Emirates, Spain, Estonia, Eswatini, Finland, France, Gabon, Georgia, Ghana, Hungary, Iraq, Ireland, Iceland, Israel, Italy, Jordan, Kenya, Kuwait, Lesotho, Latvia, Lebanon, Libya, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Malawi, Mali, Malta, Morocco, Mauritius, Mauritania, Moldova, Monaco, Mozambique, Namibia, Niger, Nigeria, Norway, Oman, Uganda, the Netherlands, Poland, Portugal, Qatar, the Syrian Arab Republic, Slovakia, the Czech Republic, Romania, the United Kingdom, Rwanda, San Marino, Serbia, Sudan, South Africa, Sweden, Switzerland, Tanzania, Chad, Togo, Tunisia, Turkey, Ukraine, Zambia and Zimbabwe, the frequency band 470-694 MHz is also allocated on a secondary basis to the land mobile service, intended for applications ancillary to broadcasting and programme-making. Stations of the land mobile service in the countries listed in this footnote shall not cause harmful interference to existing or planned stations operating in accordance with the Table in countries other than those listed in this footnote.

5.296A In Micronesia, the Solomon Islands, Tuvalu and Vanuatu, the frequency band 470-698 MHz, or portions thereof, and in Bangladesh, Maldives and New Zealand, the frequency band 610-698 MHz, or portions thereof, are identified for use by these administrations wishing to implement International Mobile Telecommunications (IMT) – see Resolution 224 (Rev.WRC-19). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. The mobile allocation in this frequency band shall not be used for IMT systems unless subject to agreement obtained under No. 9.21 and shall not cause harmful interference to, or claim protection from, the broadcasting service of neighbouring countries. Nos. 5.43 and 5.43A apply.

5.297 *Additional allocation:* in Canada, Costa Rica, Cuba, El Salvador, the United States, Guatemala, Guyana and Jamaica, the frequency band 512-608 MHz is also allocated to the fixed and mobile services on a primary basis, subject to agreement obtained under No. 9.21. In the Bahamas, Barbados and Mexico, the frequency band 512-608 MHz is also allocated to the mobile service on a primary basis, subject to agreement obtained under No. 9.21. In Mexico, the frequency band 512-608 MHz is also allocated on a secondary basis to the fixed service (see No. 5.32).

* * * * *

5.308 *Additional allocation:* in Belize, Colombia and Guatemala, the frequency band 614-698 MHz is also allocated to the mobile service on a primary basis. Stations of the mobile service within the frequency band are subject to agreement obtained under No. 9.21.

5.308A In the Bahamas, Barbados, Belize, Canada, Colombia, the United States, Guatemala and Mexico, the frequency band 614-698 MHz, or portions thereof, is identified for International Mobile Telecommunications (IMT) – see Resolution 224 (Rev.WRC-19). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Mobile service stations of the IMT system within the

frequency band are subject to agreement obtained under No. 9.21 and shall not cause harmful interference to, or claim protection from, the broadcasting service of neighbouring countries. Nos. 5.43 and 5.43A apply.

* * * * *

5.312 *Additional allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the frequency band 645-862 MHz, and in Bulgaria the frequency bands 646-686 MHz, 726-753 MHz, 778-811 MHz and 822-852 MHz, are also allocated to the aeronautical radionavigation service on a primary basis.

5.312A In Region 1, the use of the frequency band 694-790 MHz by the mobile, except aeronautical mobile, service is subject to the provisions of Resolution 760 (Rev.WRC-19). See also Resolution 224 (Rev.WRC-19).

5.313A The frequency band, or portions of the frequency band 698-790 MHz, in Australia, Bangladesh, Brunei Darussalam, Cambodia, China, Korea (Rep. of), Fiji, India, Indonesia, Japan, Kiribati, Lao P.D.R., Malaysia, Myanmar (Union of), New Zealand, Pakistan, Papua New Guinea, the Philippines, the Dem. People's Rep. of Korea, Solomon Islands, Samoa, Singapore, Thailand, Tonga, Tuvalu, Vanuatu and Viet Nam, are identified for use by these administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations.

5.316B In Region 1, the allocation to the mobile, except aeronautical mobile, service in the frequency band 790-862 MHz is subject to agreement obtained under No. 9.21 with respect to the aeronautical radionavigation service in countries mentioned in No. 5.312. For countries party to the GE06 Agreement, the use of stations of the mobile service is also subject to the successful application of the procedures of that Agreement. Resolutions 224 (Rev.WRC-19) and 749 (Rev.WRC-19) shall apply, as appropriate.

* * * * *

5.317A The parts of the frequency band 698-960 MHz in Region 2 and the frequency bands 694-790 MHz in Region 1 and 790-960 MHz in Regions 1 and 3 which are allocated to the mobile service on a primary basis are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) – see Resolutions 224 (Rev.WRC-19), 760 (Rev.WRC-19) and 749 (Rev.WRC-19), where applicable. This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations.

* * * * *

5.323 *Additional allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the frequency band 862-960 MHz, in Bulgaria the frequency bands 862-880 MHz and 915-925 MHz, and in Romania the frequency bands 862-880 MHz and 915-925 MHz, are also allocated to the aeronautical radionavigation service on a primary basis. Such use is subject to agreement obtained under No. 9.21 with administrations concerned and limited to ground-based radiobeacons in operation on 27 October 1997 until the end of their lifetime.

* * * * *

5.325A *Different category of service:* in Argentina, Brazil, Costa Rica, Cuba, Dominican Republic, El Salvador, Ecuador, the French overseas departments and communities in Region 2, Guatemala,

Paraguay, Uruguay and Venezuela, the frequency band 902-928 MHz is allocated to the land mobile service on a primary basis. In Mexico, the frequency band 902-928 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis. In Colombia, the frequency band 902-905 MHz is allocated to the land mobile service on a primary basis.

* * * * *

5.328AA The frequency band 1087.7-1092.3 MHz is also allocated to the aeronautical mobile-satellite (R) service (Earth-to-space) on a primary basis, limited to the space station reception of Automatic Dependent Surveillance-Broadcast (ADS-B) emissions from aircraft transmitters that operate in accordance with recognized international aeronautical standards. Stations operating in the aeronautical mobile-satellite (R) service shall not claim protection from stations operating in the aeronautical radionavigation service. Resolution 425 (Rev.WRC-19) shall apply.

5.328B The use of the bands 1164-1300 MHz, 1559-1610 MHz and 5010-5030 MHz by systems and networks in the radionavigation-satellite service for which complete coordination or notification information, as appropriate, is received by the Radiocommunication Bureau after 1 January 2005 is subject to the application of the provisions of Nos. 9.12, 9.12A and 9.13. Resolution 610 (Rev.WRC-19) shall also apply; however, in the case of radionavigation-satellite service (space-to-space) networks and systems, Resolution 610 (Rev.WRC-19) shall only apply to transmitting space stations. In accordance with No. 5.329A, for systems and networks in the radionavigation-satellite service (space-to-space) in the bands 1215-1300 MHz and 1559-1610 MHz, the provisions of Nos. 9.7, 9.12, 9.12A and 9.13 shall only apply with respect to other systems and networks in the radionavigation-satellite service (space-to-space).

5.329 Use of the radionavigation-satellite service in the frequency band 1215-1300 MHz shall be subject to the condition that no harmful interference is caused to, and no protection is claimed from, the radionavigation service authorized under No. 5.331. Furthermore, the use of the radionavigation-satellite service in the frequency band 1215-1300 MHz shall be subject to the condition that no harmful interference is caused to the radiolocation service. No. 5.43 shall not apply in respect of the radiolocation service. Resolution 608 (Rev.WRC-19) shall apply.

* * * * *

5.331 *Additional allocation:* in Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Belarus, Belgium, Benin, Bosnia and Herzegovina, Brazil, Burkina Faso, Burundi, Cameroon, China, Korea (Rep. of), Croatia, Denmark, Egypt, the United Arab Emirates, Estonia, the Russian Federation, Finland, France, Ghana, Greece, Guinea, Equatorial Guinea, Hungary, India, Indonesia, Iran (Islamic Republic of), Iraq, Ireland, Israel, Jordan, Kenya, Kuwait, Lesotho, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Madagascar, Mali, Mauritania, Montenegro, Nigeria, Norway, Oman, Pakistan, the Kingdom of the Netherlands, Poland, Portugal, Qatar, the Syrian Arab Republic, Dem. People's Rep. of Korea, Slovakia, the United Kingdom, Serbia, Slovenia, Somalia, Sudan, South Sudan, Sri Lanka, South Africa, Sweden, Switzerland, Thailand, Togo, Turkey, Venezuela and Viet Nam, the frequency band 1215-1300 MHz is also allocated to the radionavigation service on a primary basis. In Canada and the United States, the frequency band 1240-1300 MHz is also allocated to the radionavigation service, and use of the radionavigation service shall be limited to the aeronautical radionavigation service.

* * * * *

5.338A In the frequency bands 1350-1400 MHz, 1427-1452 MHz, 22.55-23.55 GHz, 24.25-27.5 GHz, 30-31.3 GHz, 49.7-50.2 GHz, 50.4-50.9 GHz, 51.4-52.4 GHz, 52.4-52.6 GHz, 81-86 GHz and 92-94 GHz, Resolution 750 (Rev.WRC-19) applies.

* * * * *

5.341A In Region 1, the frequency bands 1427-1452 MHz and 1492-1518 MHz are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-19). This identification does not preclude the use of these frequency bands by any other application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of IMT stations is subject to agreement obtained under No. 9.21 with respect to the aeronautical mobile service used for aeronautical telemetry in accordance with No. 5.342.

5.341B In Region 2, the frequency band 1427-1518 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-19). This identification does not preclude the use of this frequency band by any application of the services to which they are allocated and does not establish priority in the Radio Regulations.

5.341C The frequency bands 1427-1452 MHz and 1492-1518 MHz are identified for use by administrations in Region 3 wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-19). The use of these frequency bands by the above administrations for the implementation of IMT in the frequency bands 1429-1452 MHz and 1492-1518 MHz is subject to agreement obtained under No. 9.21 from countries using stations of the aeronautical mobile service. This identification does not preclude the use of these frequency bands by any application of the services to which it is allocated and does not establish priority in the Radio Regulations.

* * * * *

5.345 Use of the frequency band 1452-1492 MHz by the broadcasting-satellite service, and by the broadcasting service, is limited to digital audio broadcasting and is subject to the provisions of Resolution 528 (Rev.WRC-19).

5.346 In Algeria, Angola, Saudi Arabia, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Congo (Rep. of the), Côte d'Ivoire, Djibouti, Egypt, United Arab Emirates, Eswatini, Gabon, Gambia, Ghana, Guinea, Iraq, Jordan, Kenya, Kuwait, Lesotho, Lebanon, Liberia, Madagascar, Malawi, Mali, Morocco, Mauritius, Mauritania, Mozambique, Namibia, Niger, Nigeria, Oman, Uganda, Palestine, Qatar, Dem. Rep. of the Congo, Rwanda, Senegal, Seychelles, Sudan, South Sudan, South Africa, Tanzania, Chad, Togo, Tunisia, Zambia, and Zimbabwe, the frequency band 1452-1492 MHz is identified for use by administrations listed above wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-19). This identification does not preclude the use of this frequency band by any other application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of this frequency band for the implementation of IMT is subject to agreement obtained under No. 9.21 with respect to the aeronautical mobile service used for aeronautical telemetry in accordance with No. 5.342. See also Resolution 761 (Rev.WRC-19).

Note: The use by Palestine of the allocation to the mobile service in the frequency band 1452-1492 MHz identified for IMT is noted, pursuant to Resolution 99 (Rev. Dubai, 2018) and taking into account the Israeli-Palestinian Interim Agreement of 28 September 1995.

5.346A The frequency band 1452-1492 MHz is identified for use by administrations in Region 3 wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-19) and Resolution 761 (Rev.WRC-19). The use of this frequency band by the above administrations for the implementation of IMT is subject to agreement obtained under No. 9.21 from countries using stations of the aeronautical mobile service. This identification does not preclude the use

of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations.

* * * * *

5.349 *Different category of service:* in Saudi Arabia, Azerbaijan, Bahrain, Cameroon, Egypt, Iran (Islamic Republic of), Iraq, Israel, Kazakhstan, Kuwait, Lebanon, North Macedonia, Morocco, Qatar, Syrian Arab Republic, Kyrgyzstan, Turkmenistan and Yemen, the allocation of the frequency band 1525-1530 MHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. 5.33).

5.350 *Additional allocation:* in Kyrgyzstan and Turkmenistan, the frequency band 1525-1530 MHz is also allocated to the aeronautical mobile service on a primary basis.

* * * * *

5.351A For the use of the bands 1518-1544 MHz, 1545-1559 MHz, 1610-1645.5 MHz, 1646.5-1660.5 MHz, 1668-1675 MHz, 1980-2010 MHz, 2170-2200 MHz, 2483.5-2520 MHz and 2670-2690 MHz by the mobile-satellite service, see Resolutions 212 (Rev.WRC-19) and 225 (Rev.WRC-12).

* * * * *

5.352A In the frequency band 1525-1530 MHz, stations in the mobile-satellite service, except stations in the maritime mobile-satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed service in Algeria, Saudi Arabia, Egypt, Guinea, India, Israel, Italy, Jordan, Kuwait, Mali, Morocco, Mauritania, Nigeria, Oman, Pakistan, the Philippines, Qatar, Syrian Arab Republic, Viet Nam and Yemen notified prior to 1 April 1998.

* * * * *

5.359 *Additional allocation:* in Germany, Saudi Arabia, Armenia, Azerbaijan, Belarus, Cameroon, the Russian Federation, Georgia, Guinea, Guinea-Bissau, Jordan, Kazakhstan, Kuwait, Lithuania, Mauritania, Uganda, Uzbekistan, Pakistan, Poland, the Syrian Arab Republic, Kyrgyzstan, the Dem. People's Rep. of Korea, Romania, Tajikistan, Tunisia, Turkmenistan and Ukraine, the frequency bands 1550-1559 MHz, 1610-1645.5 MHz and 1646.5-1660 MHz are also allocated to the fixed service on a primary basis. Administrations are urged to make all practicable efforts to avoid the implementation of new fixed-service stations in these frequency bands.

* * * * *

5.368 The provisions of No. 4.10 do not apply with respect to the radiodetermination-satellite and mobile-satellite services in the frequency band 1610-1626.5 MHz. However, No. 4.10 applies in the frequency band 1610-1626.5 MHz with respect to the aeronautical radionavigation-satellite service when operating in accordance with No. 5.366, the aeronautical mobile satellite (R) service when operating in accordance with No. 5.367, and in the frequency band 1621.35-1626.5 MHz with respect to the maritime mobile-satellite service when used for GMDSS.

* * * * *

5.372 Harmful interference shall not be caused to stations of the radio astronomy service using the frequency band 1610.6-1613.8 MHz by stations of the radiodetermination-satellite and mobile-satellite services (No. 29.13 applies). The equivalent power flux-density (epfd) produced in the frequency band 1610.6-1613.8 MHz by all space stations of a non-geostationary-satellite system in the mobile-satellite

service (space-to-Earth) operating in frequency band 1613.8-1626.5 MHz shall be in compliance with the protection criteria provided in Recommendations ITU-R RA.769-2 and ITU-R RA.1513-2, using the methodology given in Recommendation ITU-R M.1583-1, and the radio astronomy antenna pattern described in Recommendation ITU-R RA.1631-0.

5.373 Maritime mobile earth stations receiving in the frequency band 1621.35-1626.5 MHz shall not impose additional constraints on earth stations operating in the maritime mobile-satellite service or maritime earth stations of the radiodetermination-satellite service operating in accordance with the Radio Regulations in the frequency band 1610-1621.35 MHz or on earth stations operating in the maritime mobile-satellite service operating in accordance with the Radio Regulations in the frequency band 1626.5-1660.5 MHz, unless otherwise agreed between the notifying administrations.

5.373A Maritime mobile earth stations receiving in the frequency band 1621.35-1626.5 MHz shall not impose constraints on the assignments of earth stations of the mobile-satellite service (Earth-to-space) and the radiodetermination-satellite service (Earth-to-space) in the frequency band 1621.35-1626.5 MHz in networks for which complete coordination information has been received by the Radiocommunication Bureau before 28 October 2019.

* * * * *

5.382 *Different category of service:* in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Congo (Rep. of the), Egypt, the United Arab Emirates, Eritrea, Ethiopia, the Russian Federation, Guinea, Iraq, Israel, Jordan, Kazakhstan, Kuwait, Lebanon, North Macedonia, Mauritania, Moldova, Mongolia, Oman, Uzbekistan, Poland, Qatar, the Syrian Arab Republic, Kyrgyzstan, Somalia, Tajikistan, Turkmenistan, Ukraine and Yemen, the allocation of the frequency band 1690-1700 MHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. 5.33), and in the Dem. People's Rep. of Korea, the allocation of the frequency band 1690-1700 MHz to the fixed service is on a primary basis (see No. 5.33) and to the mobile, except aeronautical mobile, service on a secondary basis.

* * * * *

5.384A The frequency bands 1710-1885 MHz, 2300-2400 MHz and 2500-2690 MHz, or portions thereof, are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-19). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations.

* * * * *

5.388 The frequency bands 1885-2025 MHz and 2110-2200 MHz are intended for use, on a worldwide basis, by administrations wishing to implement International Mobile Telecommunications (IMT). Such use does not preclude the use of these frequency bands by other services to which they are allocated. The frequency bands should be made available for IMT in accordance with Resolution 212 (Rev.WRC-19) (see also Resolution 223 (Rev.WRC-19)).

* * * * *

5.388B In Algeria, Saudi Arabia, Bahrain, Benin, Burkina Faso, Cameroon, Comoros, Côte d'Ivoire, China, Cuba, Djibouti, Egypt, United Arab Emirates, Eritrea, Ethiopia, Gabon, Ghana, India, Iran (Islamic Republic of), Israel, Jordan, Kenya, Kuwait, Lebanon, Libya, Mali, Morocco, Mauritania, Nigeria, Oman, Uganda, Pakistan, Qatar, the Syrian Arab Republic, Senegal, Singapore, Sudan, South Sudan, Tanzania, Chad, Togo, Tunisia, Yemen, Zambia and Zimbabwe, for the purpose of protecting fixed and mobile services, including IMT mobile stations, in their territories from co-channel interference,

a high altitude platform station (HAPS) operating as an IMT base station in neighbouring countries, in the frequency bands referred to in No. 5.388A, shall not exceed a co-channel power flux-density of -127 dB(W/(m² · MHz)) at the Earth's surface outside a country's borders unless explicit agreement of the affected administration is provided at the time of the notification of HAPS.

* * * * *

5.389B The use of the frequency band 1980-1990 MHz by the mobile-satellite service shall not cause harmful interference to or constrain the development of the fixed and mobile services in Argentina, Brazil, Canada, Chile, Ecuador, the United States, Honduras, Jamaica, Mexico, Paraguay, Peru, Suriname, Trinidad and Tobago, Uruguay and Venezuela.

* * * * *

5.389F In Algeria, Cape Verde, Egypt, Iran (Islamic Republic of), Mali, Syrian Arab Republic and Tunisia, the use of the frequency bands 1980-2010 MHz and 2170-2200 MHz by the mobile-satellite service shall neither cause harmful interference to the fixed and mobile services, nor hamper the development of those services prior to 1 January 2005, nor shall the former service request protection from the latter services.

* * * * *

5.393 *Additional allocation:* in Canada, the United States and India, the frequency band 2310-2360 MHz is also allocated to the broadcasting-satellite service (sound) and complementary terrestrial sound broadcasting service on a primary basis. Such use is limited to digital audio broadcasting and is subject to the provisions of Resolution 528 (Rev.WRC-19), with the exception of *resolves* 3 in regard to the limitation on broadcasting-satellite systems in the upper 25 MHz. Complementary terrestrial sound broadcasting stations shall be subject to bilateral coordination with neighbouring countries prior to their bringing into use.

* * * * *

5.401 In Angola, Australia, Bangladesh, China, Eritrea, Eswatini, Ethiopia, India, Lebanon, Liberia, Libya, Madagascar, Mali, Pakistan, Papua New Guinea, Syrian Arab Republic, Dem. Rep. of the Congo, Sudan, Togo and Zambia, the frequency band 2483.5-2500 MHz was already allocated on a primary basis to the radiodetermination-satellite service before WRC-12, subject to agreement obtained under No. 9.21 from countries not listed in this provision. Systems in the radiodetermination-satellite service for which complete coordination information has been received by the Radiocommunication Bureau before 18 February 2012 will retain their regulatory status, as of the date of receipt of the coordination request information.

* * * * *

5.418 *Additional allocation:* in India, the frequency band 2535-2655 MHz is also allocated to the broadcasting-satellite service (sound) and complementary terrestrial broadcasting service on a primary basis. Such use is limited to digital audio broadcasting and is subject to the provisions of Resolution 528 (Rev.WRC-19). The provisions of No. 5.416 and Table 21-4 of Article 21 do not apply to this additional allocation. Use of non-geostationary-satellite systems in the broadcasting-satellite service (sound) is subject to Resolution 539 (Rev.WRC-19). Geostationary broadcasting-satellite service (sound) systems for which complete Appendix 4 coordination information has been received after 1 June 2005 are limited to systems intended for national coverage. The power flux-density at the Earth's surface produced by emissions from a geostationary broadcasting-satellite service (sound) space station operating in the frequency band 2630-2655 MHz, and for which complete Appendix 4 coordination information has been

received after 1 June 2005, shall not exceed the following limits, for all conditions and for all methods of modulation: $-130 \text{ dB(W/(m}^2 \cdot \text{MHz))}$ for $0^\circ \leq \theta \leq 5^\circ$, $-130 + 0.4 (\theta - 5) \text{ dB(W/(m}^2 \cdot \text{MHz))}$ for $5^\circ < \theta \leq 25^\circ$, $-122 \text{ dB(W/(m}^2 \cdot \text{MHz))}$ for $25^\circ < \theta \leq 90^\circ$, where θ is the angle of arrival of the incident wave above the horizontal plane, in degrees. These limits may be exceeded on the territory of any country whose administration has so agreed. As an exception to the limits above, the pfd value of $-122 \text{ dB(W/(m}^2 \cdot \text{MHz))}$ shall be used as a threshold for coordination under No. 9.11 in an area of 1500 km around the territory of the administration notifying the broadcasting-satellite service (sound) system. In addition, an administration listed in this provision shall not have simultaneously two overlapping frequency assignments, one under this provision and the other under No. 5.416 for systems for which complete Appendix 4 coordination information has been received after 1 June 2005.

* * * * *

5.428 *Additional allocation:* in Kyrgyzstan and Turkmenistan, the frequency band 3100-3300 MHz is also allocated to the radionavigation service on a primary basis.

5.429 *Additional allocation:* in Saudi Arabia, Bahrain, Bangladesh, Benin, Brunei Darussalam, Cambodia, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Egypt, the United Arab Emirates, India, Indonesia, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kenya, Kuwait, Lebanon, Libya, Malaysia, New Zealand, Oman, Uganda, Pakistan, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, the Dem. People's Rep. of Korea, Sudan and Yemen, the frequency band 3300-3400 MHz is also allocated to the fixed and mobile services on a primary basis. New Zealand and the countries bordering the Mediterranean shall not claim protection for their fixed and mobile services from the radiolocation service.

5.429A *Additional allocation:* in Angola, Benin, Botswana, Burkina Faso, Burundi, Djibouti, Eswatini, Ghana, Guinea, Guinea-Bissau, Lesotho, Liberia, Malawi, Mauritania, Mozambique, Namibia, Niger, Nigeria, Rwanda, Sudan, South Sudan, South Africa, Tanzania, Chad, Togo, Zambia and Zimbabwe, the frequency band 3300-3400 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis. Stations in the mobile service operating in the frequency band 3300-3400 MHz shall not cause harmful interference to, or claim protection from, stations operating in the radiolocation service.

5.429B In the following countries of Region 1 south of 30° parallel north: Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Congo (Rep. of the), Côte d'Ivoire, Egypt, Eswatini, Ghana, Guinea, Guinea-Bissau, Kenya, Lesotho, Liberia, Malawi, Mauritania, Mozambique, Namibia, Niger, Nigeria, Uganda, the Dem. Rep. of the Congo, Rwanda, Sudan, South Sudan, South Africa, Tanzania, Chad, Togo, Zambia and Zimbabwe, the frequency band 3300-3400 MHz is identified for the implementation of International Mobile Telecommunications (IMT). The use of this frequency band shall be in accordance with Resolution 223 (Rev.WRC-19). The use of the frequency band 3300-3400 MHz by IMT stations in the mobile service shall not cause harmful interference to, or claim protection from, systems in the radiolocation service, and administrations wishing to implement IMT shall obtain the agreement of neighbouring countries to protect operations within the radiolocation service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations.

5.429C *Different category of service:* in Argentina, Belize, Brazil, Chile, Colombia, Costa Rica, the Dominican Republic, El Salvador, Ecuador, Guatemala, Mexico, Paraguay and Uruguay, the frequency band 3300-3400 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis. In Argentina, Brazil, the Dominican Republic, Guatemala, Mexico, Paraguay and Uruguay, the frequency band 3300-3400 MHz is also allocated to the fixed service on a primary basis. Stations in the fixed and

mobile services operating in the frequency band 3300-3400 MHz shall not cause harmful interference to, or claim protection from, stations operating in the radiolocation service.

5.429D In the following countries in Region 2: Argentina, Belize, Brazil, Chile, Colombia, Costa Rica, the Dominican Republic, El Salvador, Ecuador, Guatemala, Mexico, Paraguay and Uruguay, the use of the frequency band 3300-3400 MHz is identified for the implementation of International Mobile Telecommunications (IMT). Such use shall be in accordance with Resolution 223 (Rev.WRC-19). This use in Argentina, Paraguay and Uruguay is subject to the application of No. 9.21. The use of the frequency band 3300-3400 MHz by IMT stations in the mobile service shall not cause harmful interference to, or claim protection from, systems in the radiolocation service, and administrations wishing to implement IMT shall obtain the agreement of neighbouring countries to protect operations within the radiolocation service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations.

* * * * *

5.429F In the following countries in Region 3: Cambodia, India, Indonesia, Lao P.D.R., Pakistan, the Philippines and Viet Nam, the use of the frequency band 3300-3400 MHz is identified for the implementation of International Mobile Telecommunications (IMT). Such use shall be in accordance with Resolution 223 (Rev.WRC-19). The use of the frequency band 3300-3400 MHz by IMT stations in the mobile service shall not cause harmful interference to, or claim protection from, systems in the radiolocation service. Before an administration brings into use a base or mobile station of an IMT system in this frequency band, it shall seek agreement under No. 9.21 with neighbouring countries to protect the radiolocation service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations.

5.430 *Additional allocation:* in Kyrgyzstan and Turkmenistan, the frequency band 3300-3400 MHz is also allocated to the radionavigation service on a primary basis.

5.430A The allocation of the frequency band 3400-3600 MHz to the mobile, except aeronautical mobile, service is subject to agreement obtained under No. 9.21. This frequency band is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The provisions of Nos. 9.17 and 9.18 shall also apply in the coordination phase. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band, it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station) and with the assistance of the Bureau if so requested. In case of disagreement, calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3400-3600 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004).

* * * * *

5.431 *Additional allocation:* in Germany, the frequency band 3400-3475 MHz is also allocated to the amateur service on a secondary basis.

* * * * *

5.432 *Different category of service:* in Korea (Rep. of), Japan, Pakistan and the Dem. People's Rep. of Korea, the allocation of the frequency band 3400-3500 MHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. 5.33).

5.432A In Korea (Rep. of), Japan, Pakistan and the Dem. People's Rep. of Korea, the frequency band 3400-3500 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3400-3500 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004).

5.432B *Different category of service:* in Australia, Bangladesh, Brunei Darussalam, China, French overseas communities of Region 3, India, Indonesia, Iran (Islamic Republic of), Malaysia, New Zealand, the Philippines, Singapore and Thailand, the frequency band 3400-3500 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis, subject to agreement obtained under No. 9.21 with other administrations and is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3400-3500 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004).

* * * * *

5.433A In Australia, Bangladesh, Brunei Darussalam, China, French overseas communities of Region 3, Korea (Rep. of), India, Indonesia, Iran (Islamic Republic of), Japan, New Zealand, Pakistan, the Philippines and the Dem. People's Rep. of Korea, the frequency band 3500-3600 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed

–154.5 dB (W/(m² · 4 kHz)) for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3500-3600 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004).

5.434 In Canada, Chile, Colombia, Costa Rica, El Salvador, the United States and Paraguay, the frequency band 3600-3700 MHz, or portions thereof, is identified for use by these administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a base or mobile station of an IMT system, it shall seek agreement under No. 9.21 with other administrations and ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed –154.5 dB(W/(m² · 4 kHz)) for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service, including IMT systems, in the frequency band 3600-3700 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004).

* * * * *

5.441A In Brazil, Paraguay and Uruguay, the frequency band 4800-4900 MHz, or portions thereof, is identified for the implementation of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of this frequency band for the implementation of IMT is subject to agreement obtained with neighbouring countries, and IMT stations shall not claim protection from stations of other applications of the mobile service. Such use shall be in accordance with Resolution 223 (Rev.WRC-19).

5.441B In Angola, Armenia, Azerbaijan, Benin, Botswana, Brazil, Burkina Faso, Burundi, Cambodia, Cameroon, China, Côte d'Ivoire, Djibouti, Eswatini, Russian Federation, Gambia, Guinea, Iran (Islamic Republic of), Kazakhstan, Kenya, Lao P.D.R., Lesotho, Liberia, Malawi, Mauritius, Mongolia, Mozambique, Nigeria, Uganda, Uzbekistan, the Dem. Rep. of the Congo, Kyrgyzstan, the Dem. People's Rep. of Korea, Sudan, South Africa, Tanzania, Togo, Viet Nam, Zambia and Zimbabwe, the frequency band 4800-4990 MHz, or portions thereof, is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of IMT stations is subject to agreement obtained under No. 9.21 with concerned administrations, and IMT stations shall not claim protection from stations of other applications of the mobile service. In addition, before an administration brings into use an IMT station in the mobile service, it shall ensure that the power flux-density (pfd) produced by this station does not exceed –155 dB(W/(m² · 1 MHz)) produced up to 19 km above sea level at 20 km from the coast, defined

as the low-water mark, as officially recognized by the coastal State. This pfd criterion is subject to review at WRC-23. Resolution 223 (Rev.WRC-19) applies. This identification shall be effective after WRC-19.

5.444B The use of the frequency band 5091-5150 MHz by the aeronautical mobile service is limited to: systems operating in the aeronautical mobile (R) service and in accordance with international aeronautical standards, limited to surface applications at airports. Such use shall be in accordance with Resolution 748 (Rev.WRC-19); aeronautical telemetry transmissions from aircraft stations (see No. 1.83) in accordance with Resolution 418 (Rev.WRC-19).

* * * * *

5.446A The use of the frequency bands 5150-5350 MHz and 5470-5725 MHz by the stations in the mobile, except aeronautical mobile, service shall be in accordance with Resolution 229 (Rev.WRC-19).

* * * * *

5.446C *Additional allocation:* in Region 1 (except in Algeria, Saudi Arabia, Bahrain, Egypt, United Arab Emirates, Iraq, Jordan, Kuwait, Lebanon, Morocco, Oman, Qatar, Syrian Arab Republic, Sudan, South Sudan and Tunisia), the frequency band 5150-5250 MHz is also allocated to the aeronautical mobile service on a primary basis, limited to aeronautical telemetry transmissions from aircraft stations (see No. 1.83), in accordance with Resolution 418 (Rev.WRC-19). These stations shall not claim protection from other stations operating in accordance with Article 5. No. 5.43A does not apply.

5.446D *Additional allocation:* in Brazil, the band 5150-5250 MHz is also allocated to the aeronautical mobile service on a primary basis, limited to aeronautical telemetry transmissions from aircraft stations (see No. 1.83), in accordance with Resolution 418 (Rev.WRC-19).

5.447 *Additional allocation:* in Côte d'Ivoire, Egypt, Lebanon, the Syrian Arab Republic and Tunisia, the frequency band 5150-5250 MHz is also allocated to the mobile service, on a primary basis, subject to agreement obtained under No. 9.21. In this case, the provisions of Resolution 229 (Rev.WRC-19) do not apply.

* * * * *

5.447F In the frequency band 5250-5350 MHz, stations in the mobile service shall not claim protection from the radiolocation service, the Earth exploration-satellite service (active) and the space research service (active). The radiolocation service, the Earth exploration-satellite service (active) and the space research service (active) shall not impose more stringent conditions upon the mobile service than those stipulated in Resolution 229 (Rev.WRC-19).

5.448 *Additional allocation:* in Kyrgyzstan, Romania and Turkmenistan, the frequency band 5250-5350 MHz is also allocated to the radionavigation service on a primary basis.

* * * * *

5.450A In the frequency band 5470-5725 MHz, stations in the mobile service shall not claim protection from radiodetermination services. The radiodetermination services shall not impose more stringent conditions upon the mobile service than those stipulated in Resolution 229 (Rev.WRC-19).

* * * * *

5.453 *Additional allocation:* in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Djibouti, Egypt, the United Arab Emirates,

Eswatini, Gabon, Guinea, Equatorial Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kenya, Kuwait, Lebanon, Libya, Madagascar, Malaysia, Niger, Nigeria, Oman, Uganda, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Sri Lanka, Tanzania, Chad, Thailand, Togo, Viet Nam and Yemen, the frequency band 5650-5850 MHz is also allocated to the fixed and mobile services on a primary basis. In this case, the provisions of Resolution 229 (Rev. WRC-19) do not apply. In addition, in Afghanistan, Angola, Benin, Bhutan, Botswana, Burkina Faso, Burundi, Dem. Rep. of the Congo, Fiji, Ghana, Kiribati, Lesotho, Malawi, Maldives, Mauritius, Micronesia, Mongolia, Mozambique, Myanmar, Namibia, Nauru, New Zealand, Papua New Guinea, Rwanda, Solomon Islands, South Sudan, South Africa, Tonga, Vanuatu, Zambia and Zimbabwe, the frequency band 5725-5850 MHz is allocated to the fixed service on a primary basis, and stations operating in the fixed service shall not cause harmful interference to and shall not claim protection from other primary services in the frequency band.

* * * * *

5.455 *Additional allocation:* in Armenia, Azerbaijan, Belarus, Cuba, the Russian Federation, Georgia, Hungary, Kazakhstan, Moldova, Uzbekistan, Kyrgyzstan, Romania, Tajikistan, Turkmenistan and Ukraine, the frequency band 5670-5850 MHz is also allocated to the fixed service on a primary basis.

* * * * *

5.458 In the band 6425-7075 MHz, passive microwave sensor measurements are carried out over the oceans. In the band 7075-7250 MHz, passive microwave sensor measurements are carried out. Administrations should bear in mind the needs of the Earth exploration-satellite (passive) and space research (passive) services in their future planning of the bands 6425-7075 MHz and 7075-7250 MHz.

* * * * *

5.468 *Additional allocation:* in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Burundi, Cameroon, China, Congo (Rep. of the), Djibouti, Egypt, the United Arab Emirates, Eswatini, Gabon, Guyana, Indonesia, Iran (Islamic Republic of), Iraq, Jamaica, Jordan, Kenya, Kuwait, Lebanon, Libya, Malaysia, Mali, Morocco, Mauritania, Nepal, Nigeria, Oman, Uganda, Pakistan, Qatar, Syrian Arab Republic, the Dem. People's Rep. of Korea, Senegal, Singapore, Somalia, Sudan, Chad, Togo, Tunisia and Yemen, the frequency band 8500-8750 MHz is also allocated to the fixed and mobile services on a primary basis.

* * * * *

5.473 *Additional allocation:* in Armenia, Austria, Azerbaijan, Belarus, Cuba, the Russian Federation, Georgia, Hungary, Uzbekistan, Poland, Kyrgyzstan, Romania, Tajikistan, Turkmenistan and Ukraine, the frequency bands 8850-9000 MHz and 9200-9300 MHz are also allocated to the radionavigation service on a primary basis.

* * * * *

5.474D Stations in the Earth exploration-satellite service (active) shall not cause harmful interference to, or claim protection from, stations of the maritime radionavigation and radiolocation services in the frequency band 9200-9300 MHz, the radionavigation and radiolocation services in the frequency band 9900-10 000 MHz and the radiolocation service in the frequency band 10.0-10.4 GHz.

5.477 *Different category of service:* in Algeria, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guyana, India, Indonesia, Iran (Islamic Republic of), Iraq, Jamaica, Japan, Jordan, Kuwait, Lebanon, Liberia, Malaysia, Nigeria, Oman, Uganda, Pakistan, Qatar, Syrian Arab Republic, the Dem. People's Rep. of Korea,

Singapore, Somalia, Sudan, South Sudan, Trinidad and Tobago, and Yemen, the allocation of the frequency band 9800-10 000 MHz to the fixed service is on a primary basis (see No. 5.33).

5.478 *Additional allocation:* in Azerbaijan, Kyrgyzstan, Romania, Turkmenistan and Ukraine, the frequency band 9800-10 000 MHz is also allocated to the radionavigation service on a primary basis.

5.479 The band 9975-10 025 MHz is also allocated to the meteorological-satellite service on a secondary basis for use by weather radars.

5.480 *Additional allocation:* in Argentina, Brazil, Chile, Cuba, El Salvador, Ecuador, Guatemala, Honduras, Paraguay, the overseas countries and territories within the Kingdom of the Netherlands in Region 2, Peru and Uruguay, the frequency band 10-10.45 GHz is also allocated to the fixed and mobile services on a primary basis. In Colombia, Costa Rica, Mexico and Venezuela, the frequency band 10-10.45 GHz is also allocated to the fixed service on a primary basis.

5.481 *Additional allocation:* in Algeria, Germany, Angola, Brazil, China, Côte d'Ivoire, Egypt, El Salvador, Ecuador, Spain, Guatemala, Hungary, Japan, Kenya, Morocco, Nigeria, Oman, Uzbekistan, Pakistan, Paraguay, Peru, the Dem. People's Rep. of Korea, Romania, Tunisia and Uruguay, the frequency band 10.45-10.5 GHz is also allocated to the fixed and mobile services on a primary basis. In Costa Rica, the frequency band 10.45-10.5 GHz is also allocated to the fixed service on a primary basis.

* * * * *

5.483 *Additional allocation:* in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, China, Colombia, Korea (Rep. of), Egypt, the United Arab Emirates, Georgia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Lebanon, Mongolia, Qatar, Kyrgyzstan, the Dem. People's Rep. of Korea, Tajikistan, Turkmenistan and Yemen, the frequency band 10.68-10.7 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. Such use is limited to equipment in operation by 1 January 1985.

* * * * *

5.484B Resolution 155 (Rev.WRC-19) shall apply.

* * * * *

5.495 *Additional allocation:* in Greece, Monaco, Montenegro, Uganda and Tunisia, the frequency band 12.5-12.75 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a secondary basis.

* * * * *

5.505 *Additional allocation:* in Algeria, Saudi Arabia, Bahrain, Botswana, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Djibouti, Egypt, the United Arab Emirates, Eswatini, Gabon, Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Oman, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, South Sudan, Chad, Viet Nam and Yemen, the frequency band 14-14.3 GHz is also allocated to the fixed service on a primary basis.

* * * * *

5.508 *Additional allocation:* in Germany, France, Italy, Libya, North Macedonia and the United Kingdom, the frequency band 14.25-14.3 GHz is also allocated to the fixed service on a primary basis.

* * * * *

5.509D Before an administration brings into use an earth station in the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service in the frequency bands 14.5-14.75 GHz (in countries listed in Resolution 163 (WRC-15)) and 14.5-14.8 GHz (in countries listed in Resolution 164 (WRC-15)), it shall ensure that the power flux-density produced by this earth station does not exceed $-151.5 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ produced at all altitudes from 0 m to 19 000 m above sea level at 22 km seaward from all coasts, defined as the low-water mark, as officially recognized by each coastal State.

* * * * *

5.516B The following bands are identified for use by high-density applications in the fixed-satellite service: 17.3-17.7 GHz (space-to-Earth) in Region 1, 18.3-19.3 GHz (space-to-Earth) in Region 2, 19.7-20.2 GHz (space-to-Earth) in all Regions, 39.5-40 GHz (space-to-Earth) in Region 1, 40-40.5 GHz (space-to-Earth) in all Regions, 40.5-42 GHz (space-to-Earth) in Region 2, 47.5-47.9 GHz (space-to-Earth) in Region 1, 48.2-48.54 GHz (space-to-Earth) in Region 1, 49.44-50.2 GHz (space-to-Earth) in Region 1, and 27.5-27.82 GHz (Earth-to-space) in Region 1, 28.35-28.45 GHz (Earth-to-space) in Region 2, 28.45-28.94 GHz (Earth-to-space) in all Regions, 28.94-29.1 GHz (Earth-to-space) in Regions 2 and 3, 29.25-29.46 GHz (Earth-to-space) in Region 2, 29.46-30 GHz (Earth-to-space) in all Regions, 48.2-50.2 GHz (Earth-to-space) in Region 2. This identification does not preclude the use of these frequency bands by other fixed-satellite service applications or by other services to which these frequency bands are allocated on a co-primary basis and does not establish priority in these Radio Regulations among users of the frequency bands. Administrations should take this into account when considering regulatory provisions in relation to these frequency bands. See Resolution 143 (Rev.WRC-19).

* * * * *

5.517A The operation of earth stations in motion communicating with geostationary fixed-satellite service space stations within the frequency bands 17.7-19.7 GHz (space-to-Earth) and 27.5-29.5 GHz (Earth-to-space) shall be subject to the application of Resolution 169 (WRC-19).

* * * * *

5.530E The allocation to the fixed service in the frequency band 21.4-22 GHz is identified for use in Region 2 by high-altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which it is allocated on a co-primary basis, and does not establish priority in the Radio Regulations. Such use of the fixed-service allocation by HAPS is limited to the HAPS-to-ground direction, and shall be in accordance with the provisions of Resolution 165 (WRC-19).

* * * * *

5.532AA The allocation to the fixed service in the frequency band 24.25-25.25 GHz is identified for use in Region 2 by high-altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this frequency band is allocated on a co-primary basis, and does not establish priority in the Radio Regulations. Such use of the fixed-service allocation by HAPS is limited to the HAPS-to-ground direction and shall be in accordance with the provisions of Resolution 166 (WRC-19).

5.532AB The frequency band 24.25-27.5 GHz is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT). This

identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Resolution 242 (WRC-19) applies.

* * * * *

5.534A The allocation to the fixed service in the frequency band 25.25-27.5 GHz is identified in Region 2 for use by high-altitude platform stations (HAPS) in accordance with the provisions of Resolution 166 (WRC-19). Such use of the fixed-service allocation by HAPS shall be limited to the ground-to-HAPS direction in the frequency band 25.25-27.0 GHz and to the HAPS-to-ground direction in the frequency band 27.0-27.5 GHz. Furthermore, the use of the frequency band 25.5-27.0 GHz by HAPS shall be limited to gateway links. This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this band is allocated on a co-primary basis, and does not establish priority in the Radio Regulations.

* * * * *

5.536A Administrations operating earth stations in the Earth exploration-satellite service or the space research service shall not claim protection from stations in the fixed and mobile services operated by other administrations. In addition, earth stations in the Earth exploration-satellite service or in the space research service should be operated taking into account the most recent version of Recommendation ITU-R SA.1862. Resolution 242 (WRC-19) applies.

5.536B In Algeria, Saudi Arabia, Austria, Bahrain, Belgium, Brazil, China, Korea (Rep. of), Denmark, Egypt, United Arab Emirates, Estonia, Finland, Hungary, India, Iran (Islamic Republic of), Iraq, Ireland, Israel, Italy, Jordan, Kenya, Kuwait, Lebanon, Libya, Lithuania, Moldova, Norway, Oman, Uganda, Pakistan, the Philippines, Poland, Portugal, Qatar, the Syrian Arab Republic, Dem. People's Rep. of Korea, Slovakia, the Czech Rep., Romania, the United Kingdom, Singapore, Slovenia, Sudan, Sweden, Tanzania, Turkey, Viet Nam and Zimbabwe, earth stations operating in the Earth exploration-satellite service in the frequency band 25.5-27 GHz shall not claim protection from, or constrain the use and deployment of, stations of the fixed and mobile services. Resolution 242 (WRC-19) applies.

* * * * *

5.537A In Bhutan, Cameroon, China, Korea (Rep. of), the Russian Federation, India, Indonesia, Iran (Islamic Republic of), Iraq, Japan, Kazakhstan, Malaysia, Maldives, Mongolia, Myanmar, Uzbekistan, Pakistan, the Philippines, Kyrgyzstan, the Dem. People's Rep. of Korea, Sudan, Sri Lanka, Thailand and Viet Nam, the allocation to the fixed service in the frequency band 27.9-28.2 GHz may also be used by high altitude platform stations (HAPS) within the territory of these countries. Such use of 300 MHz of the fixed-service allocation by HAPS in the above countries is further limited to operation in the HAPS-to-ground direction and shall not cause harmful interference to, nor claim protection from, other types of fixed-service systems or other co-primary services. Furthermore, the development of these other services shall not be constrained by HAPS. See Resolution 145 (Rev.WRC-19).

* * * * *

5.543B The allocation to the fixed service in the frequency band 31-31.3 GHz is identified for worldwide use by high-altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this frequency band is allocated on a co-primary basis, and does not establish priority in the Radio Regulations. Such use of the fixed-service allocation by HAPS shall be in accordance with the provisions of Resolution 167 (WRC-19).

* * * * *

5.546 *Different category of service:* in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Egypt, the United Arab Emirates, Spain, Estonia, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Israel, Jordan, Lebanon, Moldova, Mongolia, Oman, Uzbekistan, Poland, the Syrian Arab Republic, Kyrgyzstan, Romania, the United Kingdom, South Africa, Tajikistan, Turkmenistan and Turkey, the allocation of the frequency band 31.5-31.8 GHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. 5.33).

5.547 The bands 31.8-33.4 GHz, 37-40 GHz, 40.5-43.5 GHz, 51.4-52.6 GHz, 55.78-59 GHz and 64-66 GHz are available for high-density applications in the fixed service (see Resolution 75 (Rev.WRC-12)). Administrations should take this into account when considering regulatory provisions in relation to these bands. Because of the potential deployment of high-density applications in the fixed-satellite service in the bands 39.5-40 GHz and 40.5-42 GHz (see No. 5.516B), administrations should further take into account potential constraints to high-density applications in the fixed service, as appropriate.

* * * * *

5.550B The frequency band 37-43.5 GHz, or portions thereof, is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Because of the potential deployment of FSS earth stations within the frequency range 37.5-42.5 GHz and high-density applications in the fixed-satellite service in the frequency bands 39.5-40 GHz in Region 1, 40-40.5 GHz in all Regions and 40.5-42 GHz in Region 2 (see No. 5.516B), administrations should further take into account potential constraints to IMT in these frequency bands, as appropriate. Resolution 243 (WRC-19) applies.

5.550C The use of the frequency bands 37.5-39.5 GHz (space-to-Earth), 39.5-42.5 GHz (space-to-Earth), 47.2-50.2 GHz (Earth-to-space) and 50.4-51.4 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to the application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service but not with non-geostationary-satellite systems in other services. Resolution 770 (WRC-19) shall also apply, and No. 22.2 shall continue to apply.

5.550D The allocation to the fixed service in the frequency band 38-39.5 GHz is identified for worldwide use by administrations wishing to implement high-altitude platform stations (HAPS). In the HAPS-to-ground direction, the HAPS ground station shall not claim protection from stations in the fixed, mobile and fixed-satellite services; and No. 5.43A does not apply. This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this frequency band is allocated on a co-primary basis and does not establish priority in the Radio Regulations. Furthermore, the development of the fixed-satellite, fixed and mobile services shall not be unduly constrained by HAPS. Such use of the fixed-service allocation by HAPS shall be in accordance with the provisions of Resolution 168 (WRC-19).

5.550E The use of the frequency bands 39.5-40 GHz and 40-40.5 GHz by non-geostationary-satellite systems in the mobile-satellite service (space-to-Earth) and by non-geostationary-satellite systems in the fixed-satellite service (space-to-Earth) is subject to the application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite and mobile-satellite services but not with non-geostationary-satellite systems in other services. No. 22.2 shall continue to apply for non-geostationary-satellite systems.

* * * * *

5.552A The allocation to the fixed service in the frequency bands 47.2-47.5 GHz and 47.9-48.2 GHz is identified for use by high-altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated on a co-primary basis, and does not establish priority in the Radio Regulations. Such use of the fixed-service allocation in the frequency bands 47.2-47.5 GHz and 47.9-48.2 GHz by HAPS shall be in accordance with the provisions of Resolution 122 (Rev.WRC-19).

* * * * *

5.553A In Algeria, Angola, Bahrain, Belarus, Benin, Botswana, Brazil, Burkina Faso, Cabo Verde, Korea (Rep. of), Côte d'Ivoire, Croatia, United Arab Emirates, Estonia, Eswatini, Gabon, Gambia, Ghana, Greece, Guinea, Guinea-Bissau, Hungary, Iran (Islamic Republic of), Iraq, Jordan, Kuwait, Lesotho, Latvia, Liberia, Lithuania, Madagascar, Malawi, Mali, Morocco, Mauritius, Mauritania, Mozambique, Namibia, Niger, Nigeria, Oman, Qatar, Senegal, Seychelles, Sierra Leone, Slovenia, Sudan, South Africa, Sweden, Tanzania, Togo, Tunisia, Zambia and Zimbabwe, the frequency band 45.5-47 GHz is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT), taking into account No. 5.553. With respect to the aeronautical mobile service and radionavigation service, the use of this frequency band for the implementation of IMT is subject to agreement obtained under No. 9.21 with concerned administrations and shall not cause harmful interference to, or claim protection from these services. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Resolution 244 (WRC-19) applies.

5.553B In Region 2 and Algeria, Angola, Saudi Arabia, Australia, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Rep., Comoros, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Djibouti, Egypt, United Arab Emirates, Eswatini, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Equatorial Guinea, India, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kenya, Kuwait, Lesotho, Liberia, Libya, Lithuania, Madagascar, Malaysia, Malawi, Mali, Morocco, Mauritius, Mauritania, Mozambique, Namibia, Niger, Nigeria, Oman, Uganda, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Rwanda, Sao Tome and Principe, Senegal, Seychelles, Sierra Leone, Singapore, Slovenia, Somalia, Sudan, South Sudan, South Africa, Sweden, Tanzania, Chad, Togo, Tunisia, Zambia and Zimbabwe, the frequency band 47.2-48.2 GHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated, and does not establish any priority in the Radio Regulations. Resolution 243 (WRC-19) applies.

* * * * *

5.555C The use of the frequency band 51.4-52.4 GHz by the fixed-satellite service (Earth-to-space) is limited to geostationary-satellite networks. The earth stations shall be limited to gateway earth stations with a minimum antenna diameter of 2.4 metres.

* * * * *

5.559AA The frequency band 66-71 GHz is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which this frequency band is allocated and does not establish priority in the Radio Regulations. Resolution 241 (WRC-19) applies.

* * * * *

5.562B In the frequency bands 105-109.5 GHz, 111.8-114.25 GHz and 217-226 GHz, the use of this allocation is limited to space-based radio astronomy only.

* * * * *

5.564A For the operation of fixed and land mobile service applications in frequency bands in the range 275-450 GHz: The frequency bands 275-296 GHz, 306-313 GHz, 318-333 GHz and 356-450 GHz are identified for use by administrations for the implementation of land mobile and fixed service applications, where no specific conditions are necessary to protect Earth exploration-satellite service (passive) applications. The frequency bands 296-306 GHz, 313-318 GHz and 333-356 GHz may only be used by fixed and land mobile service applications when specific conditions to ensure the protection of Earth exploration-satellite service (passive) applications are determined in accordance with Resolution 731 (Rev.WRC-19). In those portions of the frequency range 275-450 GHz where radio astronomy applications are used, specific conditions (e.g. minimum separation distances and/or avoidance angles) may be necessary to ensure protection of radio astronomy sites from land mobile and/or fixed service applications, on a case-by-case basis in accordance with Resolution 731 (Rev.WRC-19). The use of the above-mentioned frequency bands by land mobile and fixed service applications does not preclude use by, and does not establish priority over, any other applications of radio services in the range of 275-450 GHz.

* * * * *

UNITED STATES (US) FOOTNOTES

US1 The bands 2501-2502 kHz, 5003-5005 kHz, 10.003-10.005 MHz, 15.005-15.01 MHz, 19.99-19.995 MHz, 20.005-20.01 MHz, and 25.005-25.01 MHz are also allocated to the space research service on a secondary basis for Federal use. In the event of interference to the reception of the standard frequency and time broadcasts, these space research transmissions are subject to immediate temporary or permanent shutdown.

* * * * *

US52 In the VHF maritime mobile band (156-162 MHz), the following provisions apply:

(i) Except as provided for below, the use of the bands 161.9625-161.9875 MHz (AIS 1 with center frequency 161.975 MHz) and 162.0125-162.0375 MHz (AIS 2 with center frequency 162.025 MHz) by the maritime mobile and mobile-satellite (Earth-to-space) services is restricted to Automatic Identification Systems (AIS). The use of these bands by the aeronautical mobile (OR) service is restricted to AIS emissions from search and rescue aircraft operations. Frequencies in the AIS 1 band may continue to be used by non-Federal base, fixed, and land mobile stations until March 2, 2024.

(ii) The use of the bands 156.7625-156.7875 MHz (AIS 3 with center frequency 156.775 MHz) and 156.8125-156.8375 MHz (AIS 4 with center frequency 156.825 MHz) by the mobile-satellite service (Earth-to-space) is restricted to the reception of long-range AIS broadcast messages from ships (Message 27; see most recent version of Recommendation ITU-R M.1371).

(iii) The frequency 156.3 MHz may also be used by aircraft stations for the purpose of search and rescue operations and other safety-related communication.

(iv) Federal stations in the maritime mobile service may also be authorized as follows: (1) Vessel traffic services under the control of the U.S. Coast Guard on a simplex basis by coast and ship stations on the frequencies 156.25, 156.55, 156.6 and 156.7 MHz; (2) Inter-ship use of the frequency 156.3 MHz on a simplex basis; (3) Navigational bridge-to-bridge and navigational communications on a simplex basis by coast and ship stations on the frequencies 156.375 and 156.65 MHz; (4) Port operations use on a simplex basis by coast and ship stations on the frequencies 156.6 and 156.7 MHz; (5) Environmental communications on the frequency 156.75 MHz in accordance with the national plan; and (6) Duplex port operations use of the frequencies 157 MHz for ship stations and 161.6 MHz for coast stations.

* * * * *

US79A The use of the bands 415-472 kHz, 479-495 kHz, and 505-510 kHz by the maritime mobile service is limited to radiotelegraphy.

* * * * *

US82 In the bands 4146-4152 kHz, 6224-6233 kHz, 8294-8300 kHz, 12.353-12.368 MHz, 16.528-16.549 MHz, 18.825-18.846 MHz, 22.159-22.18 MHz, and 25.1-25.121 MHz, the assignable frequencies may be authorized on a shared non-priority basis to Federal and non-Federal ship and coast stations (SSB telephony, with peak envelope power not to exceed 1 kW).

US100 The bands 2310-2320 and 2345-2360 MHz are available for Federal aeronautical telemetering and associated telecommand operations for flight testing of manned or unmanned aircraft, missiles, or major components thereof, on a secondary basis to the Wireless Communications Service (WCS). The frequencies 2312.5 MHz and 2352.5 MHz are shared on a co-equal basis by Federal stations for telemetering and associated telecommand operations of expendable and reusable launch vehicles, irrespective of whether such operations involve flight testing. Other Federal mobile telemetering uses may be provided in the bands 2310-2320 and 2345-2360 MHz on a non-interference basis to all other uses authorized pursuant to this footnote.

* * * * *

US247 The band 10.1-10.15 MHz is allocated to the fixed service on a primary basis outside the United States and its insular areas. Transmissions from stations in the amateur service must not cause harmful interference to this fixed service use and stations in the amateur service must make all necessary adjustments (including termination of transmission) if harmful interference is caused.

* * * * *

US281 In the band 25.07-25.21 MHz, non-Federal stations in the Industrial/Business Pool must not cause harmful interference to, and must accept interference from, stations in the maritime mobile service operating in accordance with the Table of Frequency Allocations.

* * * * *

US283 In the bands 2850-3025 kHz, 3400-3500 kHz, 4650-4700 kHz, 5450-5680 kHz, 6525-6685 kHz, 10.005-10.1 MHz, 11.275-11.4 MHz, 13.26-13.36 MHz, and 17.9-17.97 MHz, frequencies may be authorized for non-Federal flight test purposes on the condition that harmful interference will not be caused to services operating in accordance with the Table of Frequency Allocations.

* * * * *

US296 In the bands designated for ship wide-band telegraphy, facsimile and special transmission systems, the following assignable frequencies are available to non-Federal stations on a shared basis with Federal stations: 2070.5 kHz, 2072.5 kHz, 2074.5 kHz, 2076.5 kHz, 4154 kHz, 4170 kHz, 6235 kHz, 6259 kHz, 8302 kHz, 8338 kHz, 12.37 MHz, 12.418 MHz, 16.551 MHz, 16.615 MHz, 18.848 MHz, 18.868 MHz, 22.182 MHz, 22.238 MHz, 25.123 MHz, and 25.159 MHz.

* * * * *

US312 The frequency 173.075 MHz may also be authorized on a primary basis to non-Federal stations in the Public Safety Radio Pool, limited to police licensees and an authorized bandwidth not to exceed 12.5 kHz, for stolen vehicle recovery systems.

* * * * *

US342 In making assignments to stations of other services to which the bands:

13.36-13.41 MHz	42.77-42.87 GHz*
25.55-25.67 MHz	43.07-43.17 GHz*
37.5-38.25 MHz	43.37-43.47 GHz*
322-328.6 MHz*	48.94-49.04 GHz*
1330-1400 MHz*	76-86 GHz
1610.6-1613.8 MHz*	92-94 GHz
1660-1660.5 MHz*	94.1-100 GHz
1668.4-1670 MHz*	102-109.5 GHz
3260-3267 MHz*	111.8-114.25 GHz
3332-3339 MHz*	128.33-128.59 GHz*
3345.8-3352.5 MHz*	129.23-129.49 GHz*
4825-4835 MHz*	130-134 GHz
4950-4990 MHz	136-148.5 GHz
6650-6675.2 MHz*	151.5-158.5 GHz
14.47-14.5 GHz*	168.59-168.93 GHz*
22.01-22.21 GHz*	171.11-171.45 GHz*
22.21-22.5 GHz	172.31-172.65 GHz*
22.81-22.86 GHz*	173.52-173.85 GHz*
23.07-23.12 GHz*	195.75-196.15 GHz*
31.2-31.3 GHz	209-226 GHz
36.43-36.5 GHz*	241-250 GHz
42.5-43.5 GHz	252-275 GHz

are allocated (*indicates radio astronomy use for spectral line observations), all practicable steps must be taken to protect the radio astronomy service from harmful interference. Emissions from spaceborne or airborne stations can be particularly serious sources of interference to the radio astronomy service (*see ITU Radio Regulations* at Nos. 4.5 and 4.6 and Article 29).

* * * * *

US444B In the band 5091-5150 MHz, the following provisions apply to the aeronautical mobile service:

(i) Use is restricted to: (A) Systems operating in the aeronautical mobile (R) service (AM(R)S) in accordance with international aeronautical standards, limited to surface applications at airports, and in accordance with Resolution 748 (Rev.WRC-12) (*i.e.*, AeroMACS); and (B) Aeronautical telemetry transmissions from aircraft stations (AMT) in accordance with Resolution 418 (Rev.WRC-19).

(ii) Consistent with Radio Regulation No. 4.10, airport surface wireless systems operating in the AM(R)S have priority over AMT systems in the band.

(iii) Operators of AM(R)S and AMT systems at the following airports are urged to cooperate with each other in the exchange of information about planned deployments of their respective systems so that the prospects for compatible sharing of the band are enhanced: (A) Boeing Field/King County Intl Airport, Seattle, WA; (B) Lambert-St. Louis Intl Airport, St. Louis, MO; (C) Charleston AFB/Intl Airport, Charleston, SC; (D) Wichita Dwight D. Eisenhower National Airport, Wichita, KS; (E) Roswell Intl Air Center Airport, Roswell, NM; and (F) William P. Gwinn Airport, Jupiter, FL. Other airports may be addressed on a case-by-case basis.

(iv) Aeronautical fixed communications that are an integral part of the AeroMACS system authorized in paragraph (i)(A) are also authorized on a primary basis.

* * * * *

NON-FEDERAL GOVERNMENT (NG) FOOTNOTES

* * * * *

NG33 In the band 614-698 MHz, the following provisions apply: In the sub-bands 617-652 MHz and 663-698 MHz, low power television and TV translator stations may operate on a secondary basis to stations in the fixed and mobile services until required to terminate their operations in accordance with 47 CFR 73.3700(g)(4), and white space devices may also operate in these sub-bands, except in those areas where their use is prohibited in accordance with 47 CFR 15.707(a)(5) and 15.713(b)(2)(iv). In addition, white space devices may operate in the sub-band 657-663 MHz in accordance with 47 CFR 15.707(a)(2), low power auxiliary stations may operate in the sub-band 653-657 MHz, and unlicensed wireless microphones may operate in the sub-bands 614-616 MHz and 657-663 MHz.

* * * * *

NG169 In the band 3650-3700 MHz, use of the non-Federal fixed-satellite service (space-to-Earth) is limited to international inter-continental systems and, after December 1, 2000, primary operations are limited to grandfathered earth stations. All other earth station operations in the band 3650-3700 MHz are authorized on a secondary basis. Grandfathered earth stations are those authorized prior to December 1, 2000, or granted as a result of an application filed prior to December 1, 2000, and constructed within 12 months of initial authorization. License applications for primary operations for new earth stations, major amendments to pending earth station applications, or applications for major modifications to earth station facilities filed on or after December 18, 1998, and prior to December 1, 2000, will not be accepted unless the proposed facilities are within 16.1 kilometers (10 miles) of an authorized primary earth station operating in the band 3650-3700 MHz. License applications for primary operations by new earth stations, major amendments to pending earth station applications, and applications for major modifications to earth station facilities, filed after December 1, 2000, will not be accepted, except for changes in polarization, antenna orientation or ownership of a grandfathered earth station.

* * * * *

FEDERAL GOVERNMENT (G) FOOTNOTES

* * * * *

G2 In the bands 216.965-216.995 MHz, 420-450 MHz (except as provided for in G129), 890-902 MHz, 928-942 MHz, 1300-1390 MHz, 2310-2390 MHz, 2417-2450 MHz, 2700-2900 MHz, 3300-3500 MHz, 5650-5925 MHz, and 9000-9200 MHz, use of the Federal radiolocation service is restricted to the military services.

* * * * *

G32 Except for weather radars on meteorological satellites in the band 9.975-10.025 GHz and for Federal survey operations (see footnote US108), Federal radiolocation in the band 10-10.5 GHz is limited to the military services.

* * * * *

G115 In the band 13.36-13.41 MHz, the fixed service is allocated on a primary basis outside the conterminous United States. Within the conterminous United States, assignments in the fixed service are permitted, and will be protected for national defense purposes or, if they are to be used only in an emergency jeopardizing life, public safety, or important property under conditions calling for immediate communication where other means of communication do not exist.

* * * * *

G132 Use of the radionavigation-satellite service in the band 1215-1240 MHz shall be subject to the condition that no harmful interference is caused to, and no protection is claimed from, the radionavigation service authorized under ITU Radio Regulation No. 5.331. Furthermore, the use of the radionavigation-satellite service in the band 1215-1240 MHz shall be subject to the condition that no harmful interference is caused to the radiolocation service. ITU Radio Regulation No. 5.43 shall not apply in respect of the radiolocation service. ITU Resolution 608 (Rev.WRC-19) shall apply.

* * * * *

APPENDIX B

Proposed Rules

The Federal Communications Commission proposes to amend 47 CFR parts 2, 25, 74, 78, 90, 97, and 101 as follows:

PART 2 – FREQUENCY ALLOCATIONS AND RADIO TREATY MATTERS; GENERAL RULES AND REGULATIONS

1. The authority citation for part 2 continues to read as follows:

AUTHORITY: 47 U.S.C. 154, 302a, 303, and 336, unless otherwise noted.

2. Amend section 2.1(c) by:

- i. Revising the definition for “Coordinated Universal Time;” and
- ii. Adding definitions for “Frequency Band,” “Meteorological Aids Land Station,” and “Meteorological Aids Mobile Station” in alphabetical order.

The revisions and additions read as follows:

§ 2.1 Terms and definitions.

* * * * *

(c) * * *

Coordinated Universal Time (UTC). Time scale, based on the second (SI), as described in Resolution 655 (WRC-15). (RR)

* * * * *

Frequency Band (Band). A contiguous set of frequencies lying between two specified limiting frequencies.

NOTE: A frequency band is characterized by two values which define its position in the frequency spectrum, for example, its lower and upper limiting frequencies.

* * * * *

Meteorological Aids Land Station. A station in the meteorological aids service not intended to be used while in motion. (RR)

Meteorological Aids Mobile Station. A station in the meteorological aids service intended to be used while in motion or during halts at unspecified points. (RR)

* * * * *

3. Amend section 2.102 by adding paragraph (i) to read as follows:

§ 2.102 Assignment of frequencies.

* * * * *

(i) Space research systems intended to operate in deep space may also use the space research service (deep space) allocations, with the same status as those allocations, when the spacecraft is near the Earth, such as during launch, early orbit, flying by the Earth and returning to the Earth.

4. Amend section 2.105 by revising paragraph (d)(6) and adding paragraphs (d)(7) and (d)(8) to read as follows:

§ 2.105 United States Table of Frequency Allocations.

* * * * *

(d) * * *

* * * * *

(6) The footnote references which appear in the United States Table below the allocated service or services apply to more than one of the allocated services, or to the whole of the allocation concerned.

(7) The footnote references which appear to the right of the name of a service are applicable only to that particular service.

(8) The coordinates of latitude and longitude that are listed in United States, Federal, and non-Federal footnotes are referenced to the North American Datum of 1983 (NAD 83).

5. Amend section 2.106 by:
- a. Revising pages 22, 24, 26 through 30, 32, 45, 47, and 48.
 - b. In the list of United States (US) Footnotes:
 - i. Revising footnotes US13, US23, US117, US128, US139, US270, US287, and US288; and
 - ii. Adding footnotes US78, US265, US460, US460A, US474D; and remove footnotes US145, US156, and US157.
 - c. In the list of Non-Federal Government (NG) Footnotes:
 - i. Revising footnotes NG62 and NG159; and
 - ii. Removing footnotes NG60, NG155, and NG338A.

The revisions and additions read as follows:

§ 2.106 Table of Frequency Allocations.

* * * * *

137.825-138 SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.209 5.204 5.205 5.206 5.207 5.208			137.825-138 SPACE OPERATION (space-to-Earth) METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Mobile-satellite (space-to-Earth) US319 US320 5.208		
138-143.6 AERONAUTICAL MOBILE (OR) 5.210 5.211 5.212 5.214	138-143.6 FIXED MOBILE RADIOLOCATION Space research (space-to-Earth)	138-143.6 FIXED MOBILE Space research (space-to-Earth) 5.207 5.213	138-144 FIXED MOBILE	138-144	
143.6-143.65 AERONAUTICAL MOBILE (OR) SPACE RESEARCH (space-to-Earth) 5.211 5.212 5.214	143.6-143.65 FIXED MOBILE RADIOLOCATION SPACE RESEARCH (space-to-Earth)	143.6-143.65 FIXED MOBILE SPACE RESEARCH (space-to-Earth) 5.207 5.213			
143.65-144 AERONAUTICAL MOBILE (OR) 5.210 5.211 5.212 5.214	143.65-144 FIXED MOBILE RADIOLOCATION Space research (space-to-Earth)	143.65-144 FIXED MOBILE Space research (space-to-Earth) 5.207 5.213	G30		
144-146 AMATEUR AMATEUR-SATELLITE 5.216			144-148	144-146 AMATEUR AMATEUR-SATELLITE	Amateur Radio (97)
146-148 FIXED MOBILE except aeronautical mobile (R)	146-148 AMATEUR 5.217	146-148 AMATEUR FIXED MOBILE 5.217		146-148 AMATEUR	
148-149.9 FIXED MOBILE except aeronautical mobile (R) MOBILE-SATELLITE (Earth-to-space) 5.209 5.218 5.218A 5.219 5.221	148-149.9 FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) 5.209 5.218 5.218A 5.219 5.221		148-149.9 FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) US319 US320 US323 US325 5.218 5.219 G30	148-149.9 MOBILE-SATELLITE (Earth-to-space) US320 US323 US325 5.218 5.219 US319	Satellite Communication: (25)
149.9-150.05 MOBILE-SATELLITE (Earth-to-space) 5.209 5.220			149.9-150.05 MOBILE-SATELLITE (Earth-to-space) US319 US320		

150.05-153 FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY 5.149	150.05-154 FIXED MOBILE	150.05-150.8 FIXED MOBILE US73 G30	150.05-150.8 US73	
	5.225			

International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
400.05-400.15 STANDARD FREQUENCY AND TIME SIGNAL-SATELLITE (400.1 MHz) 5.261 5.262			400.05-400.15 STANDARD FREQUENCY AND TIME SIGNAL-SATELLITE (400.1 MHz) 5.261		
400.15-401 METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) 5.263 Space operation (space-to-Earth)			400.15-401 METEOROLOGICAL AIDS (radiosonde) US70 METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) US319 US320 US324 SPACE RESEARCH (space-to-Earth) 5.263 Space operation (space-to-Earth)	400.15-401 METEOROLOGICAL AIDS (radiosonde) US70 MOBILE-SATELLITE (space-to-Earth) US319 US320 US324 SPACE RESEARCH (space-to-Earth) 5.263 Space operation (space-to-Earth)	Satellite Communications (25)
5.262 5.264			5.264	5.264	
401-402 METEOROLOGICAL AIDS SPACE OPERATION (space-to-Earth) EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile			401-402 METEOROLOGICAL AIDS (radiosonde) US70 SPACE OPERATION (space-to-Earth) EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space)	401-402 METEOROLOGICAL AIDS (radiosonde) US70 SPACE OPERATION (space-to-Earth) Earth exploration-satellite (Earth-to-space) Meteorological-satellite (Earth-to-space)	MedRadio (95I)
5.264A 5.264B			US64 US384	US64 US384	
402-403 METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile			402-403 METEOROLOGICAL AIDS (radiosonde) US70 EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space)	402-403 METEOROLOGICAL AIDS (radiosonde) US70 Earth exploration-satellite (Earth-to-space) Meteorological-satellite (Earth-to-space)	
5.264A 5.264B			US64 US384	US64 US384	
403-406 METEOROLOGICAL AIDS Fixed Mobile except aeronautical mobile			403-406 METEOROLOGICAL AIDS (radiosonde) US70	403-406 METEOROLOGICAL AIDS (radiosonde) US70	
5.265			US64 US265 G6	US64 US265	
406-406.1 MOBILE-SATELLITE (Earth-to-space) 5.265 5.266 5.267			406-406.1 MOBILE-SATELLITE (Earth-to-space) 5.266 5.267 US265		Maritime (EPIRBs) (80V) Aviation (ELTs) (87F) Personal Radio (95)
406.1-410 FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY			406.1-410 FIXED MOBILE RADIO ASTRONOMY US74	406.1-410 RADIO ASTRONOMY US74	Private Land Mobile (90)

5.149 5.265		US13 US55 US117 US265 G5 G6	US13 US55 US117 US265	
410-420 FIXED MOBILE except aeronautical mobile SPACE RESEARCH (space-to-space) 5.268		410-420 FIXED MOBILE SPACE RESEARCH (space-to-space) 5.268 US13 US55 US64 G5	410-420 Space research (space-to-space) 5.268 US13 US55 US64	Private Land Mobile (90) MedRadio (95I)
420-430 FIXED MOBILE except aeronautical mobile Radiolocation 5.269 5.270 5.271		420-450 RADIOLOCATION G2 G129	420-450 Amateur US270	Private Land Mobile (90) MedRadio (95I) Amateur Radio (97)
430-432 AMATEUR RADIOLOCATION	430-432 RADIOLOCATION Amateur			
5.271 5.274 5.275 5.276 5.277	5.271 5.276 5.277 5.278 5.279			
432-438 AMATEUR RADIOLOCATION Earth exploration-satellite (active) 5.279A	432-438 RADIOLOCATION Amateur Earth exploration-satellite (active) 5.279A			
5.138 5.271 5.276 5.277 5.280 5.281 5.282	5.271 5.276 5.277 5.278 5.279 5.281 5.282			
438-440 AMATEUR RADIOLOCATION	438-440 RADIOLOCATION Amateur			
5.271 5.274 5.275 5.276 5.277 5.283	5.271 5.276 5.277 5.278 5.279			
440-450 FIXED MOBILE except aeronautical mobile Radiolocation 5.269 5.270 5.271 5.284 5.285 5.286		5.286 US64 US87 US230 US269 US270 US397 G8	5.282 5.286 US64 US87 US230 US269 US397	
450-455 FIXED MOBILE 5.286AA		450-454	450-454 LAND MOBILE	Remote Pickup (74D) Low Power Auxiliary (74H) Private Land Mobile (90) MedRadio (95I)
		5.286 US64 US87	5.286 US64 US87 NG112 NG124	
		454-456	454-455 FIXED LAND MOBILE	Public Mobile (22) Maritime (80) MedRadio (95I)
5.209 5.271 5.286 5.286A 5.286B 5.286C 5.286D 5.286E			US64 NG32 NG112 NG148	

455-456 FIXED MOBILE 5.286AA 5.209 5.271 5.286A 5.286B 5.286C 5.286E	455-456 FIXED MOBILE 5.286AA MOBILE-SATELLITE (Earth-to- space) 5.286A 5.286B 5.286C 5.209	455-456 FIXED MOBILE 5.286AA 5.209 5.271 5.286A 5.286B 5.286C 5.286E	US64	455-456 LAND MOBILE US64	Remote Pickup (74D) Low Power Auxiliary (74H) MedRadio (95I)
---	--	---	------	------------------------------------	---

International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
456-459 FIXED MOBILE 5.286AA			456-459	456-460 FIXED LAND MOBILE	Public Mobile (22) Maritime (80) Private Land Mobile (90) MedRadio (95I)
5.271 5.287 5.288			US64 US287 US288		
459-460 FIXED MOBILE 5.286AA	459-460 FIXED MOBILE 5.286AA MOBILE-SATELLITE (Earth-to-space) 5.286A 5.286B 5.286C	459-460 FIXED MOBILE 5.286AA	459-460		
5.209 5.271 5.286A 5.286B 5.286C 5.286E	5.209	5.209 5.271 5.286A 5.286B 5.286C 5.286E		US64 US287 US288 NG32 NG112 NG124 NG148	
460-470 FIXED MOBILE 5.286AA Meteorological-satellite (space-to-Earth)			460-470 Meteorological-satellite (space-to-Earth)	460-462.5375 FIXED LAND MOBILE	Private Land Mobile (90)
				US209 US289 NG124	Personal Radio (95)
				462.5375-462.7375 LAND MOBILE	
				US289	Maritime (80) Private Land Mobile (90)
				462.7375-467.5375 FIXED LAND MOBILE	
				US73 US209 US287 US288 US289 NG124	
				467.5375-467.7375 LAND MOBILE	Maritime (80) Personal Radio (95)
				US287 US288 US289	Maritime (80) Private Land Mobile (90)
				467.7375-470 FIXED LAND MOBILE	
5.287 5.288 5.289 5.290			US73 US209 US287 US288 US289		

US73	US287	US288	US289
NG124			

470-694 BROADCASTING	470-512 BROADCASTING Fixed Mobile 5.292 5.293 5.295	470-585 FIXED MOBILE 5.296A BROADCASTING	470-608	470-512 FIXED LAND MOBILE BROADCASTING NG5 NG14 NG66 NG115 NG149	Public Mobile (22) Broadcast Radio (TV)(73) LPTV, TV Translator/Booster (74G) Low Power Auxiliary (74H) Private Land Mobile (90)
	512-608 BROADCASTING 5.295 5.297			512-608 BROADCASTING NG5 NG14 NG115 NG149	
5.149 5.291A 5.294 5.296 5.300 5.304 5.306 5.312	608-614 RADIO ASTRONOMY Mobile-satellite except aeronautical mobile-satellite (Earth-to- space)	585-610 FIXED MOBILE 5.296A BROADCASTING RADIONAVIGATION 5.149 5.305 5.306 5.307	608-614 LAND MOBILE (medical telemetry and medical telecommand) RADIO ASTRONOMY US74	608-614 LAND MOBILE (medical telemetry and medical telecommand) RADIO ASTRONOMY US74	Personal Radio (95)
	614-698 BROADCASTING Fixed Mobile 5.293 5.308 5.308A 5.309	610-890 FIXED MOBILE 5.296A 5.313A 5.317A BROADCASTING			
694-790 MOBILE except aeronautical mobile 5.312A 5.317A BROADCASTING	614-698 BROADCASTING Fixed Mobile 5.293 5.308 5.308A 5.309	610-890 FIXED MOBILE 5.296A 5.313A 5.317A BROADCASTING	614-890	614-890 FIXED MOBILE NG5 NG14 NG33 NG115 NG149	RF Devices (15) Wireless Communications (27) LPTV, TV Translator/Booster (74G) Low Power Auxiliary (74H)
5.300 5.312 790-862 FIXED MOBILE except aeronautical mobile 5.316B 5.317A BROADCASTING	698-806 MOBILE 5.317A BROADCASTING Fixed 5.293 5.309			698-806 FIXED MOBILE NG34 NG159	
5.312 5.319	806-890 FIXED MOBILE 5.317A BROADCASTING	806-890 FIXED MOBILE 5.317A BROADCASTING	806-890 LAND MOBILE	806-809 LAND MOBILE	Public Safety Land Mobile (90S)
				809-849 FIXED LAND MOBILE	Public Mobile (22) Private Land Mobile (90)
				849-851 AERONAUTICAL MOBILE	Public Mobile (22)
				851-854 LAND MOBILE	Public Safety Land Mobile (90S)
				854-894	

862-890 FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322 5.319 5.323	 5.317 5.318	5.149 5.305 5.306 5.307 5.320		FIXED LAND MOBILE US116 US268	Public Mobile (22) Private Land Mobile (90) Page 30
--	---------------------------------	----------------------------------	--	---	---

				939.5-940 FIXED LAND MOBILE US116 US268	Private Land Mobile (90)
				940-941 FIXED MOBILE US116 US268	Personal Communications (24)
5.323	5.325	5.327	US116 US268 G2		
942-960 FIXED MOBILE except aeronautical mobile 5.317A BROADCASTING 5.322 5.323	942-960 FIXED MOBILE 5.317A	942-960 FIXED MOBILE 5.317A BROADCASTING 5.320	941-944 FIXED US84 US268 US301 G2	941-944 FIXED US84 US268 US301 NG30 NG35	Public Mobile (22) Aural Broadcast Auxiliary (74E) Low Power Auxiliary (74H) Fixed Microwave (101)
			944-960	944-960 FIXED NG35	
960-1164 AERONAUTICAL MOBILE (R) 5.327A AERONAUTICAL RADIONAVIGATION 5.328 5.328AA			960-1164 AERONAUTICAL MOBILE (R) 5.327A AERONAUTICAL RADIONAVIGATION 5.328 5.328AA US78 US224		Aviation (87)
1164-1215 AERONAUTICAL RADIONAVIGATION 5.328 RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.328A			1164-1215 AERONAUTICAL RADIONAVIGATION 5.328 RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328A US224		
1215-1240 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) 5.330 5.331 5.332			1215-1240 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION G56 RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) G132 SPACE RESEARCH (active) 5.332	1215-1240 Earth exploration-satellite (active) Space research (active)	
1240-1300 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) Amateur 5.282 5.330 5.331 5.332 5.335 5.335A			1240-1300 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION G56 SPACE RESEARCH (active) AERONAUTICAL RADIONAVIGATION 5.332 5.335	1240-1300 AERONAUTICAL RADIONAVIGATION Amateur Earth exploration-satellite (active) Space research (active) 5.282	Amateur Radio (97)
1300-1350 RADIOLOCATION AERONAUTICAL RADIONAVIGATION 5.337 RADIONAVIGATION-SATELLITE (Earth-to-space) 5.149 5.337A			1300-1350 AERONAUTICAL RADIONAVIGATION 5.337 Radiolocation G2 US342	1300-1350 AERONAUTICAL RADIONAVIGATION 5.337 US342	Aviation (87)
1350-1400 FIXED MOBILE RADIOLOCATION	1350-1400 RADIOLOCATION 5.338A		1350-1390 FIXED MOBILE RADIOLOCATION G2 5.334 5.339 US342 US385 G27 G114 1390-1395 5.339 US79 US342 US385	1350-1390 5.334 5.339 US342 US385 1390-1395 FIXED MOBILE except aeronautical	Wireless Communications

			mobile 5.339 US79 US342 US385 NG338A	(27)
5.149 5.338 5.338A 5.339	5.149 5.334 5.339	1395-1400 LAND MOBILE (medical telemetry and medical telecommand) 5.339 US79 US342 US385		Personal Radio (95) Page 32

International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
7145-7190 FIXED MOBILE SPACE RESEARCH (deep space) (Earth-to-space)			7145-7190 FIXED SPACE RESEARCH (deep space)(Earth-to-space) US262	7145-7190	RF Devices (15)
5.458 5.459			5.458 G116	5.458 US262	
7190-7235 EARTH EXPLORATION-SATELLITE (Earth-to-space) 5.460A 5.460B FIXED MOBILE SPACE RESEARCH (Earth-to-space) 5.460			7190-7235 EARTH EXPLORATION-SATELLITE (Earth-to-space) 5.460A 5.460B FIXED SPACE RESEARCH (Earth-to-space) 5.460	7190-7235	
5.458 5.459			5.458 US460 US460A G134	5.458 US460 US460A	
7235-7250 EARTH EXPLORATION-SATELLITE (Earth-to-space) 5.460A FIXED MOBILE			7235-7250 EARTH EXPLORATION-SATELLITE (Earth-to-space) 5.460A FIXED	7235-7250	
5.458			5.458 US460A	5.458 US460A	
7250-7300 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE			7250-7300 FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) Fixed	7250-8025	
5.461			G117		
7300-7375 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile			7300-7375 FIXED FIXED-SATELLITE (space-to-Earth) Mobile-satellite (space-to-Earth)		
5.461			G117		
7375-7450 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE-SATELLITE (space-to-Earth) 5.461AA 5.461AB			7375-7450 FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE-SATELLITE (space-to-Earth) 5.461AA 5.461AB Mobile-satellite except maritime mobile-satellite (space-to-Earth)		
7450-7550 FIXED FIXED-SATELLITE (space-to-Earth) METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile			7450-7550 FIXED FIXED-SATELLITE (space-to-Earth) METEOROLOGICAL-SATELLITE (space-to-Earth) MARITIME MOBILE-SATELLITE (space-to-Earth)		

MARITIME MOBILE-SATELLITE (space-to-Earth) 5.461AA 5.461AB 5.461A	5.461AA 5.461AB Mobile-satellite except maritime mobile-satellite (space-to-Earth) G104 G117		
--	--	--	--

Table of Frequency Allocations			8.65-11.7 GHz (SHF)		Page 47
International Table			United States Table		FCC Rule Part(s)
Region 1 Table	Region 2 Table	Region 3 Table	Federal Table	Non-Federal Table	
8.65-8.75 RADIOLOCATION			8.65-9 RADIOLOCATION G59	8.65-9 Radiolocation	Aviation (87) Private Land Mobile (90)
5.468 5.469					
8.75-8.85 RADIOLOCATION					
AERONAUTICAL RADIONAVIGATION 5.470 5.471					
8.85-9 RADIOLOCATION					
MARITIME RADIONAVIGATION 5.472 5.473			US53	US53	
9-9.2 AERONAUTICAL RADIONAVIGATION 5.337 RADIOLOCATION			9-9.2 AERONAUTICAL RADIONAVIGATION 5.337 RADIOLOCATION G2	9-9.2 AERONAUTICAL RADIONAVIGATION 5.337 Radiolocation	
5.471 5.473A			5.473A G19		
9.2-9.3 EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION			9.2-9.3 EARTH EXPLORATION- SATELLITE (active) 5.474A 5.474B 5.474C	9.2-9.3 MARITIME RADIONAVIGATION 5.472 Earth exploration-satellite (active) 5.474A 5.474B 5.474C	Maritime (80) Private Land Mobile (90)
MARITIME RADIONAVIGATION 5.472 5.473 5.474 5.474D			MARITIME RADIONAVIGATION 5.472 Radiolocation US110 G59 5.474 US474D	Radiolocation US110 5.474 US474D	
9.3-9.5 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION			9.3-9.5 EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION G56	9.3-9.5 RADIONAVIGATION US475 Meteorological aids Earth exploration-satellite (active) Radiolocation Space research (active)	Maritime (80) Aviation (87) Private Land Mobile (90)
RADIONAVIGATION 5.475 SPACE RESEARCH (active) 5.427 5.474 5.475A 5.475B 5.476A			RADIONAVIGATION US475 SPACE RESEARCH (active) Meteorological aids 5.427 5.474 5.475A 5.475B US67 US71 US476A	Space research (active) 5.427 5.474 US67 US71 US476A	
9.5-9.8 EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION			9.5-9.8 EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION	9.5-9.9 Earth exploration-satellite (active) Radiolocation Space research (active)	Private Land Mobile (90)
RADIONAVIGATION SPACE RESEARCH (active) 5.476A			SPACE RESEARCH (active)		
9.8-9.9 RADIOLOCATION			9.8-9.9 RADIOLOCATION		
Earth exploration-satellite (active) Fixed Space research (active) 5.477 5.478 5.478A 5.478B			Earth exploration-satellite (active) Space research (active)		

9.9-10 EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION Fixed 5.474D 5.477 5.478 5.479	9.9-10 EARTH EXPLORATION- SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION 5.479 US474D	9.9-10 Earth exploration-satellite (active) 5.474A 5.474B 5.474C Radiolocation 5.479 US474D	
---	--	--	--

10-10.4 EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C FIXED MOBILE RADIOLOCATION Amateur 5.474D 5.479	10-10.4 EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION Amateur 5.474D 5.479 5.480	10-10.4 EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C FIXED MOBILE RADIOLOCATION Amateur 5.474D 5.479	10-10.4 EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION US108 G32 5.479 US128 US474D	10-10.4 Amateur Earth exploration-satellite (active) 5.474A 5.474B 5.474C Radiolocation US108 5.479 US128 US474D NG50	Private Land Mobile (90) Amateur Radio (97)
10.4-10.45 FIXED MOBILE RADIOLOCATION Amateur	10.4-10.45 RADIOLOCATION Amateur 5.480	10.4-10.45 FIXED MOBILE RADIOLOCATION Amateur	10.4-10.5 RADIOLOCATION US108 G32 US128	10.4-10.45 Amateur Radiolocation US108 US128 NG50	
10.45-10.5 RADIOLOCATION Amateur Amateur-satellite 5.481				10.45-10.5 Amateur Amateur-satellite Radiolocation US108 US128 NG50	
10.5-10.55 FIXED MOBILE Radiolocation	10.5-10.55 FIXED MOBILE RADIOLOCATION		10.5-10.55 RADIOLOCATION US59		Private Land Mobile (90)
10.55-10.6 FIXED MOBILE except aeronautical mobile Radiolocation			10.55-10.6	10.55-10.6 FIXED	Fixed Microwave (101)
10.6-10.68 EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive) Radiolocation 5.149 5.482 5.482A			10.6-10.68 EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) US130 US131 US482	10.6-10.68 EARTH EXPLORATION-SATELLITE (passive) FIXED US482 SPACE RESEARCH (passive) US130 US131	
10.68-10.7 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.483			10.68-10.7 EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY US74 SPACE RESEARCH (passive) US131 US246		
10.7-10.95 FIXED FIXED-SATELLITE (space-to-Earth) 5.441 (Earth-to-space) 5.484 MOBILE except aeronautical mobile	10.7-10.95 FIXED FIXED-SATELLITE (space-to-Earth) 5.441 MOBILE except aeronautical mobile		10.7-11.7	10.7-11.7 FIXED FIXED-SATELLITE (space-to-Earth) 5.441 US131 US211 NG52	Satellite Communications (25) Fixed Microwave (101)
10.95-11.2 FIXED FIXED-SATELLITE (space-to-	10.95-11.2 FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B				

Earth) 5.484A 5.484B (Earth-to-space) 5.484 MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	US131 US211		Page 48
--	-----------------------------------	-------------	--	---------

* * * * *

UNITED STATES (US) FOOTNOTES

* * * * *

US13 (i) The following center frequencies, each with a channel bandwidth not greater than 12.5 kHz, are available for assignment to non-Federal fixed stations for the specific purpose of transmitting hydrological and meteorological data in cooperation with Federal agencies, subject to the condition that harmful interference will not be caused to Federal stations:

HYDRO CHANNELS (MHZ)				
169.4250	170.2250	171.0250	171.8375	412.6625
169.4375	170.2375	171.0375	171.8500	412.6750
169.4500	170.2500	171.0500	171.8625	412.6875
169.4625	170.2625	171.0625	171.8750	412.7125
169.4750	170.2750	171.0750	171.8875	412.7250
169.4875	170.2875	171.0875	171.9000	412.7375
169.5000	170.3000	171.1000	171.9125	412.7625
169.5125	170.3125	171.1125	171.9250	412.7750
169.5250	170.3250	171.1250	406.1250	415.1250
.....	171.8250	406.1750	415.1750

(ii) After [INSERT DATE 30 DAYS AFTER DATE OF FEDERAL REGISTER PUBLICATION OF FINAL RULES], no assignments on the frequencies 406.125 MHz and 406.175 MHz will be made, but stations with existing assignments may continue to operate on these frequencies.

* * * * *

US23 The band 5351.5-5366.5 kHz (60 m band) is allocated to the amateur service on a secondary basis. Amateur service use of the 60 m band frequencies must meet the requirements in Part 97 of these rules. Amateur operators using the data and RTTY emissions must exercise care to limit the length of transmissions so as to avoid causing harmful interference to Federal stations.

* * * * *

US78 Military systems used for Identification, Friend or Foe (IFF) operations are authorized to operate in the band 960-1164 MHz on center frequencies 1030 MHz for interrogators and 1090 MHz for transponders on the condition that harmful interference will not be caused to the aeronautical radionavigation service (ARNS) or the aeronautical mobile (R) service (AM(R)S).

* * * * *

US117 In the band 406.1-410 MHz, the following provisions shall apply:

(i) Stations in the fixed and mobile services are limited to a transmitter output power of 125 watts, and new authorizations for stations, other than mobile stations, are subject to prior coordination by the applicant in the following areas:

(A) Within Puerto Rico and the U.S. Virgin Islands, contact Spectrum Manager, Arecibo Observatory, HC3 Box 53995, Arecibo, PR 00612. Phone: 787-878-2612, Fax: 787-878-1861, E-mail: prcz@naic.edu.

(B) Within 350 km of the Very Large Array (34° 04' 44" N, 107° 37' 06" W), contact Spectrum Manager, National Radio Astronomy Observatory, P.O. Box O, 1003 Lopezville Road, Socorro, NM 87801. Phone: 505-835-7000, Fax: 505-835-7027, E-mail: nrao-rfi@nrao.edu.

(C) Within 10 km of the Table Mountain Observatory (40° 08' 02" N, 105° 14' 40" W) and for operations only within the sub-band 407-409 MHz, contact Radio Frequency Manager, Department of Commerce, 325 Broadway, Boulder, CO 80305. Phone: 303-497-4619, Fax: 303-497-6982, E-mail: frequencymanager@its.bldrdoc.gov.

(ii) Non-Federal use is limited to the radio astronomy service and as provided by footnotes US13 and US55.

* * * * *

US128 In the band 10-10.5 GHz, pulsed emissions are prohibited, except for the military services and for weather radars on board meteorological satellites in the sub-band 10-10.025 GHz. The amateur service, the amateur satellite service, and the non-Federal radiolocation service, which shall not cause harmful interference to the Federal radiolocation service, are the only non-Federal services permitted in this band. The non-Federal radiolocation service is limited to survey operations as specified in footnote US108.

* * * * *

US139 In the band 18.3-19.3 GHz, earth station licensees in the fixed-satellite service (space-to-Earth) may require that licensees of grandfathered stations in the fixed service cease operations in accordance with the provisions in section 101.95 of this chapter.

* * * * *

US224 Federal systems utilizing spread spectrum techniques for terrestrial communication, navigation and identification may be authorized to operate in the band 960-1215 MHz on the condition that harmful interference will not be caused to the aeronautical mobile (R) and aeronautical radionavigation services in the band 960-1164 MHz, military Identification Friend or Foe (IFF) systems on center frequencies 1030/1090 MHz, aeronautical mobile-satellite (R) service (Earth-to-space) in the band 1087.7-1092.3 MHz, and the aeronautical radionavigation and radionavigation-satellite (space-to-Earth) (space-to-space) services in the band 1164-1215 MHz. These systems will be handled on a case-by-case basis. Such systems are subject to a review at the national level for operational requirements and electromagnetic compatibility prior to development, procurement or modification.

* * * * *

US265 In accordance with Resolution 205 (Rev.WRC-19), the following provisions apply in the band 403-410 MHz:

(i) New frequency assignments to stations in the fixed and mobile services will not be made within the bands 405.9-406.0 MHz and 406.1-406.2 MHz.

(ii) The frequency drift characteristics of radiosondes must be taken into account when selecting their operating frequencies above 405 MHz to avoid transmitting in the band 406-406.1 MHz and all practical steps must be taken to avoid frequency drifting close to 406 MHz.

* * * * *

US270 In the band 420-450 MHz, the following provisions shall apply to the amateur service:

(i) The peak envelope power of an amateur station shall not exceed 50 watts in the following areas, unless expressly authorized by the FCC after mutual agreement, on a case-by-case basis, between the Regional Director of the applicable field office and the military area frequency coordinator at the applicable military base.

Location	Geographic limitation	Coordination contact information
Arizona	None (statewide)	DoD AFC AZ, (520) 538-6423 DoD AFC AZ – DSN – 879-6423
New Mexico	None (statewide)	DoD AFC WSMR – DSN – 258-5417
Texas	West of longitude 104° W	DoD AFC WSMR, (575) 678-5417, usarmy.wsmr.imcomcentral.list.dodafc@mail.mil
California	South of latitude 37° 10' N	DoD Western AFC, (760) 939-6832 DoD Western – DSN – 437-6832
Nevada	South of latitude 37° 10' N	Nevada AFC – DSN – 875-0607 Nevada AFC, (702) 679-0607, dodafc@nellis.af.mil usaf.nellis.99-abw.mbx.dod-afccorg@mail.smil.mil
Point Mugu, CA	Within 322 km of 34° 09' N, 119° 11' W	NMCSO SW DSN 312-735-9889 NMCSO SW at (619)545-9978, Netssdsdni_nmcso_southwest@navy.mil
Florida	None (statewide)	DoD Eastern – DSN – 467-8436
Patrick AFB, FL	Within 322 km of 28° 21' N, 080° 43' W	DoD Eastern AFC, (321) 853-8426, 45sw.dodeafc@us.af.mil
Eglin AFB, FL	Within 322 km of 30° 30' N, 086° 30' W	DoD Gulf – DSN – 875-5648 DoD Gulf AFC, (850) 883-5982
Beale AFB, CA	Within 240 km of 39° 08' N, 121° 26' W	HQ SpOC Spectrum Management Office, (719) 554-6400, SpOC.SMO@us.af.mil HQ SpOC DSN – 692-6400
Goodfellow AFB, TX	Within 200 km of 31° 25' N, 100° 24' W	
Warner Robins AFB, GA	Within 200 km of 32° 38' N, 083° 35' W	
Clear AFS, AK	Within 160 km of 64° 17' N, 149° 10' W	
Concrete, ND	Within 160 km of 48° 43' N, 097° 54' W	
Otis AFB, MA	Within 160 km of 41° 45' N, 070° 32' W	

(ii) In the sub-band 420-430 MHz, the amateur service is not allocated north of Line A (def. § 2.1).

* * * * *

US287 The bands 457.5125-457.6125 MHz, 467.53125-467.54375 MHz, 467.512375-467.518625 MHz, 467.55625-467.56875 MHz, and 467.7375-467.8375 MHz are also allocated to the maritime mobile service on a co-equal, primary basis with the non-Federal fixed and land mobile services. Use of these frequency bands by the maritime mobile service is limited to on-board communication stations. In these frequency bands, stations in the fixed and land mobile services may not claim protection from interference caused by on-board communication stations operating in accordance with US288 and on-board communication stations may not claim protection from stations in the fixed and land mobile services.

US288 In the territorial waters of the United States, footnote 5.287 applies, except that on-board communication stations must transmit only on the listed frequencies and must operate as specified herein. On-board repeater stations and mobile stations used for single-frequency simplex operation may transmit only in the band 457.5125-457.6125 MHz. The preferred frequencies for repeater systems are 457.525 MHz (channel 1 or 11), 457.5375 MHz (channel 12), 457.550 MHz (channel 2 or 13), 457.5625 MHz (channel 14), 457.575 MHz (channel 3 or 15), and 457.600 MHz paired, respectively, with 467.750 MHz, 467.7625 MHz, 467.775 MHz, 467.7875 MHz, 467.800 MHz, and 467.825 MHz; and the preferred

frequencies for single-frequency operations are channels 1-3, 11-15, and 121. Use of channels 122, 141, and 142 and channel pairs 12/22, 14/24, 102/202, 121/221, 122/222, 141/241, and 142/242 is also authorized at coastal ports and the inland ports of Houston, Baton Rouge, and Portland, and along the waterways and at other ports between these inland ports and the ocean; however, on-board communication stations must not transmit on these channels while in port and not underway or preparing to get underway.

* * * * *

US460 The band 7190-7235 MHz is also allocated to the space research service (Earth-to-space) on a secondary basis for non-Federal use. No emissions from space research service (Earth-to-space) systems intended for deep space may be effected in this frequency band. Authorizations are subject to a case-by-case electromagnetic compatibility analysis and approval.

US460A The band 7190-7250 MHz is also allocated to the Earth exploration-satellite service (Earth-to-space) on a secondary basis for non-Federal use, limited to tracking, telemetry and command for the operation of spacecraft. Authorizations are subject to a case-by-case electromagnetic compatibility analysis and approval.

* * * * *

US474D Stations in the Earth exploration-satellite service (active) must not cause harmful interference to, or claim protection from, stations of the maritime radionavigation service in the band 9.2-9.3 GHz and the radiolocation service in the band 9.9-10.4 GHz.

* * * * *

NON-FEDERAL GOVERNMENT (NG) FOOTNOTES

* * * * *

NG62 In the bands 28.5-29.1 GHz and 29.25-29.5 GHz, stations in the fixed service operating under the following call signs may operate indefinitely on a secondary basis: KIL20, KME49, KQG58, KQH74, KSA96, KSE73, KZS88, WML443, WMP367, and WSL69.

* * * * *

NG159 In the band 698-806 MHz, stations authorized under 47 CFR part 74, subpart F may continue to operate indefinitely on a secondary basis to all other stations operating in that band.

* * * * *

PART 25—SATELLITE COMMUNICATIONS

6. The authority citation for part 25 continues to read as follows:

AUTHORITY: 47 U.S.C. 154, 301, 302, 303, 307, 309, 310, 319, 332, 605, and 721, unless otherwise noted.

7. Amend section 25.202 by adding paragraph (a)(13) to read as follows:

§ 25.202 Frequencies, frequency tolerance, and emission limits.

(a) * * *

* * * * *

(13) The 1087.7-1092.3 MHz band (center frequency 1090 MHz) is available for use by the aeronautical mobile-satellite (R) service (Earth-to-space) for the reception of Automatic Dependent Surveillance-Broadcast (ADS-B) emissions from aircraft.

* * * * *

PART 74—EXPERIMENTAL RADIO, AUXILIARY, SPECIAL BROADCAST AND OTHER PROGRAM DISTRIBUTIONAL SERVICES

8. The authority citation for part 74 continues to read as follows:

AUTHORITY: 47 U.S.C. 154, 302a, 303, 307, 309, 310, 325, 336 and 554.

9. Amend section 74.502 by revising paragraph (c) to read as follows:

§74.502 Frequency assignment.

* * * * *

(c) The following frequencies are available for assignment to aural broadcast STL and intercity relay stations. Licensees in the fixed-satellite service may require that licensees of grandfathered stations operating in the bands 18,760-18,820 MHz and 19,100-19,160 MHz cease operations in accordance with the provisions in section 101.95 of this chapter.

(1)(i) 5 MHz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1560 Megahertz Separation	
17702.5	n/a
17707.5	n/a
17712.5	n/a
17717.5	n/a
17722.5	n/a
17727.5	n/a
17732.5	n/a
17737.5	n/a
18062.5	19622.5
18067.5	19627.5
18072.5	19632.5
18077.5	19637.5
18082.5	19642.5
18087.5	19647.5
18092.5	19652.5
18097.5	19657.5
18102.5	19662.5
18107.5	19667.5

18112.5	19672.5
18117.5	19677.5
18122.5	19682.5
18127.5	19687.5
18132.5	19692.5
18137.5	19697.5

10. Amend section 74.602 by revising paragraph (g) to read as follows:

§ 74.602 Frequency assignment.

* * * * *

(g) The following frequencies are available for assignment to television STL, television relay stations and television translator relay stations. Licensees may use either a two-way link or one or both frequencies of a frequency pair for a one-way link and shall coordinate proposed operations pursuant to procedures required in § 101.103(d) of this chapter. Licensees in the fixed-satellite service may require that licensees of grandfathered stations operating in the 18.3-18.58 GHz and 19.26-19.3 GHz bands cease operations in accordance with the provisions in § 101.95 of this chapter.

(1) * * *

(2) [Reserved]

(3) 10 MHz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1560 MHz Separation	
17705.0	n/a
17715.0	n/a
17725.0	n/a
17735.0	n/a
17745.0	19305.0
17755.0	19315.0
17765.0	19325.0
17775.0	19335.0
17785.0	19345.0
17795.0	19355.0
17805.0	19365.0
17815.0	19375.0
17825.0	19385.0
17835.0	19395.0
17845.0	19405.0
17855.0	19415.0
17865.0	19425.0
17875.0	19435.0
17885.0	19445.0
17895.0	19455.0

17905.0	19465.0
17915.0	19475.0
17925.0	19485.0
17935.0	19495.0
17945.0	19505.0
17955.0	19515.0
17965.0	19525.0
17975.0	19535.0
17985.0	19545.0
17995.0	19555.0
18005.0	19565.0
18015.0	19575.0
18025.0	19585.0
18035.0	19595.0
18045.0	19605.0
18055.0	19615.0
18065.0	19625.0
18075.0	19635.0
18085.0	19645.0
18095.0	19655.0
18105.0	19665.0
18115.0	19675.0
18125.0	19685.0
18135.0	19695.0

(4) 20 MHz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1560 MHz Separation	
17710.0	n/a
17730.0	n/a
17750.0	19310.0
17770.0	19330.0
17790.0	19350.0
17810.0	19370.0
17830.0	19390.0
17850.0	19410.0
17870.0	19430.0
17890.0	19450.0
17910.0	19470.0
17930.0	19490.0
17950.0	19510.0
17970.0	19530.0
17990.0	19550.0
18010.0	19570.0

18030.0	19590.0
18050.0	19610.0
18070.0	19630.0
18090.0	19650.0
18110.0	19670.0
18130.0	19690.0

(5) 40 MHz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1560 MHz Separation	
17720.0	n/a
17760.0	19320.0
17800.0	19360.0
17840.0	19400.0
17880.0	19440.0
17920.0	19480.0
17960.0	19520.0
18000.0	19560.0
18040.0	19600.0
18080.0	19640.0
18120.0	19680.0

(6) 80 MHz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1560 MHz Separation	
17740.0	n/a
17820.0	19380.0
17900.0	19460.0
17980.0	19540.0
18060.0	19620.0

* * * * *

PART 78—CABLE TELEVISION RELAY SERVICE

11. The authority citation for part 78 continues to read as follows:

AUTHORITY: 47 U.S.C. 152, 153, 154, 301, 303, 307, 308, 309.

12. Amend section 78.18 by revising paragraph (a)(4) to read as follows:

§78.18 Frequency assignments.

(a) * * *

* * * * *

(4) The Cable Television Relay Service is also assigned the following frequencies in the 17,700-18,300 MHz and 19,300-19,700 MHz bands. These frequencies are co-equally shared with stations in other services under parts 25, 74, and 101 of this chapter. Licensees in the fixed-satellite service may require that licensees of grandfathered stations operating in the 18.3-18.58 GHz and 19.26-19.3 GHz bands cease operations in accordance with the provisions in § 101.95 of this chapter.

(i) * * *

(ii) [Reserved]

(iii) 10 MHz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1560 MHz Separation	
17705.0	n/a
17715.0	n/a
17725.0	n/a
17735.0	n/a
17745.0	19305.0
17755.0	19315.0
17765.0	19325.0
17775.0	19335.0
17785.0	19345.0
17795.0	19355.0
17805.0	19365.0
17815.0	19375.0
17825.0	19385.0
17835.0	19395.0
17845.0	19405.0
17855.0	19415.0
17865.0	19425.0
17875.0	19435.0
17885.0	19445.0
17895.0	19455.0
17905.0	19465.0
17915.0	19475.0
17925.0	19485.0
17935.0	19495.0
17945.0	19505.0
17955.0	19515.0
17965.0	19525.0
17975.0	19535.0
17985.0	19545.0
17995.0	19555.0

18005.0	19565.0
18015.0	19575.0
18025.0	19585.0
18035.0	19595.0
18045.0	19605.0
18055.0	19615.0
18065.0	19625.0
18075.0	19635.0
18085.0	19645.0
18095.0	19655.0
18105.0	19665.0
18115.0	19675.0
18125.0	19685.0
18135.0	19695.0

(iv) 20 MHz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1560 MHz Separation	
17710.0	n/a
17730.0	n/a
17750.0	19310.0
17770.0	19330.0
17790.0	19350.0
17810.0	19370.0
17830.0	19390.0
17850.0	19410.0
17870.0	19430.0
17890.0	19450.0
17910.0	19470.0
17930.0	19490.0
17950.0	19510.0
17970.0	19530.0
17990.0	19550.0
18010.0	19570.0
18030.0	19590.0
18050.0	19610.0
18070.0	19630.0
18090.0	19650.0
18110.0	19670.0
18130.0	19690.0

(v) 40 MHz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
---------------------------------	---------------------------------

1560 MHz Separation	
17720.0	n/a
17760.0	19320.0
17800.0	19360.0
17840.0	19400.0
17880.0	19440.0
17920.0	19480.0
17960.0	19520.0
18000.0	19560.0
18040.0	19600.0
18080.0	19640.0
18120.0	19680.0

(vi) 80 MHz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1560 MHz Separation	
17740.0	n/a
17820.0	19380.0
17900.0	19460.0
17980.0	19540.0
18060.0	19620.0

* * * * *

PART 90—PRIVATE LAND MOBILE RADIO SERVICES

13. The authority citation for part 90 continues to read as follows:

AUTHORITY: 47 U.S.C. 154(i), 161, 303(g), 303(r), 332(c)(7), 1401-1473.

* * * * *

14. Amend section 90.265 by revising paragraph (a)(8) to read as follows:

§ 90.265 Assignment and use of frequencies in the bands allocated for Federal use.

(a) * * *

* * * * *

(8) After [INSERT DATE 30 DAYS AFTER DATE OF FEDERAL REGISTER PUBLICATION OF FINAL RULES], no assignments for the frequencies 406.1250 MHz and 406.1750 MHz will be made, but stations with existing assignments may continue to operate on these frequencies.

* * * * *

PART 97 – AMATEUR RADIO SERVICE

15. The authority citation for part 97 continues to read as follows:

AUTHORITY: 47 U.S.C. 151-155, 301-609, unless otherwise noted.

16. Amend section 97.301 by revising the entry for the “60 m” wavelength band in paragraphs (b), (c) and (d) to read as follows:

§ 97.301 Authorized frequency bands.

* * * * *

(b) * * *

Wavelength band	ITU Region 1	ITU Region 2	ITU Region 3	Sharing requirements see § 97.303 (Paragraph)
**	**	*	*	*
HF	MHz	MHz	MHz	
**	**	*	*	*
60 m	5.3515-5.3665	5.3515-5.3665	5.3515-5.3665	(h)
**	**	*	*	*

(c) * * *

Wavelength band	ITU Region 1	ITU Region 2	ITU Region 3	Sharing requirements see § 97.303 (Paragraph)
**	**	*	*	*
HF	MHz	MHz	MHz	
**	**	*	*	*
60 m	5.3515-5.3665	5.3515-5.3665	5.3515-5.3665	(h)
**	**	*	*	*

(d) * * *

Wavelength band	ITU Region 1	ITU Region 2	ITU Region 3	Sharing requirements see § 97.303 (Paragraph)
**	**	*	*	*
HF	MHz	MHz	MHz	
**	**	*	*	*
60 m	5.3515-5.3665	5.3515-5.3665	5.3515-5.3665	(h)
**	**	*	*	*

17. Amend section 97.303 by revising paragraph (h) to read as follows:

§ 97.303 Frequency sharing requirements.

* * * * *

(h) Amateur stations transmitting on frequencies in the 60 m band must not cause harmful interference to, and must accept interference from, stations authorized by:

- (1) The United States (NTIA and FCC) and other nations in the fixed service; and
- (2) Other nations in the mobile except aeronautical mobile service.

* * * * *

18. Amend section 97.305 by revising the table in paragraph (c) to read as follows:

§ 97.305 Authorized emission types.

* * * * *

(c) * * *

Wavelength band	Frequencies	Emission types authorized	Standards see § 97.307(f), paragraph:
* *	* *	* *	*
HF:			
* *	* *	* *	*
60 m	5.3515-5.3665 MHz	Phone, RTTY, data	(14)
* *	* *	* *	*

19. Amend section 97.307 by revising paragraph (f)(14) to read as follows:

§ 97.307 Emission standards.

* * * * *

(f) * * *

* * * * *

(14) In the 60 m band: (i) A station may transmit only phone, RTTY, data, and CW emissions. RTTY or data emissions shall meet the digital code specifications listed in § 97.309. Emissions shall not exceed a bandwidth of 2.8 kilohertz.

(ii) The control operator of a station transmitting data or RTTY emissions must exercise care to limit the length of transmissions so as to avoid causing harmful interference to United States Government stations.

20. Amend section 97.313 by revising paragraphs (f) and (i) to read as follows:

§ 97.313 Transmitter power standards.

* * * * *

(f) No station may transmit with a transmitter power exceeding 50 W PEP on the UHF 70 cm band from an area specified in in paragraph (i) of footnote US270 in [§ 2.106](#), unless expressly authorized by the FCC after mutual agreement, on a case-by-case basis, between the Regional Director of the applicable field facility and the military area frequency coordinator at the applicable military base. An Earth station or telecommand station, however, may transmit on the 435-438 MHz segment with a maximum of 611 W effective radiated power (1 kW equivalent isotropically radiated power) without the authorization otherwise required. The transmitting antenna elevation angle between the lower half-power (−3 dB relative to the peak or antenna bore sight) point and the horizon must always be greater than 10°.

* * * * *

(i) No station may transmit on frequencies in the 60 m band with a radiated power exceeding 15 W (insert value at order stage). For the purpose of computing EIRP, the transmitter PEP will be multiplied by the antenna gain relative to an isotropic antenna. An isotropic antenna will be presumed to have a gain of 1 (0 dBi). Licensees must maintain in their station records either the antenna manufacturer's data on the antenna gain or calculations of the antenna gain.

* * * * *

PART 101—FIXED MICROWAVE SERVICES

21. The authority citation for part 101 continues to read as follows:

AUTHORITY: 47 U.S.C. 154, 303.

22. Remove and reserve § 101.83.

§ 101.83 [Reserved]

23. Remove and reserve § 101.85.

§ 101.85 [Reserved]

24. Remove and reserve § 101.89.

§ 101.89 [Reserved]

25. Remove and reserve § 101.91.

§ 101.91 [Reserved]

26. Amend § 101.95 by revising the heading and paragraph (a) to read as follows:

§ 101.95 Provisions for grandfathered licensees in the 18.30-19.30 GHz band.

(a) The transition period for the 18.30-19.30 GHz band has concluded and thus FSS licensees are not required to pay relocation costs. FSS licensees may require the incumbent to cease operations, provided that the FSS licensee intends to turn on a system within interference range of the incumbent, as determined by TIA Bulletin 10-F or any standard successor. FSS licensee notification to the affected FS licensee must be in writing and must provide the incumbent with no less than six months to vacate the spectrum. After the six-month notice period has expired, the FS licensee must turn its license back into the Commission, unless the parties have entered into an agreement which allows the FS licensee to continue to operate on a mutually agreed upon basis.

* * * * *

27. Remove and reserve § 101.97.

§ 101.97 [Reserved]

28. Amend § 101.147 by:

- a. Revising the list of frequency bands in paragraph (a);
- b. Revising paragraphs (r), (r)(7), (r)(8), (r)(10), (r)(12), a(r)(13);
- c. Removing note 30 from paragraph (a); and
- d. Removing and reserving paragraph (r)(4).

The revisions read as follows:

§ 101.147 Frequency assignments.

(a) * * *

* * * * *

- 14,200-14,400 MHz (24)
- 17,700-18,300 MHz (5) (10) (15)
- 19,300-19,700 MHz (5) (10) (15)

* * * * *

(b) * * *

* * * * *

(r) *17,700 to 19,700 and 24,250 to 25,250 MHz:* Operation of stations using frequencies in these bands is permitted to the extent specified in this paragraph. Licensees, except 24 GHz band licensees, may use either a two-way link or one frequency of a frequency pair for a one-way link and must coordinate proposed operations pursuant to the procedures required in § 101.103. The use of the band 18.3-19.3 GHz is limited to grandfathered stations. Licensees in the fixed-satellite service may require that licensees of grandfathered stations operating in the bands 18.3-19.3 GHz cease operations in accordance with the provisions in section 101.95 of this chapter. (Note that stations authorized as of September 9, 1983, to use frequencies in the band 17.7-19.7 GHz may, upon proper application, continue to be authorized for such operations, consistent with the above conditions related to the 18.3-19.3 GHz band.) Applicants for one-way spectrum from 17.7-18.3 GHz for multichannel video programming distribution are governed by paragraph (r)(6) of this section. Licensees are also allowed to use one-way (unpaired) channels in the 17.7-17.74 GHz sub-band to pair with other channels in the FS portions of the 18 GHz band where, for example, the return pair is already in use and therefore blocked or in TDD systems. Stations used for MVPD operations in the 17.7-17.8 GHz band must coordinate with the Federal Government before operating in the zones specified in § 1.924(e) of this chapter.

(1) * * *

* * * * *

(4) [Reserved]

* * * * *

(7) 10 Megahertz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1560 Megahertz Separation	
17705.0	N/A
17715.0	N/A
17725.0	N/A
17735.0	N/A
17745.0	19305.0
17755.0	19315.0
17765.0	19325.0
17775.0	19335.0
17785.0	19345.0
17795.0	19355.0
17805.0	19365.0
17815.0	19375.0
17825.0	19385.0
17835.0	19395.0
17845.0	19405.0
17855.0	19415.0
17865.0	19425.0
17875.0	19435.0
17885.0	19445.0
17895.0	19455.0
17905.0	19465.0
17915.0	19475.0
17925.0	19485.0
17935.0	19495.0
17945.0	19505.0
17955.0	19515.0
17965.0	19525.0
17975.0	19535.0
17985.0	19545.0
17995.0	19555.0
18005.0	19565.0
18015.0	19575.0
18025.0	19585.0
18035.0	19595.0
18045.0	19605.0
18055.0	19615.0
18065.0	19625.0

18075.0	19635.0
18085.0	19645.0
18095.0	19655.0
18105.0	19665.0
18115.0	19675.0
18125.0	19685.0
18135.0	19695.0

(8) 20 Megahertz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1560 Megahertz Separation	
17710.0	N/A
17730.0	N/A
17750.0	19310.0
17770.0	19330.0
17790.0	19350.0
17810.0	19370.0
17830.0	19390.0
17850.0	19410.0
17870.0	19430.0
17890.0	19450.0
17910.0	19470.0
17930.0	19490.0
17950.0	19510.0
17970.0	19530.0
17990.0	19550.0
18010.0	19570.0
18030.0	19590.0
18050.0	19610.0
18070.0	19630.0
18090.0	19650.0
18110.0	19670.0
18130.0	19690.0

(9) * * *

(10) 40 Megahertz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1560 Megahertz Separation	
17720.0	N/A
17760.0	19320.0
17800.0	19360.0
17840.0	19400.0

17880.0	19440.0
17920.0	19480.0
17960.0	19520.0
18000.0	19560.0
18040.0	19600.0
18080.0	19640.0
18120.0	19680.0

(11) * * *

(12) 80 Megahertz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1560 Megahertz Separation	
17740.0	N/A
17820.0	19380.0
17900.0	19460.0
17980.0	19540.0
18060.0	19620.0

(13) The following frequencies on channels 35-39 are available for point-to-multipoint systems and are available by geographic area licensing in the 24 GHz Service to be used as the licensee desires. The 24 GHz spectrum can be aggregated or disaggregated and does not have to be used in the transmit/receive manner shown except to comply with international agreements along the U.S. borders. Channels 35 through 39 are licensed in the 24 GHz Service by Economic Areas for any digital fixed service. Channels may be used at either nodal or subscriber station locations for transmit or receive but must be coordinated with adjacent channel and adjacent area users in accordance with the provisions of § 101.509. Stations also must comply with international coordination agreements.

Channel No.	Nodal station frequency band (MHz) limits	User station frequency band (MHz) limits
35	24,250-24,290	25,050-25,090
36	24,290-24,330	25,090-25,130
37	24,330-24,370	25,130-25,170
38	24,370-24,410	25,170-25,210
39	24,410-24,450	25,210-25,250

* * * * *

APPENDIX C

Initial Regulatory Flexibility Analysis

1. As required by the Regulatory Flexibility Act of 1980, as amended (RFA),¹⁸² the Commission has prepared this Initial Regulatory Flexibility Analysis (IRFA) of the possible significant economic impact on a substantial number of small entities by the policies and rules proposed in the *WRC-15 Notice of Proposed Rulemaking (WRC-15 Notice)*. Written public comments are requested on this IRFA. Comments must be identified as responses to the IRFA and must be filed by the deadlines for comments provided in the *WRC-15 Notice*. The Commission will send a copy of the *WRC-15 Notice*, including this IRFA, to the Chief Counsel for Advocacy of the Small Business Administration (SBA).¹⁸³ In addition, the *WRC-15 Notice* and IRFA (or summaries thereof) will be published in the *Federal Register*.¹⁸⁴

A. Need for, and Objectives of, the Proposed Rules

2. In the *WRC-15 Notice*, the Commission proposes to amend parts 2, 25, 74, 78, 90, 97, and 101 of its rules to implement certain frequency allocation decisions from the World Radiocommunication Conference (Geneva, 2015) (WRC-15) in the Commission's Table of Frequency Allocations, to make other allocation changes, and to make certain updates to its service rules for service providers and other entities, including those for the amateur radio, aviation, cable television relay, fixed microwave, private land mobile, and satellite services, and for aural broadcast auxiliary and television broadcast auxiliary stations. These proposals are designed to conform the Commission's rules to the *WRC-15 Final Acts* and seek to harmonize U.S. frequency allocations with the decisions made at WRC-15 to the extent this would better meet domestic requirements.

B. Legal Basis

3. The proposed action is authorized pursuant to sections 1, 4(i), 4(j), 7, 301, 303(c), 303(f), and 303(r) of the Communications Act of 1934, as amended, 47 U.S.C. §§ 151, 154(i), 154(j), 157, 301, 303(c), 303(f), and 303 (r).

C. Description and Estimate of the Number of Small Entities to Which the Proposed Rules Would Apply

4. The RFA directs agencies to provide a description of and, where feasible, an estimate of the number of small entities that may be affected by the proposed rules, if adopted.¹⁸⁵ The RFA generally defines the term "small entity" as having the same meaning as the terms "small business," "small organization," and "small governmental jurisdiction."¹⁸⁶ In addition, the term "small business" has the same meaning as the term "small business concern" under the Small Business Act.¹⁸⁷ A small business

¹⁸² See 5 U.S.C. § 603. The RFA, 5 U.S.C. §§ 601–612, has been amended by the Small Business Regulatory Enforcement Fairness Act of 1996 (SBREFA), Pub. L. No. 104-121, Title II, 110 Stat. 857 (1996).

¹⁸³ See 5 U.S.C. § 603(a).

¹⁸⁴ See *id.*

¹⁸⁵ 5 U.S.C. § 603(b)(3).

¹⁸⁶ 5 U.S.C. § 601(6).

¹⁸⁷ 5 U.S.C. § 601(3) (incorporating by reference the definition of "small business concern" in the Small Business Act, 15 U.S.C. § 632). Pursuant to 5 U.S.C. § 601(3), the statutory definition of a small business applies "unless an agency, after consultation with the Office of Advocacy of the Small Business Administration and after opportunity for public comment, establishes one or more definitions of such term that are appropriate to the activities of the agency and publishes such definition(s) in the Federal Register."

concern is one which: (1) is independently owned and operated; (2) is not dominant in its field of operation; and (3) satisfies any additional criteria established by the SBA.¹⁸⁸

5. *Small Businesses, Small Organizations, and Small Governmental Jurisdictions.* Our actions, over time, may affect small entities that are not easily categorized at present. We therefore describe, at the outset, three broad groups of small entities that could be directly affected herein.¹⁸⁹ First, while there are industry specific size standards for small businesses that are used in the regulatory flexibility analysis, from the Small Business Administration’s (SBA) Office of Advocacy, in general a small business is an independent business having fewer than 500 employees.¹⁹⁰ These types of small businesses represent 99.9% of all businesses in the United States which translates to 32.5 million businesses.¹⁹¹

6. Next, the type of small entity described as a “small organization” is generally “any not-for-profit enterprise which is independently owned and operated and is not dominant in its field.”¹⁹² The Internal Revenue Service (IRS) uses a revenue benchmark of \$50,000 or less to delineate its annual electronic filing requirements for small exempt organizations.¹⁹³ Nationwide, for tax year 2020, there were approximately 447,689 small exempt organizations in the U.S. reporting revenues of \$50,000 or less according to the registration and tax data for exempt organizations available from the IRS.¹⁹⁴

7. Finally, the small entity described as a “small governmental jurisdiction” is defined generally as “governments of cities, counties, towns, townships, villages, school districts, or special districts, with a population of less than fifty thousand.”¹⁹⁵ U.S. Census Bureau data from the 2017 Census of Governments¹⁹⁶ indicate there were 90,075 local governmental jurisdictions consisting of general

¹⁸⁸ 15 U.S.C. § 632.

¹⁸⁹ See 5 U.S.C. § 601(3)-(6).

¹⁹⁰ See SBA, Office of Advocacy, Frequently Asked Questions, “What is a small business,” <https://cdn.advocacy.sba.gov/wp-content/uploads/2021/11/03093005/Small-Business-FAQ-2021.pdf>. (Nov 2021).

¹⁹¹ *Id.*

¹⁹² 5 U.S.C. § 601(4).

¹⁹³ The IRS benchmark is similar to the population of less than 50,000 benchmark in 5 U.S.C § 601(5) that is used to define a small governmental jurisdiction. Therefore, the IRS benchmark has been used to estimate the number of small organizations in this small entity description. See Annual Electronic Filing Requirement for Small Exempt Organizations — Form 990-N (e-Postcard), “Who must file,” <https://www.irs.gov/charities-non-profits/annual-electronic-filing-requirement-for-small-exempt-organizations-form-990-n-e-postcard>. We note that the IRS data does not provide information on whether a small exempt organization is independently owned and operated or dominant in its field.

¹⁹⁴ See Exempt Organizations Business Master File Extract (EO BMF), “CSV Files by Region,” <https://www.irs.gov/charities-non-profits/exempt-organizations-business-master-file-extract-eo-bmf>. The IRS Exempt Organization Business Master File (EO BMF) Extract provides information on all registered tax-exempt/non-profit organizations. The data utilized for purposes of this description was extracted from the IRS EO BMF data for businesses for the tax year 2020 with revenue less than or equal to \$50,000 for Region 1-Northeast Area (58,577), Region 2-Mid-Atlantic and Great Lakes Areas (175,272), and Region 3-Gulf Coast and Pacific Coast Areas (213,840) that includes the continental U.S., Alaska, and Hawaii. This data does not include information for Puerto Rico.

¹⁹⁵ See 5 U.S.C. § 601(5).

¹⁹⁶ See 13 U.S.C. § 161. The Census of Governments survey is conducted every five (5) years compiling data for years ending with “2” and “7”. See also Census of Governments, <https://www.census.gov/programs-surveys/cog/about.html>.

purpose governments and special purpose governments in the United States.¹⁹⁷ Of this number, there were 36,931 general purpose governments (county,¹⁹⁸ municipal, and town or township¹⁹⁹) with populations of less than 50,000 and 12,040 special purpose governments—independent school districts²⁰⁰ with enrollment populations of less than 50,000.²⁰¹ Accordingly, based on the 2017 U.S. Census of Governments data, we estimate that at least 48,971 entities fall into the category of “small governmental jurisdictions.”²⁰²

8. *Amateur Radio Service.* Amateur service is a radiocommunication service intended for self-training, intercommunication and technical investigations carried out by amateurs, that is, duly authorized persons interested in radio technique solely with a personal aim and without pecuniary interest.²⁰³ Amateur radio service encompasses amateur service, amateur-satellite service and radio amateur civil emergency service.²⁰⁴ Licenses are generally held by individuals but can also be held by clubs, associations and other non-profit entities. Radio Stations²⁰⁵ is the closest industry with a SBA small business size standard applicable to this service. The SBA small business size standard for this industry classifies a small entity as one that has \$41.5 million or less in annual receipts.²⁰⁶ U.S. Census Bureau data for 2017 show that 2,963 firms operated in this industry during that year.²⁰⁷ Of this number,

¹⁹⁷ See U.S. Census Bureau, 2017 Census of Governments – Organization Table 2. Local Governments by Type and State: 2017 [CG1700ORG02], <https://www.census.gov/data/tables/2017/econ/gus/2017-governments.html>. Local governmental jurisdictions are made up of general purpose governments (county, municipal and town or township) and special purpose governments (special districts and independent school districts). See also tbl.2. CG1700ORG02 Table Notes_Local Governments by Type and State_2017.

¹⁹⁸ See *id.* at tbl.5. County Governments by Population-Size Group and State: 2017 [CG1700ORG05], <https://www.census.gov/data/tables/2017/econ/gus/2017-governments.html>. There were 2,105 county governments with populations less than 50,000. This category does not include subcounty (municipal and township) governments.

¹⁹⁹ See *id.* at tbl.6. Subcounty General-Purpose Governments by Population-Size Group and State: 2017 [CG1700ORG06], <https://www.census.gov/data/tables/2017/econ/gus/2017-governments.html>. There were 18,729 municipal and 16,097 town and township governments with populations less than 50,000.

²⁰⁰ See *id.* at tbl.10. Elementary and Secondary School Systems by Enrollment-Size Group and State: 2017 [CG1700ORG10], <https://www.census.gov/data/tables/2017/econ/gus/2017-governments.html>. There were 12,040 independent school districts with enrollment populations less than 50,000. See also tbl.4. Special-Purpose Local Governments by State Census Years 1942 to 2017 [CG1700ORG04], CG1700ORG04 Table Notes_Special Purpose Local Governments by State_Census Years 1942 to 2017.

²⁰¹ While the special purpose governments category also includes local special district governments, the 2017 Census of Governments data does not provide data aggregated based on population size for the special purpose governments category. Therefore, only data from independent school districts is included in the special purpose governments category.

²⁰² This total is derived from the sum of the number of general purpose governments (county, municipal and town or township) with populations of less than 50,000 (36,931) and the number of special purpose governments - independent school districts with enrollment populations of less than 50,000 (12,040), from the 2017 Census of Governments - Organizations tbls.5, 6 & 10.

²⁰³ See 47 CFR § 97.3(a)(4).

²⁰⁴ See *id.* § 97.3(a)(2).

²⁰⁵ See U.S. Census Bureau, 2017 NAICS Definition, “515112 Radio Stations,” <https://www.census.gov/naics/?input=515112&year=2017&details=515112>.

²⁰⁶ See 13 CFR § 121.201, NAICS Code 515112 (as of 10/1/22 NAICS Code 516110).

²⁰⁷ See U.S. Census Bureau, 2017 Economic Census of the United States, Selected Sectors: Sales, Value of Shipments, or Revenue Size of Firms for the U.S.: 2017, Table ID: EC1700SIZEREVFIRM, NAICS Code 515112,

(continued....)

1,879 firms operated with revenue of less than \$25 million per year.²⁰⁸ Therefore, based on the SBA's size standard the majority of firms are small entities. Additionally, according to Commission data as of December 2021, there were approximately 841,734 active licenses for this service.²⁰⁹ While the majority of these licenses are held by individuals, the Commission estimates that the licenses in this service held by clubs, associations and other non-profit entities are small entities under the SBA small business size standard.

9. *Radio Frequency Equipment Manufacturers (RF Manufacturers)*. There are several analogous industries with an SBA small business size standard that are applicable to RF Manufacturers. These industries are Fixed Microwave Services, Other Communications Equipment Manufacturing, Radio and Television Broadcasting and Wireless Communications Equipment Manufacturing. A description of these industries and the SBA small business size standards are detailed below.

10. *Fixed Microwave Services*. Fixed microwave services include common carrier,²¹⁰ private-operational fixed,²¹¹ and broadcast auxiliary radio services.²¹² They also include the Upper Microwave Flexible Use Service (UMFUS),²¹³ Millimeter Wave Service (70/80/90 GHz),²¹⁴ Local Multipoint Distribution Service (LMDS),²¹⁵ the Digital Electronic Message Service (DEMS),²¹⁶ 24 GHz Service,²¹⁷ Multiple Address Systems (MAS),²¹⁸ and Multichannel Video Distribution and Data Service (MVDDS),²¹⁹ where in some bands licensees can choose between common carrier and non-common

(Continued from previous page) _____
<https://data.census.gov/cedsci/table?y=2017&n=515112&tid=ECNSIZE2017.EC1700SIZEREVFIRM&hidePreview=false>. We note that the US Census Bureau withheld publication of the number of firms that operated for the entire year.

²⁰⁸ *Id.* The available U.S. Census Bureau data does not provide a more precise estimate of the number of firms that meet the SBA size standard. We note that the U.S. Census Bureau withheld publication of the number of firms that operated with sales/value of shipments/revenue in the individual categories for less than \$100,000, and \$100,000 to \$249,999 to avoid disclosing data for individual companies (see Cell Notes for the sales/value of shipments/revenue in these categories). Therefore, the number of firms with annual receipts that meet the SBA size standard would be higher than noted herein. We also note that according to the U.S. Census Bureau glossary, the terms receipts and revenues are used interchangeably, see https://www.census.gov/glossary/#term_ReceiptsRevenueServices.

²⁰⁹ Based on a FCC Universal Licensing System search on December 9, 2021, <https://wireless2.fcc.gov/UlsApp/UlsSearch/searchAdvanced.jsp>. Search parameters: Service Group = All, "Match only the following radio service(s)", Radio Service = HV, HA; Authorization Type = All; Status = Active.

²¹⁰ See 47 CFR Part 101, Subparts C and I.

²¹¹ See *id.* Subparts C and H.

²¹² Auxiliary Microwave Service is governed by Part 74 of Title 47 of the Commission's Rules. See 47 CFR Part 74. Available to licensees of broadcast stations and to broadcast and cable network entities, broadcast auxiliary microwave stations are used for relaying broadcast television signals from the studio to the transmitter, or between two points such as a main studio and an auxiliary studio. The service also includes mobile TV pickups, which relay signals from a remote location back to the studio.

²¹³ See 47 CFR Part 30.

²¹⁴ See 47 CFR Part 101, Subpart Q.

²¹⁵ See *id.* Subpart L.

²¹⁶ See *id.* Subpart G.

²¹⁷ See *id.*

²¹⁸ See *id.* Subpart O.

²¹⁹ See *id.* Subpart P.

carrier status.²²⁰ Wireless Telecommunications Carriers (*except Satellite*)²²¹ is the closest industry with an SBA small business size standard applicable to these services. The SBA small size standard for this industry classifies a business as small if it has 1,500 or fewer employees.²²² U.S. Census Bureau data for 2017 show that there were 2,893 firms that operated in this industry for the entire year.²²³ Of this number, 2,837 firms employed fewer than 250 employees.²²⁴ Thus, under the SBA size standard, the Commission estimates that a majority of fixed microwave service licensees can be considered small.

11. The Commission's small business size standards with respect to fixed microwave services involve eligibility for bidding credits and installment payments in the auction of licenses for the various frequency bands included in fixed microwave services. When bidding credits are adopted for the auction of licenses in fixed microwave services frequency bands, such credits may be available to several types of small businesses based average gross revenues (small, very small and entrepreneur) pursuant to the competitive bidding rules adopted in conjunction with the requirements for the auction and/or as identified in Part 101 of the Commission's rules for the specific fixed microwave services frequency bands.²²⁵

12. In frequency bands where licenses were subject to auction, the Commission notes that as a general matter, the number of winning bidders that qualify as small businesses at the close of an auction does not necessarily represent the number of small businesses currently in service. Further, the Commission does not generally track subsequent business size unless, in the context of assignments or transfers, unjust enrichment issues are implicated. Additionally, since the Commission does not collect data on the number of employees for licensees providing these services, at this time we are not able to estimate the number of licensees with active licenses that would qualify as small under the SBA's small business size standard.

13. *Other Communications Equipment Manufacturing.* This industry comprises establishments primarily engaged in manufacturing communications equipment (except telephone apparatus, and radio and television broadcast, and wireless communications equipment).²²⁶ Examples of such manufacturing include fire detection and alarm systems manufacturing, Intercom systems and equipment manufacturing, and signals (e.g., highway, pedestrian, railway, traffic) manufacturing.²²⁷ The SBA small business size standard for this industry classifies firms having 750 or fewer employees as small.²²⁸ For this industry, U.S. Census Bureau data for 2017 shows that 321 firms operated for the entire

²²⁰ See 47 CFR §§ 101.533, 101.1017.

²²¹ See U.S. Census Bureau, *2017 NAICS Definition*, "517312 Wireless Telecommunications Carriers (*except Satellite*)," <https://www.census.gov/naics/?input=517312&year=2017&details=517312>.

²²² See 13 CFR § 121.201, NAICS Code 517312 (as of 10/1/22, NAICS Code 517112).

²²³ See U.S. Census Bureau, *2017 Economic Census of the United States, Employment Size of Firms for the U.S.: 2017*, Table ID: EC1700SIZEEMPFIEM, NAICS Code 517312, <https://data.census.gov/cedsci/table?y=2017&n=517312&tid=ECNSIZE2017.EC1700SIZEEMPFIEM&hidePreview=false>.

²²⁴ *Id.* The available U.S. Census Bureau data does not provide a more precise estimate of the number of firms that meet the SBA size standard.

²²⁵ See 47 CFR §§ 101.538(a)(1)-(3), 101.1112(b)-(d), 101.1319(a)(1)-(2), and 101.1429(a)(1)-(3).

²²⁶ See U.S. Census Bureau, *2017 NAICS Definitions*, "334290 Other Communications Equipment Manufacturing," <https://www.census.gov/naics/?input=334290&year=2017&details=334290>.

²²⁷ *Id.*

²²⁸ See 13 CFR 121.201, NAICS Code 334290.

year.²²⁹ Of that number, 310 firms operated with fewer than 250 employees.²³⁰ Based on this data, we conclude that the majority of Other Communications Equipment Manufacturers are small.

14. *Radio and Television Broadcasting and Wireless Communications Equipment Manufacturing.* This industry comprises establishments primarily engaged in manufacturing radio and television broadcast and wireless communications equipment.²³¹ Examples of products made by these establishments are: transmitting and receiving antennas, cable television equipment, GPS equipment, pagers, cellular phones, mobile communications equipment, and radio and television studio and broadcasting equipment.²³² The SBA small business size standard for this industry classifies firms having 1,250 employees or less as small.²³³ U.S. Census Bureau data for 2017 show that there were 656 firms in this industry that operated for the entire year.²³⁴ Of this number, 624 had fewer than 250 employees.²³⁵ Based on this data, we conclude that a majority of manufacturers in this industry are small.

15. *Wireless Telecommunications Carriers (except Satellite).* This industry comprises establishments engaged in operating and maintaining switching and transmission facilities to provide communications via the airwaves.²³⁶ Establishments in this industry have spectrum licenses and provide services using that spectrum, such as cellular services, paging services, wireless Internet access, and wireless video services.²³⁷ The SBA size standard for this industry classifies a business as small if it has 1,500 or fewer employees.²³⁸ U.S. Census Bureau data for 2017 show that there were 2,893 firms in this industry that operated for the entire year.²³⁹ Of that number, 2,837 firms employed fewer than 250 employees.²⁴⁰ Additionally, based on Commission data in the 2021 Universal Service Monitoring Report,

²²⁹ See U.S. Census Bureau, *2017 Economic Census of the United States, Selected Sectors: Employment Size of Firms for the U.S.: 2017*, Table ID: EC1700SIZEEMPfirm, NAICS Code 334290, <https://data.census.gov/cedsci/table?y=2017&n=334290&tid=ECNSIZE2017.EC1700SIZEEMPfirm&hidePreview=false>.

²³⁰ *Id.* The available U.S. Census Bureau data does not provide a more precise estimate of the number of firms that meet the SBA size standard.

²³¹ See U.S. Census Bureau, *2017 NAICS Definition*, “334220 Radio and Television Broadcasting and Wireless Communications Equipment Manufacturing,” <https://www.census.gov/naics/?input=334220&year=2017&details=334220>.

²³² *Id.*

²³³ See 13 CFR § 121.201, NAICS Code 334220.

²³⁴ See U.S. Census Bureau, *2017 Economic Census of the United States, Employment Size of Firms for the U.S.: 2017*, Table ID: EC1700SIZEEMPfirm, NAICS Code 334220, <https://data.census.gov/cedsci/table?y=2017&n=334220&tid=ECNSIZE2017.EC1700SIZEEMPfirm&hidePreview=false>.

²³⁵ *Id.* The available U.S. Census Bureau data does not provide a more precise estimate of the number of firms that meet the SBA size standard.

²³⁶ See U.S. Census Bureau, *2017 NAICS Definition*, “517312 Wireless Telecommunications Carriers (except Satellite),” <https://www.census.gov/naics/?input=517312&year=2017&details=517312>.

²³⁷ *Id.*

²³⁸ See 13 CFR § 121.201, NAICS Code 517312 (as of 10/1/22, NAICS Code 517112).

²³⁹ See U.S. Census Bureau, *2017 Economic Census of the United States, Employment Size of Firms for the U.S.: 2017*, Table ID: EC1700SIZEEMPfirm, NAICS Code 517312, <https://data.census.gov/cedsci/table?y=2017&n=517312&tid=ECNSIZE2017.EC1700SIZEEMPfirm&hidePreview=false>.

²⁴⁰ *Id.* The available U.S. Census Bureau data does not provide a more precise estimate of the number of firms that meet the SBA size standard.

as of December 31, 2020, there were 797 providers that reported they were engaged in the provision of wireless services.²⁴¹ Of these providers, the Commission estimates that 715 providers have 1,500 or fewer employees.²⁴² Consequently, using the SBA's small business size standard, most of these providers can be considered small entities.

D. Description of Projected Reporting, Recordkeeping, and Other Compliance Requirements for Small Entities

16. The *WRC-15 Notice* proposes and seeks comment regarding the implementation of WRC-15 allocation decisions and other allocation changes. Further, the *WRC-15 Notice* proposes to revise footnote US288 by authorizing use of new 12.5 kilohertz and 6.25 kilohertz channels by on-board communication stations operating on spectrum near 457 MHz and 467 MHz in the 450-470 MHz band in the territorial waters of the United States.

17. The *WRC-15 Notice* does not propose to establish any new reporting or recordkeeping requirements for small entities, nor does it specifically propose any additional operational or implementation costs. At this time however, the Commission is not in a position to determine whether, if adopted, our proposals and the matters upon which we seek comment will require small entities to hire professionals to comply, and cannot quantify the cost of compliance with the potential rule changes discussed herein.

18. We anticipate the information we receive in comments including, where requested, cost and benefit analyses, will help the Commission identify and evaluate relevant compliance matters for small entities, including compliance costs and other burdens that may result from the proposals and inquiries we make in the *WRC-15 Notice*.

E. Steps Taken to Minimize Significant Economic Impact on Small Entities, and Significant Alternatives Considered

19. The RFA requires an agency to describe any significant, specifically small business, alternatives that it has considered in reaching its proposed approach, which may include the following four alternatives (among others): “(1) the establishment of differing compliance or reporting requirements or timetables that take into account the resources available to small entities; (2) the clarification, consolidation, or simplification of compliance and reporting requirements under the rule for such small entities; (3) the use of performance rather than design standards; and (4) an exemption from coverage of the rule, or any part thereof, for such small entities.”²⁴³

20. The *WRC-15 Notice* proposal to revise footnote US288 by authorizing operation on new narrower-bandwidth channels for on-board communication stations using spectrum near 457 MHz and 467 MHz in the 450-470 MHz band has the potential to cause harmful interference to existing operations of stations in the fixed and land mobile services, which could require some small entities to relocate to other channels to avoid such interference. This potential for interference and the need for relocation to other channels has been minimized by proposing to: 1) allow use of the existing channels for many of the proposed narrower-bandwidth channels; 2) limit the use of channels 122, 141, and 142 and channel pairs 12/22, 14/24, 102/202, 121/221, 122/222, 141/241, and 142/242 by on-board communication stations to coastal ports and the inland ports of Houston, Baton Rouge, and Portland, and along the waterways and at other ports between these inland ports and the ocean; and 3) require that on-board communication stations do not transmit on these channels while in port and not underway or preparing to get underway.

²⁴¹ Federal-State Joint Board on Universal Service, Universal Service Monitoring Report at 26, Table 1.12 (2021), <https://docs.fcc.gov/public/attachments/DOC-379181A1.pdf>.

²⁴² *Id.*

²⁴³ See 5 U.S.C. § 603(c)(1)–(4).

21. The measures proposed above to minimize the potential for harmful interference to land mobile radio stations operated by small and other entities may be sufficient to avoid causing any harmful interference to such existing stations and thereby avoid imposing a significant economic burden on small entities by requiring relocation to other channels. In addition, the power authorized for on-board communication stations is sufficiently low enough for us to tentatively find that implementation of these narrowbanding proposals would not have a significant economic impact on a substantial number of small entities in the 450-470 MHz band. However, we anticipate considering additional measures (e.g., a constant power spectral density consistent with that used in the existing 25 kilohertz channels) to protect land mobile operations from harmful interference in the follow-on service rules proceeding for these on-board communication operations.

22. The regulatory burdens we have proposed are necessary to implement certain of the frequency allocation decisions from the 2015 World Radiocommunication Conference in the Commission's Table of Frequency Allocations, to make other frequency allocation decisions, and make certain updates to the Commission's service rules. These proposals are designed to conform the Commission's rules to the *WRC-15 Final Acts* and seek to harmonize U.S. frequency allocations with the decisions made at WRC-15 to the extent that doing so would better meet domestic requirements.

23. To assist in the Commission's evaluation of the economic impact on small entities, as a result of proposed rules in the *WRC-15 Notice* and to better explore options and alternatives, the Commission seeks public comment as to whether the proposed rules pose any significant economic impacts to small entities and whether any of the costs associated with the *WRC-15 Notice* requirements can be alleviated for small entities. The Commission expects to more fully consider the economic impact and alternatives for small entities following the review of comments filed in response to the *WRC-15 Notice*.

F. Federal Rules that May Duplicate, Overlap, or Conflict with the Proposed Rules

24. None.